

# Local Educational Agency English Language Proficiency Assessments for California 2024–25 Summative ELPAC and Summative Alternate ELPAC Test Student Data File Layout

February 21, 2025

#### Contact Information

California District Outreach ● Contact: <u>Contact Us web page</u>
Program: CAASPP & ELPAC Website

Copyright © 2025 by the California Department of Education





# **Table of Contents**

2024–25 Summative ELPAC and Summative Alternate ELPAC Test Student Data File Layou	ıt 1
Table of Contents	2
Introduction and Notes	4
What's New in 2024–25 for the LEA Downloadable File	4
About the LEA and State Student Data Files for the Summative ELPAC and the Summat	
Score Data	6
Test Administration Data	6
Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation	6
Fields of Note	7
Additional Resources and Definitions	8
Change Log	g
Acronyms and Initialisms Used in the Student Data File Layout	10
Data Layout	12
Start-of-Record Information (Fields 1–4)	12
Student Information (Fields 5–17)	12
Enrollment Information (Fields 18–23)	16
Program Participation (Fields 24–30)	18
Language Proficiency Information (Fields 31–36)	21
Background Information (Fields 37–44)	23
Ethnicity/Race (Fields 45–53)	26
Other Information (Fields 54–61)	32
Test Details (Fields 62–119)	34
Test Modes (Fields 120–139)	83
Test Results (Fields 140–156)	92
Test Irregularities and Domain Exemptions (Fields 157–161)	98
Accommodations and Designated Supports (Fields 162–307)	99
Test Results for the Previous Year (Fields 308–367)	136
Other Score Information and New Fields (Fields 368–376)	156
Reference Tables	162
Primary Language Codes (Field 38)	162
Common Education Data Standards Language Codes (Field 39)	168



#### 2024–25 ELPAC Student Data File Layout

#### February 21, 2025—Page 3

Primary Disability Codes (Field 30)	174
Tested LEA Reporting Rules	175
Condition Code Rules	176
Condition Codes (Field 118)	177
Attemptedness/Completion Status Codes (Field 119)	178
Include Indicator Rules	178
Include Indicators for Reporting (Field 120)	178
Scale Score Ranges	179
Student Move Reporting	181



#### **Introduction and Notes**

This document contains the file layout and data definitions for the 2024–25 Summative English Language Proficiency Assessments for California (ELPAC) and the Summative Alternate ELPAC administered by a local educational agency (LEA). The data includes student demographic information, test scores, test settings, test administration information, and historical scores. In addition to the file layout, the following reference tables that define the code sets and rules for selected fields are provided in the Reference Tables section:

- Primary Language Codes
- Common Education Data Standards (CEDS) Language Codes
- Primary Disability Codes
- Tested LEA Reporting Rules
- Condition Code Rules
- Condition Codes
- Attemptedness/Completion Status Codes
- Include Indicator Rules
- Include Indicators for Reporting
- Scale Score Ranges
- Student Move Reporting

The notes in this section provide important information concerning key elements of the file layout.

#### What's New in 2024–25 for the LEA Downloadable File

#### **Updated Fields**

- New Primary Disability Type has been added:
  - DEAF: deafness
- New CEDS Language Code has been added:
  - ZXX: No Linguistic Content
- New Primary Language Codes have been added:
  - ASE: American Sign Language
  - ZXX: No Linguistic Content
- The definition of CEDS Language Code SGN has been updated to Other Sign Languages, American Sign Language.
- The definition of Primary Language Code SGN has been updated to Other Sign Languages.
- Field 6—Student ID Number (Local ID) field length has been increased to 20.
- Field 29—CALPADS Primary Disability Type field length has been increased to 4.
- Field 30—Primary Disability Type for Testing field length has been increased to 4.
- Field 40—Military Status has been updated to CALPADS Military Status.
- Field 41—Foster Status has been updated to CALPADS Foster Status.



- Field 42—Homeless Status has been updated to CALPADS Homeless Status.
- Field 43—Economic Disadvantage Status has been updated to CALPADS Economic Disadvantage Status.
- Field 53—Reporting Ethnicity has been updated to Ethnicity for Testing.
- Field 370—LTEL or ARLTEL has been added.
- Field 371—Migrant Status for Testing has been added.
- Field 372—Military Status for Testing has been added.
- Field 373—Foster Status for Testing has been added.
- Field 374—Homeless Status for Testing has been added.
- Field 375—Parent Education Level for Testing has been added.

Student demographic data is derived from the California Longitudinal Pupil Achievement Data System (CALPADS) and reflects student demographics as captured in the demographic snapshot. Demographic snapshots for students who tested occur at the time that the student starts testing or, for an alternate assessment, when the student's score becomes available for reporting in the Test Operations Management System (TOMS). For students who did not test, the demographic snapshot is taken after the testing window closed. Note that the source for each field is indicated in the file layout.

Data sources for the student data file are as follows:

- CALPADS—Extracted from CALPADS
- Scanning—Based on marked information from the Answer Book
- Derived—Created during generation of the student data file
- Scoring—Created as a result of scoring
- TOMS—Extracted from TOMS
- Group Identification Sheet (GIS)—Extracted during processing of the GIS that accompanied Answer Books for scoring

#### About the LEA and State Student Data Files for the Summative ELPAC and the Summative Alternate ELPAC

- Student records will be included in the downloadable state and LEA student data files for every valid registration for each test program, regardless of whether the test results are available.
- The Summative ELPAC and Summative Alternate ELPAC state and LEA student data files for the Student Score Report (SSR) quality-control production release will contain demographic data based on
  - the latest CALPADS file when the data is pulled;
  - the demographic snapshot rules described for each of the demographic fields in the student data file layout; or



- students who were exited from CALPADS, and the demographic snapshot was taken.
- There are exceptions that will prevent student records from appearing in the state student data file data set because of edit and resolution processes.
- The end-of-year state student data file is a complete operational file for both the Summative ELPAC and the Summative Alternate ELPAC that includes 100 percent of the student population eligible for the tests. When the final file is produced, all data has been reconciled from end to end, starting with the Test Delivery System (TDS) through to the scoring and rating processes, and through all reporting systems.
- Downloadable LEA student data files will be available (for both tested and enrolled LEAs)
  after receiving California Department of Education approval of the production SSR release.
- However, the demographic snapshot will be saved when the first summative testing event is received for the student and will continue to be updated daily throughout the Summative ELPAC testing window in the 2024–25 test administration year.

#### **Score Data**

The Summative ELPAC score data includes (1) the overall scale score and performance level and (2) the oral and written language composite scale scores and performance levels. Conditional standard errors of measurement (CSEMs) are provided for oral and written language scores. Performance levels of "beginning to develop," "somewhat/moderately developed," and "well developed" are provided for the Listening, Speaking, Reading, and Writing domains.

The Summative Alternate ELPAC score data includes the overall scale score and performance level. Performance levels of "Novice English Learner," "Intermediate English Learner," and "Fluent English Proficient" are provided.

#### **Test Administration Data**

Test administration data includes flags and condition codes describing specific elements of test administration. These include flags for attemptedness codes, Include Indicators, accommodations, and testing irregularities that occurred during the administration.

# Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation

The school-level data for nonpublic, nonsectarian schools (NPSs) is removed from the aggregate data published on the Test Results for California's Assessments public web reporting site; this data will not be searchable or appear in the aggregate reporting. The county, LEA, and direct funded charter school totals continue to include the students attending NPSs in their aggregate data. If the *Special Education District of Accountability* field is populated in the student's data record, then the student record is aggregated to the county-district-school code or direct funded charter school code provided.



#### **Fields of Note**

The following fields are of particular importance:

Field #	Section	Additional Explanation		
1	Assessment Type	Each record in the file will have an Assessment Type in field 1 that identifies the assessment taken. Only summative records are included in this file.		
2	UIN (Unique Identification Number)	The UIN, which is unique for every record in the file, may be used to join the records together so that all student information can be matched.		
62–68, 71–77, 80–86, and 89–95	Test Details—Testing Locations	<ol> <li>These fields show the LEA name from the TDS where the test was submitted online by the student for the computer-based tests, regardless of whether the student moved.</li> </ol>		
		<ol><li>LEA and school information are from the GIS returned with the student Answer Books for the PPTs.</li></ol>		
		3. If the student did not test or partially completed the test, this field will be populated with the district, school, and charter codes where the student was enrolled or registered.		
69, 78, 87, and 96	Testing Start Date	<ol> <li>The Testing Start Date fields shows the date on which the student started testing online with the computer-based tests in the TDS.</li> </ol>		
		2. The <i>Testing Start Date</i> is filled in on the Answer Book for the PPTs.		
		<ol> <li>A blank value is acceptable only for students who did not test or were assigned a domain exemption for the domain.</li> </ol>		
70, 79, 88, and 97	Testing Completed Date	<ol> <li>The Testing Completed Date fields shows the date on which the student completed or submitted the computer-based tests in the TDS.</li> </ol>		
		<ol><li>The Testing Completed Date is filled in on the Answer Book for the PPTs.</li></ol>		
		3. A blank value is acceptable only for students who did not test or were assigned a domain exemption.		
118	Condition Code	A special condition code indicates the presence of a particular circumstance during testing. Refer to the Condition Codes (Field 118) reference table for a list of codes included in this field. Only one condition code can be applied per record type.		



Field #	Section	Additional Explanation
119	Attemptedness	This flag designates students as either partial-completion or completion. Refer to the <a href="Attemptedness/Completion Status Codes">Attemptedness/Completion Status Codes</a> (Field 119) reference table for definitions of the statuses.
120	Include Indicator	Include Indicators, when set, indicate how a test result will be treated for reporting the number of students tested, determining which students and scores are included in the aggregated data. Include Indicators also show whether or not a student has taken a required test. Refer to the Include Indicators for Reporting (Field 120) reference table for more information.
146–148	Conditional Standard Error of Measurement (CSEM)	A random variation in individual scores that is quantified through the use of a statistic of measurement precision is called the CSEM. CSEMs are shown in bands or ranges. Note that the CSEM included with student test data is presented as a three-digit number. This number has been rounded up from a decimal to a whole number. CSEMs are provided for oral language and written language.

#### **Additional Resources and Definitions**

- CAASPP & ELPAC Website
- California Longitudinal Pupil Achievement Data System (CALPADS) web page
- California School Dashboard and System of Support web page



#### **Change Log**

If necessary, updates to the 2024–25 ELPAC Student Data File Layout will be outlined in this table. This log is used when a data layout has been updated after its initial publication.

Field #	Section(s)	Description of Change	Date Changed
TBD	TBD	TBD	TBD
TBD	TBD	TBD	TBD
TBD	TBD	TBD	TBD



# Acronyms and Initialisms Used in the Student Data File Layout

Term	Definition
AMARD	Analysis, Measurement, & Accountability Reporting Division
ALT	Alternate Assessment
ASL	American Sign Language
AR-LTEL	At-Risk of becoming LTEL (Long-Term English learner)
CAASPP	California Assessment of Student Performance and Progress
CALPADS	California Longitudinal Pupil Achievement Data System
CEDS	Common Education Data Standards
CSEM	conditional standard error of measurement
DEI	Data Entry Interface
DF	direct funded charter school
EA	embedded accommodation
EDS	embedded designated support
EL	English learner
ELAS	English language acquisition status
ELD	English language development
ELPAC	English Language Proficiency Assessments for California
EXD	Exempt Domain
GIS	Group Identification Sheet
IDEA	Individuals with Disabilities Education Act
IMS	Instructional Management Systems
K-2	kindergarten through grade two
KN	kindergarten
LEA	local educational agency
LF	locally funded charter school
LTEL	Long-Term English learner
NEA	non-embedded accommodation
NEDS	non-embedded designated support
NPS	nonpublic, nonsectarian school
NS	No Score
NT	Not Tested
PPT	paper–pencil test
SSID	Statewide Student Identifier



Term	Definition
SSR	Student Score Report
TBD	to be determined
TDS	Test Delivery System
TK	transitional kindergarten
TOMS	Test Operations Management System
UIN	unique identification number



# **Data Layout**

# **Start-of-Record Information (Fields 1–4)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
1 (A)	1	2	2	RecordType   Record Type This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric 21 = Summative ELPAC 23 = Summative Alternate ELPAC	TOMS
2 (B)	3	18	16	UIN   UIN (Unique Identification Number) This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	Internal ID from TOMS
3 (C)	19	34	16	Blank	Blank	Blank
4 (D)	35	50	16	Blank	Blank	Blank

#### **Student Information (Fields 5–17)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
5 (E)	51	60	10	SSID   Statewide Student Identifier (SSID) This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   1.08 SSID



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
6 (F)	61	80	20	LocalStudentID   Student ID Number (Local ID)  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Blank	CALPADS Local Student ID  1.09
7 (G)	81	95	15	LocalUse   Optional-Local Use This field is applicable only to the Summative ELPAC.	Alphanumeric Blank	Scanning: Back page of the Answer Book
8 (H)	96	145	50	StudentLastName   Student Last Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   1.12 LastOrSurname
9 (I)	146	175	30	StudentFirstName   Student First Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   1.10 FirstName
10 (J)	176	205	30	StudentMiddleName   Student Middle Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Blank	CALPADS   1.11 MiddleName
11 (K)	206	208	3	TKIndicator  TK Indicator This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Yes No	CALPADS   TransitionalKinde rgarten
12 (L)	209	210	2	Blank	Blank	N/A



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
13 (M)	211	220	10	DateofBirth   CALPADS Date of Birth	Alphanumeric	CALPADS   1.17 DateofBirth
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	(YYYY-MM-DD)	
				This field is updated daily until the last day of the statewide summative testing window.		
14 (N)	221	230	10	DateofBirthforTesting   Date of Birth for Testing	Alphanumeric (YYYY-MM-DD)	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the locked date of birth at the time TOMS receives the first test event for the Summative ELPAC or Summative Alternate ELPAC.		
15 (O)	231	231	1	Gender   Gender	Alphanumeric	CALPADS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	F = Female M = Male X = Nonbinary	1.18 Sex



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
16 (P)	232	233	2	CALPADSGrade   CALPADS Grade This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This is the latest grade level received from CALPADS. If a student was exited from CALPADS for the current year and reenrolled for the subsequent school year, this field will contain the current-year grade level. This field is updated daily until the last day of the statewide summative testing window.	Alphanumeric KN = Kindergarten 01 = First grade 02 = Second grade 03 = Third grade 04 = Fourth grade 05 = Fifth grade 06 = Sixth grade 07 = Seventh grade 08 = Eighth grade 09 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade	CALPADS   1.25 Grade
17 (Q)	234	235	2	GradeAssessed   Grade Assessed This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This is the locked grade level at the time TOMS receives the first test event either for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC for a computer-based test. This is the grade level marked on the Answer Book at the time the student takes the test for a PPT. If the student did not test, the grade level assessed is the grade level at which the student was eligible to test.	Alphanumeric KN = Kindergarten 01 = First grade 02 = Second grade 03 = Third grade 04 = Fourth grade 05 = Fifth grade 06 = Sixth grade 07 = Seventh grade 08 = Eighth grade 09 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade	TOMS   Grade Assessed



# **Enrollment Information (Fields 18–23)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
18 (R)	236	Code		Alphanumeric	CALPADS   2.06 ResponsibleDistri	
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		ctIdentifier
				This is the latest district code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.		
19 (S)	250	349	100	CALPADSDistrictName   CALPADS District Name	Alphanumeric	CALPADS   2.06 ResponsibleDistri ctIdentifier
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the latest district name received from CALPADS. This field is updated daily through the end of the statewide summative testing window.		
20 (T)	350	363	14	CALPADSSchoolCode   CALPADS School Code	Alphanumeric	CALPADS   2.07
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		ResponsibleScho olldentifier
				This is the latest school code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
21 (U)	364	463	100	CALPADSSchoolName   CALPADS School Name	Alphanumeric	CALPADS   2.07
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		ResponsibleSch oolldentifier
				This is the latest school code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.		
22 (V)	464	467	4	CALPADSCharterCode   CALPADS Charter Code	Alphanumeric Blank = Noncharter schools	CALPADS   ResponsibleScho olldentifier
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the latest charter school code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.		
23 (W)	468	469	2	CALPADSCharterSchoolIndicator   CALPADS Charter School Indicator	Alphanumeric  DF = Direct funded charter	CALPADS   CharterSchoolInd
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	school  LF = Locally funded charter school	icator
				This field is updated daily until the last day of the statewide summative testing window.	Blank	



# **Program Participation (Fields 24–30)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
24 (X)	470	476	7	SPEDAcctDist   Special Education District of Accountability	Alphanumeric (0–9)	CALPADS   3.22
				This is a two-digit county and five-digit district code.	Blank	EsilDSpecEduAc ctbltyDist
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This field is used for aggregating NPS students to their home district. All other students are aggregated to the county-district-school or direct funded charter school in which the student tested.		
				If the NPS School Flag is Y, then the Special Education District of Accountability where the student is enrolled is used for aggregating.		
				This field is updated daily until the last day of the statewide summative testing window.		
25 (Y)	477	477	1	NPSSchoolFlag   NPS School Flag	Alphanumeric	CALPADS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Y = Yes N = No Blank	1.06
				This field is updated daily until the last day of the statewide summative testing window.		



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element	
26 (Z)	<b>26 (Z)</b> 478	480	3	Section504Status   Section 504 Status	Alphanumeric	CALPADS	
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Yes No	Section504Status	
				This field is updated daily until the last day of the statewide summative testing window.			
27 (AA)	481	483	3	CALPADSSpecialEducation   CALPADS Special Education	Alphanumeric Yes	CALPADS   IDEAIndicator	
		Summ Altern This fi	This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	No			
				This field is updated daily until the last day of the statewide summative testing window.			
28 (AB)	484	486	3	SpecialEducationforTesting   Special Education for Testing	Alphanumeric Yes	TOMS	
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	No		
					This is the locked IDEA Indicator value at the time the student started the first test for CAASPP, Summative ELPAC, or Summative Alternate ELPAC.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
29 (AC)	487	490	4	PrimaryDisabilityType   CALPADS Primary Disability Type  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This field is updated daily until the last day of the statewide summative testing window.  Codes are listed in the Primary Disability Codes (Field 30) reference table.	Alphanumeric AUT, DB, EMN, HI, ID, MD, OI, OHI, SLD, SLI, TBI, VI Blank	CALPADS   PrimaryDisability Type
30 (AD)	491	494	4	PrimaryDisabilityforTesting   Primary Disability Type for Testing  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked primary disability type value at the time TOMS receives the first test event for either CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC.  Codes are listed in the Primary Disability Codes (Field 30) reference table.	Alphanumeric AUT, DB, EMN, HI, ID, MD, OI, OHI, SLD, SLI, TBI, VI Blank	TOMS



# **Language Proficiency Information (Fields 31–36)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
31 (AE)	495	497	3	MigrantStatus   Migrant Status  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This field is updated daily until the last day of the statewide summative testing window.	Alphanumeric Yes No	CALPADS   3.20 MigrantStatus
32 (AF)	498	507	10	ELEntryDate   EL Entry Date  This is the date the student was assigned as an English learner (EL).  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the year, month, and day the student classified as EL and entered the English language development (ELD) program.	Alphanumeric (YYYY-MM-DD) Blank	CALPADS   LimitedEnglishPr oficiencyEntryDat e
33 (AG)	508	517	10	ELExitDate   EL Exit Date  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the date when the student's classification was changed in CALPADS to exit ELD. This is the year, month, and day the student's classification changed to exit from ELD.	Alphanumeric (YYYY-MM-DD) Blank	CALPADS LEPExitDate



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
34 (AH)	518	520	3	ELStatus   EnglishLearnerStatus  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is an indicator that the student is an EL based on their CALPADS English language acquisition status (ELAS).	Alphanumeric Yes No	CALPADS   EnglishLearnerSt atus
35 (AI)	521	530	10	FirstEntryDateInUSSchool   First Entry Date in US School This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This field is updated daily until the last day of the statewide summative testing window.	Alphanumeric (YYYY-MM-DD) Blank	CALPADS   2.45 FirstEntryDateInt oUSSchool
36 (AJ)	531	532	2	ELASforTesting   English Language Acquisition Status for Testing This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This is the locked ELAS at the time the student started the first computer-based domain, the paper Answer Book for the Summative ELPAC was scanned, or when a score was received. If the student did not test by the end of the test window, eligible students will be reported.	Alphanumeric EL = English learner	CALPADS   12.13 EnglishLanguage AcquisitionStatus



# **Background Information (Fields 37–44)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
37 (AK)	533	535	3	CALPADSPrimaryLanguage   CALPADS Primary Language	Alphanumeric Blank	CALPADS   LanguageCodeC ALPADS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the locked primary language at the time the student started the first computer-based test, the paper Answer Book for the Summative ELPAC was scanned, or a score was received. If the student did not test by the end of the test window, eligible students will be reported.		
				Codes are listed in the <u>Primary Language</u> <u>Codes (Field 38)</u> reference table.		
38 (AL)	536	538	3	PrimaryLanguageforTesting   Primary Language for Testing	Alphanumeric Blank	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	J.a.iii	
				This is the locked primary language at the time TOMS receives the first test event for the Summative ELPAC.		
				If the student did not test by the end of the test window, the student's enrolled primary language value is reported.		
				Codes are listed in the <u>Primary Language</u> <u>Codes (Field 38)</u> reference table.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
39 (AM)	539	541	3	CEDSLanguageCode   Language Code (CEDS)  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This field is updated daily until the last day of the statewide summative testing window.	Alphanumeric Blank	CALPADS   12.15 LanguageCodeC EDS
				Codes are listed in the Common Education <u>Data Standards Language Codes</u> (Field 39) reference table.		
40 (AN)	542	544	3	MilitaryStatus   Military Status  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Yes No	CALPADS   MilitaryStatus
41 (AO)	545	547	3	FosterStatus   Foster Status  This field is applicable to both the  Summative ELPAC and the Summative  Alternate ELPAC.	Alphanumeric Yes No	CALPADS   FosterStatus
42 (AP)	548	550	3	HomelessStatus   Homeless Status This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Yes No	CALPADS   3.23 HomelessStatus



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element	
43 (AQ)	551	553	553 3	EconomicDisadvantageStatus   CALPADS Economic Disadvantage Status	Alphanumeric Yes	CALPADS   EconomicDisadv antageStatus	
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	No		
				This is the locked <i>Economic Disadvantage Status</i> at the time the student started the first computer-based test, the paper Answer Book for the Summative ELPAC was scanned, or when a score was received. If the student did not test by the end of the test window, eligible students will be reported.			
44 (AR)	554	556	3	EconomicDisadvantageTesting   Economic Disadvantage Status for Testing	Alphanumeric Yes	TOMS	
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	No		
					This is the locked <i>Economic Disadvantage Status</i> at the time TOMS received the first test event for CAASPP, Summative ELPAC, or Summative Alternate ELPAC.		
				If the student did not test by the end of the test window, the student's enrolled data is reported.			



# Ethnicity/Race (Fields 45–53)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
45 (AS)	557	559	3	HispanicorLatino   Hispanic or Latino This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Yes No	CALPADS   2.23 HispanicOrLatino Ethnicity
				This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.		
46 (AT)	560	562	3	AmericanIndianorAlaskaNative   American Indian or Alaska Native  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the and of the testing window, the	Alphanumeric Yes No	CALPADS   AmericanIndianO rAlaskaNative
				by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
47(AU)	563	565	3	Asian   Asian This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Yes No	CALPADS   Asian
				This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.		
48 (AV)	566	568	3	BlackorAfricanAmerican   Black or African American  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.	Alphanumeric Yes No	CALPADS   BlackOrAfricanA merican



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
49 (AW)	569	571	3	White   White This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Yes No	CALPADS   White
				This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.		
50 (AX)	572	574	3	HawaiianOrOtherPacificIslander   Native Hawaiian or Other Pacific Islander  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.	Alphanumeric Yes No	CALPADS   NativeHawaiianO rOtherPacificIsIan der



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
51 (AY)	575	577	3	Filipino   Filipino  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.	Alphanumeric Yes No	CALPADS   Filipino



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element						
52 (AZ)	578	580	3	TwoorMoreRaces   Two or More Races	Alphanumeric	Sourced from						
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Yes No	CALPADS   DemographicRace TwoOrMoreRaces						
										This field represents the ethnicity of "Two or More Races" or if no ethnicity was reported.		
				Blank is not an acceptable value.								
			This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.									



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
53 (BA)	581	583	3	Ethnicity for Testing   EthnicityforTesting This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's ethnicity on the last day of the LEA's selected testing window is reported.	Alphanumeric  100 = American Indian or Alaska Native  200 = Asian  300 = Native Hawaiian or Pacific Islander  400 = Filipino  500 = Hispanic or Latino  600 = Black or African American  700 = White  800 = Two or More Races	Derived field based on "Yes" values in fields 45–52



# Other Information (Fields 54–61)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
54 (BB)	584	585	2	ParentEducationLevel   Parent Education Level This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This field is updated daily until the last day of the statewide summative testing window.	Alphanumeric  10 = Graduate Degree or Higher  11 = College Graduate  12 = Some College or Associate  13 = High School Graduate  14 = Not a High School Graduate  15 = Decline to State  Blank	CALPADS   2.50 ParentHighestEd ucationLevel
55 (BC)	586	645	60	StudentAddressLine1   Student Address Line 1 This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   2.50 ResidentialAddr essLine1
56 (BD)	646	705	60	StudentAddressLine2   Student Address Line 2 This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   2.50 ResidentialAddr essLine2
57 (BE)	706	765	60	StudentAddressCityName   Student Address City  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   2.50 ResidentialAddr essCityName



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
58 (BF)	766	771	6	StudentAddressStateName   Student State Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   ResidentialAddre ssState
59 (BG)	772	783	12	StudentAddressZipCode   Student Zip Code  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric (#####–00000)	CALPADS   ResidentialAddre ssZipCode
60(BH)	784	784	1	TestedStatus   Tested Status This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Y = Tested, when the attemptedness of the student score is P or Y N = Not tested, when the student did not test or has a condition code of NT	TOMS
61 (BI)	785	794	10	SSRAvailableDate   SSR Available Date This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric (YYYY-MM-DD) Blank	TOMS



#### Test Details (Fields 62–119)

#### Testing Locations and Testing Dates (Fields 62–105)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
Field # 62 (BJ)	Field # Start	End Length 894 100	TestedDistrictName1   Tested LEA Name 1—Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This field shows the LEA name where the test was submitted online by the student for the computer-based tests in the TDS, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a kindergarten through	Acceptable Values Alphanumeric	_	
				grade two (K–2) PPT emergency form.  If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled LEA name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element			
63 (BK)	895	908	14	TestedDistrictCode1   Tested County- District Code 1—Listening	Alphanumeric	TOMS Scanning: GIS			
		ELPAC (Lister	This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.		(paper) Scanning: Answer Book				
			This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.						
								If the student did not test, this field will be populated with the county-district code of the last enrollment with valid registration at the end of the testing window.	
				If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled county-district code. This is applicable for all grade levels or grade spans.					



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
64 (BL)	909	1008	100	TestedSchoolName1   Tested School Name 1—Listening	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.		(paper) Scanning: Answer Book
				This field shows the school name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
65 (BM)	1009	09 1022 14 TestedSchoolCode1   Tested School Code   Alphanumeric   1—Listening	Alphanumeric	TOMS Scanning: GIS		
				This field is applicable to the Summative ELPAC (Listening domain) and the		(paper)
				Summative Alternate ELPAC.		Scanning: Answer Book
		This field shows the school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.				
				If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.		



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
66 (BN)	1023	1024	2	TestedCharterSchoolIndicator1   Tested Charter School Indicator 1—Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.  If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.	Alphanumeric  DF = Direct funded charter school  LF = Locally funded charter school  Blank	TOMS Scanning: GIS (paper) Scanning: Answer Book



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
67 (BO)	1025	1028	4	TestedCharterCode1   Tested Charter Code 1—Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This field shows the tested charter school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.  If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.	Alphanumeric Blank	TOMS Scanning: GIS (paper) Scanning: Answer Book



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
68 (BP)	1029	1029	1	TestedSchoolNPSFlag1   Tested School NPS Flag 1—Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field will be populated with the NPS flag of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.	Alphanumeric Y N Blank	TOMS Scanning: GIS (paper)



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
69 (BQ)	1030	1039	10	TestStartDate1   Test Start Date 1— Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This field shows the date when the test started for the Listening domain, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form. A blank value is acceptable only for students who did not test, did not log on to the test or domain, or were assigned a domain exemption.	Alphanumeric (YYYY-MM-DD) Blank	TDS Data Entry Interface (DEI) Scanning: Answer Book



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
70 (BR)	1040	1049	10	TestCompletedDate1   Testing Completed Date 1—Listening	Alphanumeric (YYYY-MM-DD)	TDS DEI
				This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.	Blank	Scanning: Answer Book
				This field shows the testing completed date when the test was submitted by the student in the TDS, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				In the case of an expired test, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.		
				A blank value is acceptable only for students who did not test, did not log on to the test or domain, or were assigned a domain exemption.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
71 (BS)	1050	1149	100	TestedDistrictName2   Tested LEA Name 2—Speaking	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Speaking domain).		(paper) Scanning: Answer Book
				This field shows the LEA name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled LEA name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
72 (BT)	1150	1163	14	TestedDistrictCode2   Tested County- District Code 2—Speaking	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Speaking domain).		(paper) Scanning: Answer Book
				This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved. If the student exited before testing started, this field will be blank, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
			If the student did not test, this field will be populated with the district code of the last enrollment with valid registration at the end of the testing window.			
				If the student is assigned domain exemptions for all domains, this field will display the enrolled district code. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
73 (BU)	1164	1263	100	TestedSchoolName2   Tested School Name 2—Speaking	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Speaking domain).		(paper) Scanning: Answer Book
				This field shows the school name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
74 (BV)	1264	1277	14	TestedSchoolCode2   Tested School Code 2—Speaking	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Speaking domain).		(paper)
		This field shows the school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.				
				If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
75 (BW)	1278	1279	2	TestedCharterSchoolIndicator2   Tested Charter School Indicator 2—Speaking This field is applicable to the Summative ELPAC (Speaking domain). This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.  If the student did not test, this field will be populated with the school code indicator of the last enrollment with valid registration at the end of the testing window.	Alphanumeric  DF = Direct funded charter school  LF = Locally funded charter school  Blank	TOMS Scanning: Answer Book
				If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
76 (BX)	1280 1283	4	TestedCharterCode2   Tested Charter Code 2—Speaking	Alphanumeric	TOMS	
			This field is applicable to the Summative ELPAC (Speaking domain).	Scanning: Answer Book		
			This field shows the tested charter school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.			
		populat the last the end If the st exempt display This is a	If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window			
			If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.			



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
77 (BY)	1284	1284	1	TestedSchoolNPSFlag2   Tested School NPS Flag 2—Speaking This field is applicable to the Summative ELPAC (Speaking domain). This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.  If the student did not test, this field will be populated with the NPS flag of the last enrollment with valid registration at the end of the testing window.	Alphanumeric Y N Blank	TOMS Scanning: Answer Book
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
78 (BZ)	1285	1294	10	TestStartDate2   Test Start Date 2— Speaking	Alphanumeric (YYYY-MM-DD)	TDS DEI
				This field is applicable to the Summative ELPAC (Speaking domain).	Blank	Scanning: Answer Book
				This field shows the date when the test started for the Speaking domain, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				A blank value is acceptable only for students who did not test, did not log on to the test or domain, or were assigned a domain exemption.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
79 (CA)	1295	1304	10	TestCompletedDate2   Testing Completed Date 2—Speaking	Alphanumeric (YYYY-MM-DD)	TDS DEI
				This field is applicable to the Summative ELPAC (Speaking domain).	Blank	Scanning: Answer Book
				This field shows the testing completed date when the test was submitted by the student in the TDS, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		Scanning: Answer Book
				In the case of an expired test, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.		
				A blank value is acceptable only for students who did not test, did not log on to the test or domain, or were assigned a domain exemption.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
80 (CB)	1305	1404	100	TestedDistrictName3   Tested LEA Name 3—Reading	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Reading domain).		(paper) Scanning: Answer
				This field shows the LEA name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		Book
				If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
81 (CC)	1405	1418	14	TestedDistrictCode3   Tested County- District Code 3—Reading	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Reading domain).		(paper) Scanning: Answer Book
				This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the district code of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled district code. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
82 (CD)	( <b>CD</b> ) 1419 15	Name 3—Reading This field is applicate ELPAC (Reading of This field shows the the test was submaregardless of where or it is obtained from Book in the event form.  If the student did repopulated with the enrollment with variate in the student with the enrollment with variate in the student with variate in the student of the student with variate in the student with the student with variate in the student with variate with variat		TestedSchoolName3   Tested School Name 3—Reading	Alphanumeric	TOMS Scanning: GIS
			This field is applicable to the Summative ELPAC (Reading domain).		(paper)	
			This field shows the school name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.			
			If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.			
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
83 (CE)	1519	1532	14	TestedSchoolCode3   Tested School Code 3—Reading	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Reading domain).		(paper)
			This field shows the school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.			
				If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
84 (CF)	1533	1534	2	TestedCharterSchoolIndicator3   Tested Charter School Indicator 3—Reading This field is applicable to the Summative ELPAC (Reading domain).  This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.  If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain	Alphanumeric  DF = Direct funded charter school  LF = Locally funded charter school  Blank	TOMS Scanning: Answer Book
				exemptions for all domains, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>85 (CG)</b> 1535	1535 1	1538	Code 3—Reading  This field is applicable to the Summative ELPAC (Reading domain).  This field shows the tested charter school code where the test was submitted by the student, regardless of whether the student	Alphanumeric Blank	TOMS Scanning: Answer Book	
				moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.		
			If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.			



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
86 (CH)	1539	1539	1	TestedSchoolNPSFlag3   Tested School NPS Flag 3—Reading This field is applicable to the Summative ELPAC (Reading domain). This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved. If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain exemptions for all domains, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.	Alphanumeric Y N Blank	TOMS
87 (CI)	1540	1549	10	TestStartDate3   Test Start Date 3—Reading This field is applicable to the Summative ELPAC (Reading domain). This field shows the date when the test started for the Reading domain, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form. A blank value is acceptable only for students who did not test, did not log on to the test or domain, or were assigned a domain exemption.	Alphanumeric (YYYY-MM-DD) Blank	TDS DEI Scanning: Answer Book



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
88 (CJ)	1550	1559	10	TestCompletedDate3   Testing Completed Date 3—Reading	Alphanumeric (YYYY-MM-DD)	TDS DEI
				This field is applicable to the Summative ELPAC (Reading domain).		Scanning: Answer Book
				This field shows the testing completed date when the test was submitted by the student in the TDS, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				In the case of an expired test, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.		
				A blank value is acceptable only for students who did not test, did not log on to the test or domain, or were assigned a domain exemption.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
89 (CK)	1560	1659	100	TestedDistrictName4   Tested LEA Name 4—Writing	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Writing domain).		(paper) Scanning: Answer Book
				This field shows the LEA name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
			If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.			
				If the student is assigned domain exemptions for all domains, this field will display the enrolled LEA name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
90 (CL)	1660	1673	14	TestedDistrictCode4   Tested County- District Code 4—Writing	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Writing domain).		(paper) Scanning: Answer Book
				This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the district code of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled district code. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
91 (CM)	1674	1773	100	TestedSchoolName4   Tested School Name 4—Writing	Alphanumeric	TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Writing domain).		(paper)
				This field shows the school name where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		Scanning: Answer Book
				If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
92 (CN)	1774	1787	14	TestedSchoolCode4   Tested School Code 4—Writing		TOMS Scanning: GIS
				This field is applicable to the Summative ELPAC (Writing domain).		(paper) Scanning: Answer Book
				This field shows the school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.		
				If the student is assigned domain exemptions for all domains, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
93 (CO)	1788	1789	2	TestedCharterSchoolIndicator4   Tested Charter School Indicator 4—Writing This field is applicable to the Summative ELPAC (Writing domain). This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.  If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.  If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.	Alphanumeric  DF = Direct funded charter school  LF = Locally funded charter school  Blank	TOMS Scanning: Answer Book



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
94 (CP)	1790	1793	4	TestedCharterCode4   Tested Charter School Code 4—Writing	Alphanumeric Blank	TOMS Scanning: Answer Book
				This field is applicable to the Summative ELPAC (Writing domain).		
				This field shows the tested charter school code where the test was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.		
				If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.		
			If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.			



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
95 (CQ)	1794	1794	1	TestedSchoolNPSFlag4   Tested School NPS Flag 4—Writing This field is applicable to the Summative ELPAC (Writing domain). This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved. If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window. If the student is assigned domain exemptions for all domains, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.	Alphanumeric Y N Blank	TOMS
96 (CR)	1795	1804	10	TestStartDate4   Test Start Date 4—Writing This field is applicable to the Summative ELPAC (Writing domain). This field shows the date when the test started for the Writing domain, or it is obtained from the scanned Answer Book for K–2 in the event of a K–2 PPT emergency form. A blank value is acceptable only for students who did not test, students who did not log on to the test or domain, or students who were assigned a domain exemption.	(YYYY-MM-DD) Blank	TDS DEI Scanning: Answer Book



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
97 (CS)	1805	1814	10	TestCompletedDate4   Testing Completed Date 4—Writing	Alphanumeric (YYYY-MM-DD)	TDS DEI
				This field is applicable to the Summative ELPAC (Writing domain).	Blank	Scanning: Answer Book
				This field shows the testing completed date when the test was submitted by the student in the TDS, or it is obtained from the scanned Answer Book for K–2 in the event of a K–2 PPT emergency form.		
				In the case of an expired test, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.		
				A blank value is acceptable only for students who did not test, students who did not log on to the test or domain, or students who were assigned a domain exemption.		



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
98 (CT)	1815	1914	100	FinalTestedDistrictName   Final Tested LEA Name	Alphanumeric	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This field shows the final tested LEA name (of the tested domains). This data will be used for the tested LEA student data files and aggregate reporting.		
				This field is derived by TOMS based on the Final Tested County-District Code field.		
			If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the LEA name of the last enrollment with a valid registration at the end of the testing window.			



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
99 (CU)	1915	1928	14	FinalTestedDistrictCode   Final Tested County-District Code	Alphanumeric 14 digits	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This field shows the county-district code of the LEA (of the tested domains). This data will be used for the tested LEA student data files and aggregate reporting.		
				This field is derived by TOMS based on the tested LEA reporting rules that identifies the LEA where the student will be reported as tested.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the county-district code of the last enrollment with a valid registration at the end of the testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
100 (CV)	1929	2028	100	FinalTestedSchoolName   Final Tested School Name	Alphanumeric	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This field shows the final tested school name (of the tested domains). This data will be used for the tested LEA student data files and aggregate reporting.		
				This field is derived by TOMS based on the Final Tested School Code field.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the school name of the last enrollment with a valid registration at the end of the testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
101 (CW)	2029	2042	14	FinalTestedSchoolCode   Final Tested School Code	Alphanumeric 14 digits	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This field shows the school code of the final tested school where the student will be reported as tested. This data will be used for the tested LEA student data files and aggregate reporting.		
				This field is derived by TOMS based on the Final Tested County-District Code field.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the school code of the last enrollment with a valid registration at the end of the testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element				
102 (CX)	2043	2044	Tested Charter School Indicator  This field is applicable to both the  DF = Direct funded charter school	Alphanumeric  DF = Direct funded charter	TOMS					
				Summative ELPAC and the Summative	LF = Locally funded charter					
				This field shows the charter school indicator of the final tested school. This data will be used for the tested LEA student data files and aggregate reporting.						
								This field is derived by TOMS based on the Final Tested School Code field.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the charter school indicator with a valid registration at the end of the testing window.						



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
103 (CY)	2045	2048	4	FinalTestedCharterCode   Final Tested Charter Code	Alphanumeric 4 digits	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This field shows the final tested charter code.		
				This data will be used for the tested LEA student data files and aggregate reporting.		
				This field is derived by TOMS based on the Final Tested School Code.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the Special Education District of Accountability code of the last enrollment with a valid registration at the end of the testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
104 (CZ)	2049	2049	1 FinalTestedSchoolNPSFlag   Final Tested   Alphanumeric   TOMS   School NPS Flag   Y = NPS	TOMS		
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	N = Not an NPS	
				This field shows the NPS flag of the final tested school (of the tested domains) where the test was submitted by the student, regardless of whether the student moved. This data will be used for tested LEA student data files and aggregate reporting.		
				This field is derived by TOMS based on the Final Tested School Code field.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the school NPS flag of the last enrollment with a valid registration at the end of the testing window.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
105 (DA)	2050	2059	10	FinalTestCompletedDate   Final Test Completed Date	Alphanumeric (YYYY-MM-DD)	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Blank	
				The final testing completed date (of the tested domains) will be used to identify the final tested LEA and school, and the date is printed on the SSR.		
				This field is derived by TOMS using the latest opportunity test completed date of the tested domains.		
				If the student did not test for the Summative ELPAC or Summative Alternate ELPAC, this field will be blank.		



## Test Identification (Fields 106–113)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
106 (DB)	2060	2075	16	OpportunityID1   Opportunity ID 1— Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This is a unique testing opportunity identifier that allows linkage to a testing session and students' responses. A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.	Alphanumeric Blank	TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
107 (DC)	2076	2076	1	OpportunityTestingStatus1   Opportunity Testing Status 1—Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC. This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.  A completed test opportunity is one that is submitted. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.  A blank value is acceptable only for students who did not test, students who took the PPT, or students who were	Alphanumeric C = Completed E = Expired Blank	TDS, DEI
108 (DD)	2077	2092	16	assigned a domain exemption.  OpportunityID2   Opportunity ID 2— Speaking This field is applicable to the Summative ELPAC (Speaking domain). This is a unique testing opportunity identifier that allows linkage to a testing session and students' responses.  A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.	Alphanumeric Blank	TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element	
109 (DE)	2093	93 2093 1	2093 2093	2093	Testing Status 2—Speaking  This field is applicable to the Summative ELPAC (Speaking domain).  This is the latest testing opportunity status	Alphanumeric C = Completed E = Expired Blank	TDS, DEI
				code received from the TDS or DEI for the corresponding opportunity ID.			
				A completed test opportunity is one that is submitted. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.			
				A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.			
110 (DF)	2094	2109	16	OpportunityID3   Opportunity ID 3—Reading	Alphanumeric Blank	TDS, DEI	
				This field is applicable to the Summative ELPAC (Reading domain).	District		
				A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.			



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element			
111 (DG)		2110	2110	Tes This ELF A bl	2110 2110	2110	OpportunityTestingStatus3   Opportunity Testing Status 3—Reading This field is applicable to the Summative ELPAC (Reading domain). A blank value is acceptable only for	Alphanumeric C = Completed E = Expired Blank	TDS, DEI
				students who did not test, students who took the PPT, or students who were assigned a domain exemption.					
112 (DH)	2111	2126	16	OpportunityID4   Opportunity ID 4—Writing This field is applicable to the Summative ELPAC (Writing domain).	Alphanumeric Blank	TDS, DEI			
				A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.					



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
113 (DI)	<b>113 (DI)</b> 2127	2127	1	OpportunityTestingStatus4   Opportunity Testing Status 4—Writing	Alphanumeric C = Completed	TDS, DEI
				This field is applicable to the Summative ELPAC (Writing domain).	E = Expired Blank	
				This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.		
			A completed test opportunity is one that is submitted. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.			
			A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.			



## Testing Special Conditions (Fields 114–119)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element	
114 2128 (DJ)	2128	2131	4	StudentExitCode   Student Exit Code	Alphanumeric	CALPADS	
			This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Blank	StuExitCatgKey		
	· ·	This field is populated with the exit code received from CALPADS.					
				Blank is an acceptable value when there is no exit code.			
115	2132		32 2141	2141 10	StudentExitDate   Student Exit Date	Alphanumeric	CALPADS
(DK)	(DK)		This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	(YYYY-MM-DD) Blank	WithdrlDate		
					This is the date on which the student was removed from the CALPADS file.		
						This is the date the student was last enrolled in the LEA, as shown in CALPADS and is reported to CALPADS by the LEA.	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
116 (DL)	2142	2151	10	StudentExitFileDate   Student in Exit File Date  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the date when CALPADS sent the student exit record to TOMS. This date is used to determine whether a student's test enrollment should be changed from valid to invalid status.	Alphanumeric (YYYY-MM-DD) Blank	TOMS (derived)
117 (DM)	2152	2152	1	ELAS Correction Code   ELASCorrectionCode This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This field is populated when the ELAS for a student in kindergarten through twelve is being corrected. This field will be blank if the value is not received from CALPADS.	Alphanumeric  1 = Evidence of Non-English Primary Language  4 = Ineligible Student Tested  5 = Evidence for EL or IFEP  Blank	CALPADS
118 (DN)	2153	2155	3	ConditionCode   Condition Code This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. A blank value for the Summative ELPAC indicates that the student tested and no domain exemption was assigned in TOMS for the student.	Alphanumeric  NT = Not Tested  EXD = Exempt Domain  (Summative ELPAC only)  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
119 (DO)	2156	2156	1	Attemptedness   Attemptedness This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. A "P" or "Y" value is derived from scoring. Blank is the accepted value only if student did not test.	Alphanumeric P = Partial-completion Y = Completion Blank	Scoring (derived)

# Test Modes (Fields 120–139)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
120 (DP)	2157	2157	1	IncludeIndicator   Include Indicator This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric  N = The student did not test and received a condition code of "NT".  T = The student tested and did not meet the participation rule or received an attemptedness value of "P" from the scoring system.  Y = The student completed the test, received a valid score, or received an attemptedness value of "Y" from the scoring system.	TOMS (derived)



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
121 (DQ)	2158	2158	1	UnlistedResources1   Unlisted Resources 1—Listening This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS
122 (DR)	2159	2159	1	UnlistedResources2   Unlisted Resources 2—Speaking This field applies to the Summative ELPAC (Speaking domain).	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS
123 (DS)	2160	2160	1	UnlistedResources3   Unlisted Resources 3—Reading This field applies to the Summative ELPAC (Reading domain).	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
124 (DT)	2161	2161	1	UnlistedResources4   Unlisted Resources 4—Writing This field applies to the Summative ELPAC (Writing domain).	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS
125 (DU)	2162	2162	1	SSREligible   SSR Eligible This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Y = An SSR was created for the student. N = An SSR was not created for the student. Blank = The student did not test.	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element		
126 (DV)	2163	2163 2163 1	1	RemoteTester1   Remote Tester 1  This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC (which can be administered only locally).  This field indicates whether the student's participation was remote, local, or mixed (combination).  A value of Y is not applicable to Summative Alternate ELPAC, as it is only administered locally or in person.	Blank = Student not tested	TOMS		
				A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.				
127 (DW)	2164	2164	1	RemoteTester2   Remote Tester 2  This field is applicable to the Summative ELPAC (Speaking domain).  This field indicates whether the student's participation was remote, local, or mixed (combination).  A blank value indicates that the student did	Alphanumeric Y = Remote N = Local M = Mixed Blank = Student not tested	TOMS		
						not test, took the K–2 PPT, or was assigned a domain exemption.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
128 (DX)	2165	2165	1	RemoteTester3   Remote Tester 3  This field is applicable to the Summative ELPAC (Reading domain).  This field indicates whether the student's participation was remote, local, or mixed (combination).  A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.	Alphanumeric Y = Remote N = Local M = Mixed Blank = Student not tested	TOMS
129 (DY)	2166	2166	1	RemoteTester4   Remote Tester 4 This field is applicable to the Summative ELPAC (Writing domain). This field indicates whether the student's participation was remote, local, or mixed (combination). A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.	Alphanumeric Y = Remote N = Local M = Mixed Blank = Student not tested	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
130 (DZ)	This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC (which can be administered only online).  This field identifies whether the student tested online or used a PPT form.  A value of P is not applicable to Summative Alternate ELPAC, as it is only administered online.  Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Listening	2167	2167	2167	Alphanumeric O = Online P = Paper	TOMS
				who did not test or were assigned a		
131 (EA)	2168	2168	1	TestMode2   Test Mode 2  This field is applicable to the Summative ELPAC (Speaking domain).  This field identifies whether the student tested online or used a PPT form.  Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Speaking domain.	Alphanumeric O = Online P = Paper	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element	
<b>132</b> 2169 (EB)	2169	1	TestMode3   Test Mode 3  This field is applicable to the Summative ELPAC (Reading domain).  This field identifies whether the student tested online or used a PPT form.	Alphanumeric O = Online P = Paper	TOMS		
				Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Reading domain.			
133 (EC) 2170 2	2170	1	TestMode4   Test Mode 4  This field is applicable to the Summative ELPAC (Writing domain).  This field identifies whether the student tested online or used a PPT form.	Alphanumeric O = Online P = Paper	TOMS		
						Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Writing domain.	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
134 (ED)	2171	2171	1	ForceComplete   Force Complete This field is applicable only to the Summative ELPAC.	Alphanumeric  Y = The student record was force-completed. The student did not test in one or more domains, and the domain(s) were force-completed at the end of the testing window, or the student has a domain exemption.  N = The student record was not force-completed. The student tested in all domains, or no domain exemption was assigned.  Blank = The student did not test for the Summative	TOMS
40=	0.470	0474		D	ELPAC.	N/A
135 (EE)	2172	2174	3	Blank	Blank	N/A
136 (EF)	2175	2176	2	RawScore1   Raw Score 1 This field is applicable to the Summative ELPAC (Listening domain).	Alphanumeric  ## = Raw score 1  (MIN = 00, MAX = 99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
137 (EG)	2177	2178	2	RawScore2   Raw Score 2 This field is applicable to the Summative ELPAC (Speaking domain).	Alphanumeric  ## = Raw score 1  (MIN = 00, MAX = 99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	Scoring
138 (EH)	2179	2180	2	RawScore3   Raw Score 3 This field is applicable to the Summative ELPAC (Reading domain).	Alphanumeric  ## = Raw score 1  (MIN = 00, MAX = 99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	Scoring
139 (EI)	2181	2182	2	RawScore4   Raw Score 4 This field is applicable to the Summative ELPAC (Writing domain).	Alphanumeric  ## = Raw score 1  (MIN = 00, MAX = 99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	Scoring



# Test Results (Fields 140–156)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
140 (EJ)	2183	2186	4	OverallScaleScore   Overall Scale Score This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  "NS" is an acceptable value if the student received an attemptedness value of "P".  A blank value is acceptable only for students who did not test.  Note: If scale scores are not available for the Summative Alternate ELPAC, this field will be blank.	Alphanumeric  For Summative ELPAC:  #### = (MIN = 1150,  MAX = 1950)  NS = No Score  Blank = Not tested  For Summative Alternate  ELPAC:  (###) = (MIN = 0,  MAX = 999)  NS = No Score	Scoring Overall Scale Score
141 (EK)	2187	2190	4	OralLanguageScaleScore   Oral Language Scale Score  This field is applicable only to the Summative ELPAC.  "NS" is an acceptable value if the student received an attemptedness value of "P".  A blank value is acceptable only for students who did not test.	Alphanumeric #### = (MIN = 1150, MAX = 1950) NS = No Score Blank = Not tested	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
142 (EL)	2191	Language Scale Score #####	Alphanumeric #### = (MIN = 1150,	Scoring		
			This field is applicable only to the Summative ELPAC.  MAX = 1950) NS = No Score			
		"NS" is an acceptable value if the student received an attemptedness value of "P".  A blank value is acceptable only for students who did not test.				
143	2195	This field is Summative Alternate E A blank va students w "NS" is an	OverallPL   Overall Performance Level	Alphanumeric	Scoring Overall Performance Level	
(EM)	<b>EM)</b>		This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	For Summative ELPAC: 4 = Level 4 (Summative ELPAC only)		
					A blank value is acceptable only for students who did not test.	3 = Level 3 2 = Level 2
						"NS" is an acceptable value if the student received an attemptedness value of "P".
				<b>Note:</b> If overall performance levels are not available for the Summative Alternate	For Summative Alternate ELPAC:	
				ELPAC, this field will be blank.	3 = Fluent English Proficient (FEP)	
					2 = Intermediate English Learner	
					1 = Novice English Learner	
					Blank = The student did not test, or no performance levels are available.	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
144 (EN)	2197	2198	2	OralLanguagePL   Oral Language Performance Level This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test. "NS" is an acceptable value if the student received an attemptedness value of "P".	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score Blank	Scoring
145 (EO)	2199	2200	2	WrittenLanguagePL   Written Language Performance Level This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test. "NS" is an acceptable value if the student received an attemptedness value of "P".	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score Blank	Scoring
146 (EP)	2201	2203	3	OverallScaleScoreCSEM   Overall Scale Score—CSEM (Conditional Standard Error of Measurement)  This field is applicable only to the Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.  "NS" is an acceptable value if the student received an attemptedness value of "P".	Alphanumeric ### = (000–maximum) Blank	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element		
147 (EQ)	2204	2204 2206	2204 2206	2206	3	OralLanguageCSEM   Standard Error of Measurement—CSEM (Oral Language)	Alphanumeric ### = (000–maximum)	Scoring
					This field is applicable only to the Summative ELPAC.	Blank		
				A blank value is acceptable only for students who did not test.				
				"NS" is an acceptable value if the student received an attemptedness value of "P".				
148 (ER)	2207	2209	3	WrittenLanguageCSEM   Standard Error of Measurement—CSEM (Written	Alphanumeric ### = (000–maximum)	Scoring		
			Language)	Blank				
			This field is applicable only to the Summative ELPAC.					
				A blank value is acceptable only for students who did not test.				
				"NS" is an acceptable value if the student received an attemptedness value of "P".				
149	2210	2211	2	ListeningPL   Listening Performance Level	Alphanumeric	Scoring		
(ES)				This field is applicable only to the Summative ELPAC.	3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score			
				A blank value is acceptable only for students who did not test.				
				"NS" can be due to force-completion or domain exemptions.				



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
150 (ET)	2212	2213	2	SpeakingPL   Speaking Performance Level This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test. "NS" can be due to force-completion or domain exemptions.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score Blank	Scoring
151 (EU)	2214	2215	2	ReadingPL   Reading Performance Level This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test. "NS" can be due to force-completion or domain exemptions.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score Blank	Scoring
152 (EV)	2216	2217	2	WritingPL   Writing Performance Level This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.  "NS" can be due to force-completion or domain exemptions.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score Blank	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
153 (EW)	2218	2218	1	DomainEx1   Domain Exemption 1 This field is applicable to the Summative ELPAC (Listening domain). An "N" value is applicable for students who did not test or were not assigned a domain exemption for the Listening domain.	Alphanumeric Y N	TOMS
154 (EX)	2219	2219	1	DomainEx2   Domain Exemption 2  This field is applicable to the Summative ELPAC (Speaking domain).  An "N" value is applicable for students who did not test or were not assigned a domain exemption for the Speaking domain.	Alphanumeric Y N	TOMS
155 (EY)	2220	2220	1	DomainEx3   Domain Exemption 3  This field is applicable to the Summative ELPAC (Reading domain).  An "N" value is applicable for students who did not test or were not assigned a domain exemption for the Reading domain.	Alphanumeric Y N	TOMS
156 (EZ)	2221	2221	1	DomainEx4   Domain Exemption 4  This field is applicable to the Summative ELPAC (Writing domain).  An "N" value is applicable for students who did not test or were not assigned a domain exemption for the Writing domain.	Alphanumeric Y N	TOMS



# **Test Irregularities and Domain Exemptions (Fields 157–161)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
157 (FA)	2222	2224	3	OverallNumberAnswered   Overall Number Answered  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC	Alphanumeric ### = (000–999) Blank = The student did not test.	Scoring
158 (FB)	2225	2227	3	ItemsAttempted1   Items Attempted 1 This field is applicable to the Summative ELPAC (Listening domain).	Alphanumeric ### = (000–999) Blank = The student did not test.	Scoring
159 (FC)	2228	2230	3	ItemsAttempted2   Items Attempted 2 This field is applicable to the Summative ELPAC (Speaking domain).	Alphanumeric ### = (000–999) Blank = The student did not test.	Scoring
160 (FD)	2231	2233	3	ItemsAttempted3   Items Attempted 3 This field is applicable to the Summative ELPAC (Reading domain).	Alphanumeric ### = (000–999) Blank = The student did not test.	Scoring
161 (FE)	2234	2236	3	ItemsAttempted4   Items Attempted 4 This field is applicable to the Summative ELPAC (Writing domain).	Alphanumeric ### = (000–999) Blank = The student did not test.	Scoring



## **Accommodations and Designated Supports (Fields 162–307)**

#### Availability Indicators (Fields 162–163)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
162 (FF)	2237	2239	3	AccommodationsIndicator   Accommodations Available Indicator This field is applicable to the Summative ELPAC (Online and Paper) and the Summative Alternate ELPAC (Online).  If the Embedded Accommodations or Non- Embedded Accommodations fields are populated, then a value will be set to "Yes" for computer-based assessments or PPTs.	Alphanumeric Yes No Blank = The student did not test.	Derived
163 (FG)	2240	2242	3	DesignatedSupportIndicator   Designated Support Available Indicator  This field is applicable to the Summative ELPAC (Online and Paper) and the Summative Alternate ELPAC (Online).  If the Embedded Designated Supports or Non-Embedded Designated Supports fields are populated, then a value will be set to "Yes" for computer-based assessments or PPTs.	Alphanumeric Yes No Blank = The student did not test.	Derived



## Embedded Accommodations, Online (Fields 164–184)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
164 (FH)	2243	2250	8	EAAmericanSignLanguage1   Embedded Accommodation 1—American Sign Language (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_ASL1 Blank	TOMS, TDS
165 (FI)	2251	2258	8	EAAmericanSignLanguage2   Embedded Accommodation 2—American Sign Language (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_ASL1 Blank	TOMS, TDS
166 (FJ)	2259	2274	16	EAAudioScript1   Embedded Accommodation 1—Audio Transcript (includes braille transcript) (Online)— Listening This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_AudioScript1 Blank	TOMS, TDS
167 (FK)	2275	2290	16	EAAudioScript2   Embedded Accommodation 2—Audio Transcript (includes braille transcript) (Online)— Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_AudioScript1 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
168 (FL)	2291	2306	16	EAAudioScript3   Embedded Accommodation 3—Audio Transcript (includes braille transcript) (Online)— Reading	Alphanumeric TDS_AudioScript1 Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Reading domain (Online).		
169 (FM)	2307	2322	16	EAAudioScript4   Embedded Accommodation 4—Audio Transcript (includes braille transcript) (Online)— Writing	Alphanumeric TDS_AudioScript1 Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Writing domain (Online).		
170 (FN)	2323	2333	11	EABraille1   Embedded Accommodation 1—Braille (Embossed and Refreshable) (Online)—Listening	Alphanumeric ENU-Braille Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Listening domain (Online).	Dialik	
171 (FO)	2334	2344	11	EABraille2   Embedded Accommodation 2—Braille (Embossed and Refreshable) (Online)—Speaking	Alphanumeric ENU-Braille Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Speaking domain (Online).	Jan	
172 (FP)	2345	2355	11	EABraille3   Embedded Accommodation 3—Braille (Embossed and Refreshable) (Online)—Reading	Alphanumeric ENU-Braille Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Reading domain (Online).		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
173 (FQ)	2356	2366	11	EABraille4   Embedded Accommodation 4—Braille (Embossed and Refreshable) (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric ENU-Braille Blank	TOMS, TDS
174 (FR)	2367	2380	14	EAClosedCaptioning1   Embedded Accommodation 1—Closed Captioning (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_ClosedCap1 Blank	TOMS, TDS
175 (FS)	2381	2394	14	EAClosedCaptioning2   Embedded Accommodation 2—Closed Captioning (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_ClosedCap1 Blank	TOMS, TDS
176 (FT)	2395	2408	14	EAClosedCaptioning3   Embedded Accommodation 3—Closed Captioning (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_ClosedCap1 Blank	TOMS, TDS
177 (FU)	2409	2422	14	EAClosedCaptioning4   Embedded Accommodation 4—Closed Captioning (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_ClosedCap1 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
178 (FV)	2423	2437	15	EASpeechtoText1   Embedded Accommodations 1—Speech-to-Text (Online)—Listening	Alphanumeric TDS_Dictation1 Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Listening domain (Online).		
179 (FW)	2438	2452	15	EASpeechtoText2   Embedded Accommodations 2—Speech-to-Text (Online)—Speaking	Alphanumeric TDS_Dictation1 Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Speaking domain (Online).	Diam	
180 (FX)	2453	2467	15	EASpeechtoText3   Embedded Accommodations 3—Speech-to-Text (Online)—Reading	Alphanumeric TDS_Dictation1 Blank	TOMS, TDS
				This field is applicable to the Summative ELPAC Reading domain (Online).		
181 (FY)	2468	2482	15	EASpeechtoText4   Embedded Accommodations 4—Speech-to-Text	Alphanumeric TDS_Dictation1	TOMS, TDS
				(Online)—Writing	Blank	
				This field is applicable to the Summative ELPAC Writing domain (Online).		
182 (FZ)	2483	2507	25	EATexttoSpeech1   Embedded Accommodation 1—Text-to-Speech (Online)—Listening	Alphanumeric TDS_TTS_Stim TDS_TTS_Item	TOMS, TDS
				This field is applicable to the Summative ELPAC Listening domain (Online).	TDS_TTS_Stim&TDS_TTS_ Item	
					Blank	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
183 (GA)	2508	2532	25	EATexttoSpeech2   Embedded Accommodation 2—Text-to-Speech (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_TTS_Stim TDS_TTS_Item TDS_TTS_Stim&TDS_TTS_ Item Blank	TOMS, TDS
184 (GB)	2533	2557	25	EATexttoSpeech4   Embedded Accommodation 4—Text-to-Speech (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_TTS_Stim TDS_TTS_Item TDS_TTS_Stim&TDS_TTS_ Item Blank	TOMS, TDS



## Non-Embedded Accommodations, Online (Fields 185–225)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
185 (GC)	2558	2570	13	NEAAdditionalInstructionalSupports1   Non-Embedded Accommodations 1— Additional Instructional Supports and Resources for Alternate Assessments	Alphanumeric NEA_AddAltRSC Blank	TOMS
				This field is applicable only to the Summative Alternate ELPAC (Online).		
186 (GD)	2571	2576	6	NEAAlternateResponseOptions1   Non- Embedded Accommodation 1—Alternate Response Options (Online or Paper)— Listening	Alphanumeric NEA_AR Blank	TOMS
				This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).		
187 (GE)	2577	2582	6	NEAAlternateResponseOptions2   Non- Embedded Accommodation 2—Alternate Response Options (Online or Paper)— Speaking	Alphanumeric NEA_AR Blank	TOMS
				This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).		
188 (GF)	2583	2588	6	NEAAlternateResponseOptions3   Non- Embedded Accommodation 3—Alternate Response Options (Online or Paper)— Reading	Alphanumeric NEA_AR Blank	TOMS
				This field is applicable to the Summative ELPAC Reading domain (Online or Paper).		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
189 (GG)	2589	2594	6	NEAAlternateResponseOptions4   Non- Embedded Accommodation 4—Alternate Response Options (Online or Paper)— Writing	Alphanumeric NEA_AR Blank	TOMS
				This field is applicable to the Summative ELPAC Writing domain (Online or Paper).		
190 (GH)	2595	2618	24	NEAManuallyCodedEnglish1   Non- Embedded Accommodation 1—ASL or Manually Coded English (Online or Paper)—Listening	Alphanumeric  NEA_ManuallyCodedEnglis  h  NEA_ASLP	TOMS
				This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Blank	
191 (GI)	2619	2642	24	NEAManuallyCodedEnglish2   Non- Embedded Accommodation 2—ASL or Manually Coded English (Online or Paper)—Speaking	Alphanumeric NEA_ManuallyCodedEnglis h NEA_ASLP	TOMS
				This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Blank	
192 (GJ)	2643	2666	24	NEAManuallyCodedEnglish3   Non- Embedded Accommodation 3—Manually Coded English (Online or Paper)—Reading	Alphanumeric NEA_ManuallyCodedEnglis h	TOMS
				This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	NEA_ASLP Blank	



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
193 (GK)	2667	2690	24	NEAManuallyCodedEnglish4   Non- Embedded Accommodation 4—Manually Coded English (Online or Paper)—Writing This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_ManuallyCodedEnglis h NEA_ASLP Blank	TOMS
194 (GL)	2691	2706	16	NEAAudioScript1   Non-Embedded Accommodations 1—Audio Transcript (Paper) This field is applicable to the Summative ELPAC Listening domain (Paper).	Alphanumeric NEA_AudioscriptP Blank	CALPADS, TOMS, DEI
195 (GM)	2707	2722	16	NEAAudioScript2   Non-Embedded Accommodations 2—Audio Transcript (Paper) This field is applicable to the Summative ELPAC Speaking domain (Paper).	Alphanumeric NEA_AudioscriptP Blank	CALPADS, TOMS, DEI
196 (GN)	2723	2738	16	NEAAudioScript3   Non-Embedded Accommodations 3—Audio Transcript (Paper) This field is applicable to the Summative ELPAC Reading domain (Paper).	Alphanumeric NEA_AudioscriptP Blank	CALPADS, TOMS, DEI
197 (GO)	2739	2754	16	NEAAudioScript4   Non-Embedded Accommodations 4—Audio Transcript (Paper) This field is applicable to the Summative ELPAC Writing domain (Paper).	Alphanumeric NEA_AudioscriptP Blank	CALPADS, TOMS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
198 (GP)	2755	2764	10	NEABreaks1   Non-Embedded Accommodations 1—Breaks (Online or Paper)  This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, DEI
199 (GQ)	2765	2774	10	NEABreaks2   Non-Embedded Accommodations 2—Breaks (Online or Paper) This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, DEI
200 (GR)	2775	2784	10	NEABreaks3   Non-Embedded Accommodations 3—Breaks (Online or Paper) This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, DEI
201 (GS)	2785	2794	10	NEABreaks4   Non-Embedded Accommodations 4—Breaks (Online or Paper) This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
202 (GT)	2795	2805	11	NEABraille1   Non-Embedded Accommodations 1—Braille (Online or Paper) This field is applicable to the Summative ELPAC Listening domain (Online or Paper).	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, DEI
203 (GU)	2806	2816	11	NEABraille2   Non-Embedded Accommodations 2—Braille (Online or Paper) This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, DEI
204 (GV)	2817	2827	11	NEABraille3   Non-Embedded Accommodations 3—Braille (Online or Paper) This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, DEI
205 (GW)	2828	2838	11	NEABraille4   Non-Embedded Accommodations 4—Braille (Online or Paper) This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, DEI
206 (GX)	2839	2854	16	NEAScribe1   Non-Embedded Accommodation 1—Scribe Items (Writing) (Online or Paper)—Listening This field is applicable to the Summative ELPAC Listening domain (Online or Paper).	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
207 (GY)	2855	2870	16	NEAScribe2   Non-Embedded Accommodation 2—Scribe Items (Writing) (Online or Paper)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, DEI
208 (GZ)	2871	2886	16	NEAScribe3   Non-Embedded Accommodation 3—Scribe Items (Writing) (Online or Paper)—Reading This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, DEI
209 (HA)	2887	2902	16	NEAScribe4   Non-Embedded Accommodation 4—Scribe Items (Writing) (Online or Paper)—Writing This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, DEI
210 (HB)	2903	2909	7	NEASpeechtoText1   Non-Embedded Accommodation 1—Speech-to-Text (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric NEA_STT Blank	TOMS
211 (HC)	2910	2916	7	NEASpeechtoText2   Non-Embedded Accommodation 2—Speech-to-Text (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric NEA_STT Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
212 (HD)	2917	2923	7	NEASpeechtoText3   Non-Embedded Accommodation 3—Speech-to-Text (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric NEA_STT Blank	TOMS
213 (HE)	2924	2930	7	NEASpeechtoText4   Non-Embedded Accommodation 4—Speech-to-Text (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric NEA_STT Blank	TOMS
214 (HF)	2931	2936	6	NEALargeVersionsofPaper1   Non- Embedded Accommodations 1—Large- print Versions of a Paper–Pencil Test (Paper)  This field is applicable to the Summative ELPAC Listening domain (Paper).	Alphanumeric NEA_LP Blank	TOMS
215 (HG)	2937	2942	6	NEALargeVersionsofPaper2   Non- Embedded Accommodations 2—Large- print Versions of a Paper–Pencil Test (Paper)  This field is applicable to the Summative ELPAC Speaking domain (Paper).	Alphanumeric NEA_LP Blank	TOMS
216 (HH)	2943	2948	6	NEALargeVersionsofPaper3   Non- Embedded Accommodations 3—Large- print Versions of a Paper–Pencil Test (Paper)  This field is applicable to the Summative ELPAC Reading domain (Paper).	Alphanumeric NEA_LP Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
217 (HI)	2949	2949 2954 6 NEALargeVersionsofPaper4   Non- Embedded Accommodations 4—Large- print Versions of a Paper–Pencil Test (Paper)	NEA_LP	TOMS		
				This field is applicable to the Summative ELPAC Writing domain (Paper).		
218 (HJ)	2955	2972	18	NEAUnlisted Resources1   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 1—Listening	Alphanumeric NEA_IndividualAids Blank	TOMS
				This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Біапк	
219 (HK)	2973	2990	18	NEAUnlisted Resources2   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 2—Speaking	Alphanumeric NEA_IndividualAids Blank	TOMS
				This field is applicable to the Summative ELPAC Speaking domain (Online or Paper) and the Summative Alternate ELPAC (Online).		
220 (HL)	2991	2991 3008 18	1 3008 18 NEAUnlisted Resources3   Non-Embedo Accommodation—Unlisted Resources (Online or Paper) 3—Reading	_	Alphanumeric NEA_IndividualAids Blank	TOMS
				This field is applicable to the Summative ELPAC Reading domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Diam	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
221 (HM)	3009	3026	18	NEAUnlisted Resources4   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 4—Writing This field is applicable to the Summative ELPAC Writing domain (Online or Paper) and the Summative Alternate ELPAC	Alphanumeric NEA_IndividualAids Blank	TOMS
222 (HN)	3027	3032	6	(Online).  NEAWordProcessor1   Non-Embedded Accommodations 1—Word Processor (Paper)  This field is applicable to the Summative ELPAC Listening domain (Paper).	Alphanumeric NEA_WP Blank	TOMS
223 (HO)	3033	3038	6	NEAWordProcessor2   Non-Embedded Accommodations 2—Word Processor (Paper)  This field is applicable to the Summative ELPAC Speaking domain (Paper).	Alphanumeric NEA_WP Blank	TOMS
224 (HP)	3039	3044	6	NEAWordProcessor3   Non-Embedded Accommodations 3—Word Processor (Paper)  This field is applicable to the Summative ELPAC Reading domain (Paper).	Alphanumeric NEA_WP Blank	TOMS
225 (HQ)	3045	3050	6	NEAWordProcessor4   Non-Embedded Accommodations 4—Word Processor (Paper)  This field is applicable to the Summative ELPAC Writing domain (Paper).	Alphanumeric NEA_WP Blank	TOMS



## Embedded Designated Supports, Online (Fields 226–255)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
226 (HR)	3051	3069	19	EDSColorContrast1   Embedded Designated Support 1—Color Contrast (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 TDS_CCYellow2 TDS_CCCHedW TDS_CCWhiteR TDS_CCYellowBlk Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
227 (HS)	3070	3088	19	EDSColorContrast2   Embedded Designated Support 2—Color Contrast (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue TDS_CCGray TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 TDS_CCYellow2 TDS_CCCWhiteR TDS_CCWhiteR TDS_CCYellowBlk Blank	TOMS, TDS



Field   Field	Data Type   Acceptable Values	Data Source   Data Element
Designated Support 3—Color Contrast (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCGray TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow TDS_CCYellow2 TDS_CCRedW TDS_CCWhiteR TDS_CCYellowBlk Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
229 (HU)	3108	3126	19	EDSColorContrast4   Embedded Designated Support 4—Color Contrast (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 TDS_CCRedW TDS_CCWhiteR TDS_CCYellowBlk Blank	TOMS, TDS
230 (HV)	3127	3138	12	EDSMasking1   Embedded Designated Support 1—Masking (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_Masking1 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
231 (HW)	3139	3150	12	EDSMasking2   Embedded Designated Support 2—Masking (Online)—Speaking This field is applicable to the Summative	Alphanumeric TDS_Masking1 Blank	TOMS, TDS
232 (HX)	3151	3162	12	ELPAC Speaking domain (Online).  EDSMasking3   Embedded Designated Support 3—Masking (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_Masking1 Blank	TOMS, TDS
233 (HY)	3163	3174	12	EDSMasking4   Embedded Designated Support 4—Masking (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_Masking1 Blank	TOMS, TDS
234 (HZ)	3175	3190	16	EDSMousePointer1   Embedded Designated Support 1—Mouse Pointer (size and color) (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
235 (IA)	3191	3206	16	EDSMousePointer2   Embedded Designated Support 2—Mouse Pointer (size and color) (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	TOMS, TDS
236 (IB)	3207	3222	16	EDSMousePointer3   Embedded Designated Support 3—Mouse Pointer (size and color) (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
237 (IC)	3223	3238	16	EDSMousePointer4   Embedded Designated Support 4—Mouse Pointer (size and color) (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	TOMS, TDS
238 (ID)	3239	3247	9	EDSPauseorReplayAudio1   Embedded Designated Support 1—Pause or Replay Audio(Listening) (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_UAV_1 Blank	TOMS, TDS
239 (IE)	3248	3256	9	EDSPauseorReplayAudio2   Embedded Designated Support 2—Pause or Replay Audio (Speaking) (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_UAV_1 Blank	TOMS, TDS
240 (IF)	3257	3263	7	EDSPermissiveMode1   Embedded Designated Support 1—Permissive Mode (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_PM1 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
241 (IG)	3264	3270	7	EDSPermissiveMode2   Embedded Designated Support 2—Permissive Mode (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_PM1 Blank	TOMS, TDS
242 (IH)	3271	3277	7	EDSPermissiveMode3   Embedded Designated Support 3—Permissive Mode (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_PM1 Blank	TOMS, TDS
243 (II)	3278	3284	7	EDSPermissiveMode4   Embedded Designated Support 4—Permissive Mode (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_PM1 Blank	TOMS, TDS
244 (IJ)	3285	3293	9	EDSPrintSize1   Embedded Designated Support 1—Print Size (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	TOMS, TDS
245 (IK)	3294	3302	9	EDSPrintSize2   Embedded Designated Support 2—Print Size (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
246 (IL)	3303	3311	9	EDSPrintSize3   Embedded Designated Support 3—Print Size (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	TOMS, TDS
247 (IM)	3312	3320	9	EDSPrintSize4   Embedded Designated Support 4—Print Size (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	TOMS, TDS
248 (IN)	3321	3328	8	EDSStreamline1   Embedded Designated Support 1—Streamline (Online)— Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_SLM1 Blank	TOMS, TDS
249 (IO)	3329	3336	8	EDSStreamline2   Embedded Designated Support 2—Streamline (Online)— Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_SLM1 Blank	TOMS, TDS
250 (IP)	3337	3344	8	EDSStreamline3   Embedded Designated Support 3—Streamline (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_SLM1 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
251 (IQ)	3345	3352	8	EDSStreamline4   Embedded Designated Support 4—Streamline (Online)—Writing	Alphanumeric TDS_SLM1	TOMS, TDS
				This field is applicable to the Summative ELPAC Writing domain (Online).	Blank	
252 (IR)	3353	3359	7	EDSTurnOffAnyUniversalTool1   Embedded Designated Support 1—Turn	Alphanumeric TDS_REM	TOMS, TDS
				Off Any Universal Tool(s) (Online)— Listening	Blank	
				This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).		
253 (IS)	3360	3366	7	EDSTurnOffAnyUniversalTool2   Embedded Designated Support 2—Turn	Alphanumeric TDS REM	TOMS, TDS
				Off Any Universal Tool(s) (Online)— Speaking	Blank	
				This field is applicable to the Summative ELPAC Speaking domain (Online).		
254 (IT)	3367	3373	7	EDSTurnOffAnyUniversalTool3   Embedded Designated Support 3—Turn	Alphanumeric TDS REM	TOMS, TDS
				Off Any Universal Tool(s) (Online)— Reading	Blank	
				This field is applicable to the Summative ELPAC Reading domain (Online).		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
255 (IU)	3374	3380	7	EDSTurnOffAnyUniversalTool4   Embedded Designated Support 4—Turn Off Any Universal Tool(s) (Online)— Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_REM Blank	TOMS, TDS

## Non-Embedded Designated Supports, Online (Fields 256–307)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
256 (IV)	3381	3392	12	NEDSAmplification1   Non-Embedded Designated Support 1—Amplification (Online or Paper)—Listening Non-embedded designated support for Listening	Alphanumeric NEDS_Amplify Blank	TOMS
257 (IW)	3393	3404	12	NEDSAmplification2   Non-Embedded Designated Support 2—Amplification (Online or Paper)—Speaking Non-embedded designated support for Speaking	Alphanumeric NEDS_Amplify Blank	TOMS
258 (IX)	3405	3416	12	NEDSAmplification3   Non-Embedded Designated Support 3—Amplification (Online or Paper)—Reading Non-embedded designated support for Reading	Alphanumeric NEDS_Amplify Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
259 (IY)	3417	3428	3428 12	NEDSAmplification4   Non-Embedded Designated Support 4—Amplification (Online or Paper)—Writing	Alphanumeric NEDS_Amplify Blank	TOMS
				Non-embedded designated support for Writing		
260 (IZ)	3429	3435	7	NEDSColorContrast1   Non-Embedded Designated Support 1—Color Contrast (Online)—Listening	Alphanumeric NEDS_CC Blank	TOMS
				Non-embedded designated support for the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online)	Daint	
261 (JA)	3436	3442 7	36 3442 7 NEDSColorContrast2   Non-Embedded Designated Support 2—Color Contrast (Online)—Speaking	Designated Support 2—Color Contrast	Alphanumeric NEDS_CC Blank	TOMS
				Non-embedded designated support for Speaking	Diank	
262 (JB)	3443	3449 7	NEDSColorContrast3   Non-Embedded Designated Support 3—Color Contrast (Online)—Reading	Alphanumeric NEDS_CC	TOMS	
				Non-embedded designated support for Reading	Blank	
263 (JC)	3450	3450 3456	50 3456 7	NEDSColorContrast4   Non-Embedded Designated Support 4—Color Contrast (Online)—Writing	Alphanumeric NEDS_CC Blank	TOMS
				Non-embedded designated support for Writing	Diam	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
264 (JD)	3457	3463	7	NEDSColorOverlay1   Non-Embedded Designated Support 1—Color Overlay (Paper)—Listening	Alphanumeric NEDS_CO Blank	TOMS
				Non-embedded designated support for Listening		
265 (JE)	3464	3470	7	NEDSColorOverlay2   Non-Embedded Designated Support 2—Color Overlay (Paper)—Speaking	Alphanumeric NEDS_CO Blank	TOMS
				Non-embedded designated support for Speaking	Dialik	
266 (JF)	3471	3477	7	NEDSColorOverlay3   Non-Embedded Designated Support 3—Color Overlay (Paper)—Reading	Alphanumeric NEDS_CO Blank	TOMS
				Non-embedded designated support for Reading		
267 (JG)	3478	3484	7	NEDSColorOverlay4   Non-Embedded Designated Support 4—Color Overlay (Paper)—Writing	Alphanumeric NEDS_CO Blank	TOMS
				Non-embedded designated support for Writing	Dialik	
268 (JH)		3485 3492 8	NEDSInterfaceAssistant1   Non- Embedded Designated Support 1— Designated Interface Assistant (DIA) (Online)—Listening	Alphanumeric NEDS_DIA Blank	TOMS	
				Non-embedded designated support for the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online)		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
269 (JI)	3493	3500	8	NEDSInterfaceAssistant2   Non- Embedded Designated Support 2— Designated Interface Assistant (DIA) (Online)—Speaking	Alphanumeric NEDS_DIA Blank	TOMS
				Non-embedded designated support for Speaking		
270 (JJ)	3501	3508	8	NEDSInterfaceAssistant3   Non- Embedded Designated Support 3— Designated Interface Assistant (DIA) (Online)—Reading	Alphanumeric NEDS_DIA Blank	TOMS
				Non-embedded designated support for Reading		
271 (JK)	3509	3516	8	NEDSInterfaceAssistant4   Non- Embedded Designated Support 4— Designated Interface Assistant (DIA) (Online)—Writing	Alphanumeric NEDS_DIA Blank	TOMS
				Non-embedded designated support for Writing		
272 (JL)	3517	3524	8	NEDSMagnification1   Non-Embedded Designated Support 1—Magnification (Online or Paper)—Listening	Alphanumeric NEDS_Mag Blank	TOMS
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
273 (JM)	3525	525 3532	3532 8	NEDSMagnification2   Non-Embedded Designated Support 2—Magnification (Online or Paper)—Speaking	Alphanumeric NEDS_Mag Blank	TOMS
				Non-embedded designated support for Speaking		
274 (JN)	3533	3540	8	NEDSMagnification3   Non-Embedded Designated Support 3—Magnification (Online or Paper)—Reading	Alphanumeric NEDS_Mag Blank	TOMS
				Non-embedded designated support for Reading	Diam	
275 (JO)	3541	3548	8	NEDSMagnification4   Non-Embedded Designated Support 4—Magnification (Online or Paper)—Writing	Alphanumeric NEDS_Mag Blank	TOMS
				Non-embedded designated support for Writing	Diam	
276 (JP)	3549	3561	13	NEDSMasking1   Non-Embedded Designated Supports 1—Masking (Online or Paper)	Alphanumeric NEDS_Masking NEDS_MaskingP	CALPADS, TOMS, TDS, DEI
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Blank	
277 (JQ)	3562	3574	13	NEDSMasking2   Non-Embedded Designated Supports 2—Masking (Online or Paper)	Alphanumeric NEDS_Masking NEDS_MaskingP	CALPADS, TOMS, TDS, DEI
				Non-embedded designated support for Speaking	Blank	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
278 (JR)	3575	3587	13	NEDSMasking3   Non-Embedded Designated Supports 3—Masking (Online or Paper)	Alphanumeric NEDS_Masking NEDS_MaskingP	CALPADS, TOMS, TDS, DEI
				Non-embedded designated support for Reading	Blank	
279 (JS)	3588	3600	13	NEDSMasking4   Non-Embedded Designated Supports 4—Masking (Online or Paper)	Alphanumeric NEDS_Masking NEDS_MaskingP	CALPADS, TOMS, TDS, DEI
				Non-embedded designated support for Writing	Blank	
280 (JT)	3601	3611	11	NEDSMedicalSupports1   Non-Embedded Designated Support 1—Medical Supports (Online or Paper)—Listening	Alphanumeric NEDS_MedDev Blank	TOMS
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)		
281 (JU)	3612	3622	11	NEDSMedicalSupports2   Non-Embedded Designated Support 2—Medical Supports (Online or Paper)—Speaking	Alphanumeric NEDS_MedDev Blank	TOMS
				Non-embedded designated support for Speaking	Diami	
282 (JV)	3623	3633	11	NEDSMedicalSupports3   Non-Embedded Designated Support 3—Medical Supports (Online or Paper)—Reading	Alphanumeric NEDS_MedDev Blank	TOMS
				Non-embedded designated support for Reading		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
283 (JW)	3634	3644	11	NEDSMedicalSupports4   Non-Embedded Designated Support 4—Medical Supports (Online or Paper)—Writing	Alphanumeric NEDS_MedDev Blank	TOMS
				Non-embedded designated support for Writing		
284 (JX)	3645	3657	13	NEDSNoiseBuffers1   Non-Embedded Designated Support 1—Noise Buffers (Online or Paper)—Listening	Alphanumeric NEDS_NoiseBuf Blank	TOMS
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Dialik	
285 (JY)	3658	3670 13	NEDSNoiseBuffers2   Non-Embedded Designated Support 2—Noise Buffers (Online or Paper)—Speaking	Alphanumeric NEDS_NoiseBuf Blank	TOMS	
				Non-embedded designated support for Speaking	Bulk	
286 (JZ)		NEDSNoiseBuffers3   Non-Embedded Designated Support 3—Noise Buffers (Online or Paper)—Reading	Alphanumeric NEDS_NoiseBuf Blank	TOMS		
				Non-embedded designated support for Reading	ыапк	
287 (KA)	3684	3696	13	NEDSNoiseBuffers4   Non-Embedded Designated Support 4—Noise Buffers	Alphanumeric NEDS_NoiseBuf	TOMS
				(Online or Paper)—Writing  Non-embedded designated support for Writing	Blank	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
288 (KB)	3697	3721	25	NEDSPrintonDemand1   Non-Embedded Designated Support 1—Print on Demand (Online)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online)	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD _Item Blank	TOMS
289 (KC)	3722	3746	25	NEDSPrintonDemand2   Non-Embedded Designated Support 2—Print on Demand (Online)—Speaking Non-embedded designated support for Speaking	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD _Item Blank	TOMS
290 (KD)	3747	3771	25	NEDSPrintonDemand3   Non-Embedded Designated Support 3—Print on Demand (Online)—Reading Non-embedded designated support for Reading	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD _Item Blank	TOMS
291 (KE)	3772	3796	25	NEDSPrintonDemand4   Non-Embedded Designated Support 4—Print on Demand (Online)—Writing Non-embedded designated support for Writing	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD _Item Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
292 (KF)	3797	3805	9	NEDSPauseorReplayAudio1   Non- Embedded Designated Supports 1— Pause or Replay Audio (Paper)	Alphanumeric NEDS_UAVP Blank	CALPADS, TOMS, DEI
				Non-embedded designated support for Summative ELPAC Listening (Paper)		
293 (KG)	3806	3814	9	NEDSPauseorReplayAudio2   Non- Embedded Designated Supports 2— Pause or Replay Audio (Paper)	Alphanumeric NEDS_UAVP Blank	CALPADS, TOMS, DEI
				Non-embedded designated support for Summative ELPAC Speaking (Paper)	Diai in	
294 (KH)	3815	3827	13	NEDSReadAloudItems1   Non-Embedded Designated Supports 1—Read-Aloud Items (Online)	Alphanumeric NEDS_RA_Items Blank	TOMS
				Non-embedded designated support for the Summative Alternate ELPAC (Online)		
295 (KI)	3828	3840	13	NEDSReadAloudItems4   Non-Embedded Designated Supports 4—Read-Aloud Items (Online or Paper)	Alphanumeric NEDS_RA_Items Blank	TOMS
				Non-embedded designated support for Writing (Online or Paper)		
296 (KJ)	3841	3847	7	NEDSSeparateSetting1   Non-Embedded Designated Support 1—Separate Setting	Alphanumeric NEDS SS	TOMS
				(Online or Paper)—Listening	Blank	
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
297 (KK)	3848	3854	7	NEDSSeparateSetting2   Non-Embedded Designated Support 2—Separate Setting (Online or Paper)—Speaking Non-embedded designated support for Speaking	Alphanumeric NEDS_SS Blank	TOMS
298 (KL)	3855	3861	7	NEDSSeparateSetting3   Non-Embedded Designated Support 3—Separate Setting (Online or Paper)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_SS Blank	TOMS
299 (KM)	3862	3868	7	NEDSSeparateSetting4   Non-Embedded Designated Support 4—Separate Setting (Online or Paper)—Writing Non-embedded designated support for Writing	Alphanumeric NEDS_SS Blank	TOMS
300 (KN)	3869	3881	13	NEDSSimplifiedTestDirections1   Non- Embedded Designated Support 1— Simplified Test Directions (Online)— Listening	Alphanumeric NEDS_SimpDirs Blank	TOMS
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
301 (KO)	3882	3894	13	NEDSSimplifiedTestDirections2   Non- Embedded Designated Support 2— Simplified Test Directions (Online)— Speaking	Alphanumeric NEDS_SimpDirs Blank	TOMS
				Non-embedded designated support for Speaking		
302 (KP)	3895	3907	13	NEDSSimplifiedTestDirections3   Non- Embedded Designated Support 3— Simplified Test Directions (Online)— Reading	Alphanumeric NEDS_SimpDirs Blank	TOMS
				Non-embedded designated support for Reading		
303 (KQ)	3908	3920	13	NEDSSimplifiedTestDirections4   Non- Embedded Designated Support 4— Simplified Test Directions (Online)— Writing	Alphanumeric NEDS_SimpDirs Blank	TOMS
				Non-embedded designated support for Writing		
304 (KR)	3921	3935	15	NEDSTranslatedTestDirections1   Non- Embedded Designated Support 1— Translated Test Directions (including ASL) (Online or Paper)—Listening	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS
				Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Sidin.	



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
305 (KS)	3936	3950	15	NEDSTranslatedTestDirections2   Non- Embedded Designated Support 2— Translated Test Directions (including ASL) (Online or Paper)——Speaking Non-embedded designated support for Speaking	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS
306 (KT)	3951	3965	15	NEDSTranslatedTestDirections3   Non- Embedded Designated Support 3— Translated Test Directions (including ASL) (Online or Paper)—Reading Non-embedded designated support for Reading	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS
307 (KU)	3966	3980	15	NEDSTranslatedTestDirections4   Non- Embedded Designated Support 4— Translated Test Directions (including ASL) (Online or Paper)—Writing Non-embedded designated support for Writing	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS



## Test Results for the Previous Year (Fields 308–367)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
308 (KV)	3981	3981	1	SSREligibleMinus1   SSR Eligible Minus 1 This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. The flag indicates whether an SSR was created in year minus 1.	Alphanumeric Y = An SSR was created for the student. N = An SSR was not created for the student. Blank = The student did not test.	TOMS
309 (KW)	3982	3982	1	AttemptednessMinus1   Attemptedness minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric P = Partial-completion Y = Completion Blank = The student did not test.	TOMS Historical Table
310 (KX)	3983	3984	2	GradeAssessedMinus1   Grade Assessed minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric  KN = Kindergarten  01 = First grade  02 = Second grade  03 = Third grade  04 = Fourth grade  05 = Fifth grade  06 = Sixth grade  07 = Seventh grade  08 = Eighth grade  09 = Ninth grade  10 = Tenth grade  11 = Eleventh grade  12 = Twelfth grade	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
311 (KY)	3985	3987	3	ConditionCodeMinus1   Condition Code minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test or for whom no condition code is present.  Students with the NT condition code will not be reported in the historical fields.	Alphanumeric  EXD = Exempt Domain  (Summative ELPAC only)  Blank = The student did not test, or no condition code is present	TOMS Historical Table
312 (KZ)	3988	3989	2	ListeningRawScoreMinus1   Listening Raw Score minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	TOMS Historical Table
313 (LA)	3990	3991	2	SpeakingRawScoreMinus1   Speaking Raw Score minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
314 (LB)	3992	3993	2	ReadingRawScoreMinus1   Reading Raw Score minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99) NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table
315 (LC)	3994	3995	2	WritingRawScoreMinus1   Writing Raw Score minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	TOMS Historical Table
316 (LD)	3996	3999	4	OverallScaleScoreMinus1   Overall Scale Score minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–maximum) Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
317 (LE)	4000	4001	2	OverallPLMinus1   Overall Performance Level minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric For the Summative ELPAC:  4 = Level 4  3 = Level 3  2 = Level 2  1 = Level 1  NS  For the Summative Alternate ELPAC:  3 = Level 3  2 = Level 2  1 = Level 1  NS  NS = No Score is an acceptable value if the student received an attemptedness value of "P".  Blank	TOMS Historical Table
318 (LF)	4002	4005	4	OralLanguageScaleScoreMinus1   Oral Language Scale Score minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric #### = (1150–1950)  NS = No Score is an acceptable value if the student received an attemptedness value of "P"  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
319 (LG)	4006	4008	3	OralLanguageCSEMMinus1   Standard Error of Measurement – CSEM (Oral Language) minus 1	Alphanumeric ### = (000–maximum)	TOMS Historical Table
				This field is applicable only to the Summative ELPAC.	NS = No Score is an acceptable value if the	
				A blank value is acceptable only for students who did not test.	student received an attemptedness value of "P" Blank	
320 (LH)	4009	4010	2	OralLanguagePLMinus1   Oral Language Performance Level minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score is an acceptable value if the student received an attemptedness value of "P" Blank	TOMS Historical Table
321 (LI)	4011	4014	4	WrittenLanguageScaleScoreMinus1   Written Language Scale Score minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric #### = 1150–1950  NS = No Score is an acceptable value if the student received an attemptedness value of "P"  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element		
322 (LJ)	4015	4015 4017	4017 3	4017 3	WrittenLanguageCSEMMinus1   Standard Error of Measurement – CSEM (Written Language) minus 1  This field is applicable only to the	Alphanumeric ### = (000–maximum) NS = No Score is an	### = (000–maximum)  NS = No Score is an	TOMS Historical Table
				Summative ELPAC.  A blank value is acceptable only for students who did not test.	acceptable value if the student received an attemptedness value of "P" Blank			
323 (LK)	4018	4019	2	WrittenLanguagePLMinus1   Written Language Performance Level minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score is an acceptable value if the student received an attemptedness value of "P" Blank	TOMS Historical Table		
324 (LL)	4020	4021	2	ListeningPLMinus1   Listening Performance minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions.  Blank	TOMS Historical Table		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
325 (LM)	4022	4023	2	SpeakingPLMinus1   Speaking Performance minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions.  Blank	TOMS Historical Table
326 (LN)	4024	4025	2	ReadingPLMinus1   Reading Performance minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions.  Blank	TOMS Historical Table
327 (LO)	4026	4027	2	WritingPLMinus1   Writing Performance minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions. Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
328 (LP)	4028	4028	1	SSREligibleMinus2   SSR Eligible Minus 2 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric Y = An SSR was created for the student. N = An SSR was not created for the student. Blank	TOMS
329 (LQ)	4029	4029	1	AttemptednessMinus2   Attemptedness minus 2  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.	Alphanumeric P = Partial-completion Y = Completion Blank = The student did not test.	TOMS Historical Table
330 (LR)	4030	4031	2	GradeAssessedMinus2   Grade Assessed minus 2 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.	Alphanumeric  KN = Kindergarten  01 = First grade  02 = Second grade  03 = Third grade  04 = Fourth grade  05 = Fifth grade  06 = Sixth grade  07 = Seventh grade  08 = Eighth grade  09 = Ninth grade  10 = Tenth grade  11 = Eleventh grade  12 = Twelfth grade	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
331 (LS)	4032	4034	3	ConditionCodeMinus2   Condition Code minus 2 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC. Students with the NT condition code will not be reported in the historical fields. A blank value is acceptable only for students who did not test.	Alphanumeric  EXD = Exempt Domain  (Summative ELPAC only)  Blank = The student did not test, or no condition code is present	TOMS Historical Table
332 (LT)	4035	4036	2	ListeningRawScoreMinus2   Listening Raw Score minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–MAX) NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table
333 (LU)	4037	4038	2	SpeakingRawScoreMinus2   Speaking Raw Score minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–MAX)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
334 (LV)	4039	4040	2	ReadingRawScoreMinus2   Reading Raw Score minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–MAX) NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table
335 (LW)	4041	4042	2	WritingRawScoreMinus2   Writing Raw Score minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–MAX)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table
336 (LX)	4043	4046	4	OverallScaleScoreMinus2   Overall Scale Score minus 2  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric #### = 1150–1950 NS = No Score Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
337 (LY)	4047	4048	2	OverallPLMinus2   Overall Performance Level minus 2 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric  For the Summative ELPAC:  4 = Level 4  3 = Level 3  2 = Level 2  1 = Level 1  NS  For the Summative Alternate ELPAC:  3 = Level 3  2 = Level 2  1 = Level 1  NS  NS = No Score is an acceptable value if the student received an attemptedness value of "P".  Blank	TOMS Historical Table
338 (LZ)	4049	4052	4	OralLanguageScaleScoreMinus2   Oral Language Scale Score minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric #### = 1150–1950 NS = No Score Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
339 (MA)	4053	4055	3	OralLanguageCSEMMinus2   Standard Error of Measurement – CSEM (Oral Language) minus 2	Alphanumeric ### = (000–maximum) NS = No Score	TOMS Historical Table
				This field is applicable only to the Summative ELPAC.	Blank	
				A blank value is acceptable only for students who did not test.		
340 (MB)	4056	4057	2	OralLanguagePLMinus2   Oral Language Performance Level minus 2	Alphanumeric 4 = Level 4	TOMS Historical Table
				This field is applicable only to the Summative ELPAC.	3 = Level 3 2 = Level 2	
				A blank value is acceptable only for students who did not test.	1 = Level 1 NS = No Score	
					Blank	
341 (MC)	4058	4061	4	WrittenLanguageScaleScoreMinus2   Written Language Scale Score minus 2	Alphanumeric #### = (1150–1950)	TOMS Historical Table
				This field is applicable only to the Summative ELPAC.	NS = No Score Blank	
				A blank value is acceptable only for students who did not test.		
342 (MD)	4062	4064	3	WrittenLanguageCSEMMinus2   Standard Error of Measurement – CSEM (Written Language) minus 2	Alphanumeric ### = (000–maximum) NS = No Score	TOMS Historical Table
				This field is applicable only to the Summative ELPAC.	Blank	
				A blank value is acceptable only for students who did not test.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
343 (ME)	4065	4066	2	WrittenLanguagePLMinus2   Written Language Performance Level minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score Blank	TOMS Historical Table
344 (MF)	4067	4068	2	ListeningPLMinus2   Listening Performance Level minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions. Blank	TOMS Historical Table
345 (MG)	4069	4070	2	SpeakingPLMinus2   Speaking Performance Level minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions. Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
346 (MH)	4071	4072	2	ReadingPLMinus2   Reading Performance Level minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions. Blank	TOMS Historical Table
347 (MI)	4073	4074	2	WritingPLMinus2   Writing Performance Level minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions. Blank	TOMS Historical Table
348 (MJ)	4075	4075	1	SSREligibleMinus3   SSR Eligible Current Year Minus 3  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric Y = An SSR was created for the student. N = An SSR was not created for the student. Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
349 (MK)	4076	4076	1	AttemptednessMinus3   Attemptedness Current Year minus 3 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric P = Partial-completion Y = Completion Blank	TOMS Historical Table
350 (ML)	4077	4078	2	GradeAssessedMinus3   Grade Assessed Current Year minus 3 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.	Alphanumeric  KN = Kindergarten  01 = First grade  02 = Second grade  03 = Third grade  04 = Fourth grade  05 = Fifth grade  06 = Sixth grade  07 = Seventh grade  08 = Eighth grade  09 = Ninth grade  10 = Tenth grade  11 = Eleventh grade  12 = Twelfth grade	TOMS Historical Table
351 (MM)	4079	4081	3	ConditionCodeMinus3   Condition Code Current Year minus 3 This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric  EXD = Exempt Domain  (Summative ELPAC only)  Blank = The student did not test, or no condition code is present	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
352 (MN)	4082	4083	2	ListeningRawScoreMinus3   Listening Raw Score Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table
353 (MO)	4084	4085	2	SpeakingRawScoreMinus3   Speaking Raw Score Current Year minus 2 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table
354 (MP)	4086	4087	2	ReadingRawScoreMinus3   Reading Raw Score Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	TOMS Historical Table
355 (MQ)	4088	4089	2	WritingRawScoreMinus3   Writing Raw Score Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ## = (00–99)  NS = No Score can be due to force complete or domain exemptions.  Blank = The student did not test.	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
356 (MR)	4090	4093	4	OverallScaleScoreMinus3   Overall Scale Score Current Year minus 3  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric #### = (1150–1950) NS = No score is an acceptable value if the student received an attemptedness value of "P". Blank	TOMS Historical Table
357 (MS)	4094	4095	2	OverallPLMinus3   Overall Performance Level Current Year minus 3 This field is applicable to both the Summative ELPAC and Summative Alternate. A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No score is an acceptable value if the student received an attemptedness value of "P".  Blank	TOMS Historical Table
358 (MT)	4096	4099	4	OralLanguageScaleScoreMinus3   Oral Language Scale Score Current Year minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric #### = (1150–1950) NS = No Score is an acceptable value if the student received an attemptedness value of "P". Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
359 (MU)	4100	4102	3	OralLanguageCSEMMinus3   Standard Error of Measurement – CSEM (Oral Language) Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score is an acceptable value if the student received an attemptedness value of "P". Blank	TOMS Historical Table
360 (MV)	4103	4104	2	OralLanguagePLMinus3   Oral Language Performance Level Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score is an acceptable value if the student received an attemptedness value of "P".  Blank	TOMS Historical Table
361 (MW)	4105	4108	4	WrittenLanguageScaleScoreMinus3   Written Language Scale Score Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric #### = (1150–1950) NS = No Score is an acceptable value if the student received an attemptedness value of "P". Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
362 (MX)	4109	4111	3	WrittenLanguageCSEMMinus3   Standard Error of Measurement – CSEM (Written Language) Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score is an acceptable value if the student received an attemptedness value of "P". Blank	TOMS Historical Table
363 (MY)	4112	4113	2	WrittenLanguagePLMinus3   Written Language Performance Level Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score can be due to force complete or domain exemptions or alternate assessment.  Blank	TOMS Historical Table
364 (MZ)	4114	4115	2	ListeningPLMinus3   Listening Performance Level Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions or alternate assessment. Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
365 (NA)	4116	4117	2	SpeakingPLMinus3   Speaking Performance Level Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions or alternate assessment. Blank	TOMS Historical Table
366 (NB)	4118	4119	2	ReadingPLMinus3   Reading Performance Level Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions or alternate assessment. Blank	TOMS Historical Table
367 (NC)	4120	4121	2	WritingPLMinus3   Writing Performance Level Current Year minus 3 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions. Blank	TOMS Historical Table



## Other Score Information and New Fields (Fields 368–376)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
368 (ND)		4131 10	ReportCreatedDate   Report Created Date This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric (YYYY-MM-DD)	TOMS	
				This is the date the student record was added to the report.		
369 (NE)	4132	4141	10	ScoreAvailableDate   Score Available Date This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric (YYYY-MM-DD)	TOMS
				This is the date on which score data is available to the LEAs. Note that it may take up to 24 hours for the score data to be available in the LEA downloadable student data file.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
370 (NF)	4142	4142	1	LTELorARLTEL   LTEL or ARLTEL  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This field reflects whether the student has	Alphanumeric 1 = LTEL 2 = AR-LTEL  LTEL = Long-Term English learner AR-LTEL = At-Risk of	AMARD
				been identified by AMARD as meeting the requirements to be designated as an LTEL or AR-LTEL.	becoming LTEL (Long-Term English learner)  Blank = Not designated as either LTEL or AR-LTEL	
371 (NG)	4143	4145	3	MigrantStatusforTesting   Migrant Status for Testing  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked migrant status at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's migrant status on the last day of the LEA's selected testing window is	Alphanumeric Yes No	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
372 (NH)	4146	4148	3	MilitaryStatusforTesting   Military Status for Testing	Alphanumeric Yes No	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the locked military status at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's military status on the last day of the LEA's selected testing window is reported.		



Field#	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
373 (NI)	4149	4151	3	FosterStatusforTesting   Foster Status for Testing	Alphanumeric Yes No	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the locked foster status at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's foster status on the last day of the LEA's selected testing window is reported.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
374 (NJ)	4152	4154	3	HomelessStatusforTesting   Homeless Status for Testing	Alphanumeric Yes No	TOMS
				This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.		
				This is the locked homeless status at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's homeless status on the last day of the LEA's selected testing window is reported.		



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
375 (NK)	4155	4156	2	ParentEducationLevelforTesting   Parent Education Level for Testing  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  This is the locked parent education level at the time TOMS received the first test event (started, paused, completed) for the CAASPP, Summative ELPAC, or Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student's parent education level on the last day of the LEA's selected testing window is reported.	Alphanumeric  10 = Graduate Degree or Higher  11 = College Graduate 12 = Some College or Associate 13 = High School Graduate 14 = Not a High School Graduate 15 = Decline to State Blank	TOMS
376 (NL)	4157	4158	2	EndofRecord   End of Record	Alphanumeric ZZ	Derived




## **Reference Tables**

# **Primary Language Codes (Field 38)**

Code	Language Name
ABK	Abkhazian
ACE	Achinese
ACH	Acoli
ADA	Adangme
ADY	Adyghe; Adygei
AAR	Afar
AFR	Afrikaans
AFA	Afro-Asiatic languages
AIN	Ainu
AKA	Akan
ALB	Albanian
ALE	Aleut
ALG	Algonquian languages
TUT	Altaic languages
AMH	Amharic
ANP	Angika
APA	Apache languages
ARA	Arabic
ARG	Aragonese
ARP	Arapaho
ARW	Arawak
ASE	American Sign Language
ARM	Armenian
RUP	Aromanian; Arumanian; Macedo-Romanian
ASM	Assamese
AST	Asturian; Bable; Leonese; Asturleonese
ATH	Athapascan languages
AUS	Australian languages
MAP	Austronesian languages
AVA	Avaric
AWA	Awadhi
AYM	Aymara
AZE	Azerbaijani
BAN	Balinese


Code	Language Name
BAT	Other Baltic languages
BAL	Baluchi
BAM	Bambara
BAI	Bamileke languages
BAD	Banda languages
BNT	Bantu languages
BAS	Basa
BAK	Bashkir
BAQ	Basque
BTK	Batak languages
BEJ	Beja; Bedawiyet
BEL	Belarusian
BEM	Bemba
BEN	Bengali
BER	Berber languages
ВНО	Bhojpuri
BIH	Bihari languages
BIK	Bikol
BIN	Bini; Edo
BIS	Bislama
BYN	Blin; Bilin
ZBL	Blissymbols; Blissymbolics; Bliss
NOB	Bokmål, Norwegian; Norwegian Bokmål
BOS	Bosnian
BRA	Braj
BRE	Breton
BUG	Buginese
BUL	Bulgarian
BUA	Buriat
BUR	Burmese
CAD	Caddo
YUE	Cantonese
CAT	Catalan; Valencian
CAU	Caucasian languages
CEB	Cebuano (Bisayan, Visayan)





Code	Language Name
CEL	Celtic languages
CAI	Central American Indian
	languages
KHM	Central Khmer
CLD	Chaldean Neo-Aramaic (Chaldean)
CMC	Chamic languages
CHA	Chamorro (Guamanian)
CHE	Chechen
CHR	Cherokee
CHY	Cheyenne
NYA	Chichewa; Chewa; Nyanja
CHI	Chinese (Other Chinese
	languages)
CHN	Chinook jargon
CHP	Chipewyan; Dene Suline
CHO	Choctaw
CHK	Chuukese
CHV	Chuvash
SYC	Classical Syriac
COR	Cornish
COS	Corsican
CRE	Cree
MUS	Creek
CRP	Creoles and pidgins
CPE	Creoles and pidgins, English based
CPF	Creoles and pidgins, French- based
CPP	Creoles and pidgins, Portuguese-based
CRH	Crimean Tatar; Crimean Turkish
HRV	Croatian
CUS	Cushitic languages
CZE	Czech
DAK	Dakota
DAN	Danish
DAR	Dargwa
DEL	Delaware
DIN	Dinka
DIV	Divehi; Dhivehi; Maldivian


Code	Language Name
DOI	Dogri
DGR	Dogrib
DRA	Dravidian languages
DUA	Duala
DUT	Dutch; Flemish
DYU	Dyula
DZO	Dzongkha
FRS	Eastern Frisian
EFI	Efik
EKA	Ekajuk
ENG	English
MYV	Erzya
EPO	Esperanto
EST	Estonian
EWE	Ewe
EWO	Ewondo
FAN	Fang
FAT	Fanti
FAO	Faroese
FIJ	Fijian
FIL	Filipino; Pilipino
FIN	Finnish
FIU	Finno-Ugrian languages
FON	Fon
FRE	French
FUR	Friulian
FUL	Fulah
GAA	Ga
GLA	Gaelic; Scottish Gaelic
CAR	Galibi Carib
GLG	Galician
LUG	Ganda
GAY	Gayo
GBA	Gbaya
GEO	Georgian
GER	German
GEM	Germanic languages
GIL	Gilbertese
GON	Gondi
GOR	Gorontalo





Code	Language Name
GRB	Grebo
GRE	Greek, Modern (1453-)
GRN	Guarani
GUJ	Gujarati
GWI	Gwich'in
HAI	Haida
HAT	Haitian; Haitian Creole
HAU	Hausa
HAW	Hawaiian
HEB	Hebrew
HER	Herero
HIL	Hiligaynon
НІМ	Himachali languages; Western Pahari languages
HIN	Hindi
HMO	Hiri Motu
HIT	Hittite
HMN	Hmong; Mong
HUN	Hungarian
HUP	Нира
IBA	Iban
ICE	Icelandic
IBO	Igbo
IJO	Ijo languages
ILO	lloko (llocano)
SMN	Inari Sami
INC	Indic languages
INE	Indo-European languages
IND	Indonesian
INH	Ingush
IKU	Inuktitut
IPK	Inupiaq
IRA	Iranian languages
GLE	Irish
IRO	Iroquoian languages
ITA	Italian
JPN	Japanese
JAV	Javanese
JRB	Judeo-Arabic
JPR	Judeo-Persian


Code	Language Name
KBD	Kabardian
KAB	Kabyle
KAC	Kachin; Jingpho
KAL	Kalaallisut; Greenlandic
XAL	Kalmyk; Oirat
KAM	Kamba
KAN	Kannada
KAU	Kanuri
KRC	Karachay-Balkar
KAA	Kara-Kalpak
KRL	Karelian
KAR	Karen languages
KAS	Kashmiri
CSB	Kashubian
KAZ	Kazakh
KHA	Khasi
KHI	Khoisan languages
KHO	Khotanese; Sakan
KJG	Khmu
KIK	Kikuyu; Gikuyu
KMB	Kimbundu
KIN	Kinyarwanda
KIR	Kirghiz; Kyrgyz
KOM	Komi
KON	Kongo
KOK	Konkani
KOR	Korean
KOS	Kosraean
KPE	Kpelle
KRO	Kru languages
KUA	Kuanyama; Kwanyama
KUM	Kumyk
KUR	Kurdish (Kurdi, Kurmanji)
KRU	Kurukh
KUT	Kutenai
LAD	Ladino
LAH	Lahnda
LHU	Lahu
LAM	Lamba
DAY	Land Dayak languages





Code	Language Name
LAO	Lao
LAV	Latvian
LEZ	Lezghian
LIM	Limburgan; Limburger; Limburgish
LIN	Lingala
LIT	Lithuanian
NDS	Low German; Low Saxon; German, Low; Saxon, Low
DSB	Lower Sorbian
LOZ	Lozi
LUB	Luba-Katanga
LUA	Luba-Lulua
LUI	Luiseno
SMJ	Lule Sami
LUN	Lunda
LUO	Luo (Kenya and Tanzania)
LUS	Lushai
LTZ	Luxembourgish; Letzeburgesch
MAC	Macedonian
MAD	Madurese
MAG	Magahi
MAI	Maithili
MAK	Makasar
MLG	Malagasy
MAY	Malay
MAL	Malayalam
MLT	Maltese
MDR	Mandar
CMN	Mandarin (Putonghua, Guoyu)
MAN	Mandingo
MNI	Manipuri
MNO	Manobo languages
GLV	Manx
MAO	Maori
ARN	Mapudungun; Mapuche
MAR	Marathi
CHM	Mari
MAH	Marshallese
MWR	Marwari


Code	Language Name
MAS	Masai
MYN	Mayan languages
MEN	Mende
MIC	Mi'kmaq; Micmac
MIN	Minangkabau
MWL	Mirandese
MOH	Mohawk
MDF	Moksha
LOL	Mongo
MON	Mongolian
MKH	Mon-Khmer languages (Cambodian)
MOS	Mossi
MUL	Multiple languages
MUN	Munda languages
NAH	Nahuatl languages
NAU	Nauru
NAV	Navajo; Navaho
NDE	Ndebele, North; North Ndebele
NBL	Ndebele, South; South Ndebele
NDO	Ndonga
NAP	Neapolitan
NEW	Nepal Bhasa; Newari
NEP	Nepali
NIA	Nias
NIC	Niger-Kordofanian languages
SSA	Nilo-Saharan languages
NIU	Niuean
NQO	N'Ko
NOG	Nogai
NAI	North American Indian languages
FRR	Northern Frisian
SME	Northern Sami
NOR	Norwegian
NNO	Norwegian Nynorsk; Nynorsk, Norwegian
NUB	Nubian languages
NYM	Nyamwezi
NYN	Nyankole





Code	Language Name
NYO	Nyoro
NZI	Nzima
OCI	Occitan (post 1500)
ARC	Official Aramaic (700-300 BCE); Imperial Aramaic (700-300 BCE)
OJI	Ojibwa
ORI	Oriya
ORM	Oromo
OSS	Ossetian; Ossetic
QAB	Chaozhou (Teochew/Chiuchow)
SIT	Other Sino-Tibetan languages (Taishanese)
ОТО	Otomian languages (Mixteco)
PAU	Palauan
PAM	Pampanga; Kapampangan
PAG	Pangasinan
PAN	Panjabi; Punjabi
PAP	Papiamento
PAA	Papuan languages
NSO	Pedi; Sepedi; Northern Sotho
PER	Persian (Farsi)
PHI	Philippine languages
PON	Pohnpeian
POL	Polish
POR	Portuguese
PRA	Prakrit languages
PUS	Pushto; Pashto
QUE	Quechua
RAJ	Rajasthani
RAP	Rapanui
RAR	Rarotongan; Cook Islands Maori
ROA	Romance languages
RUM	Romanian (Rumanian)
ROH	Romansh
ROM	Romany
RUN	Rundi
RUS	Russian
SAL	Salishan languages
SMI	Sami languages
SMO	Samoan

Code	Language Name
SAD	Sandawe
SAG	Sango
SAN	Sanskrit
SAT	Santali
SRD	Sardinian
SAS	Sasak
SCO	Scots
SEL	Selkup
SEM	Semitic languages
SRP	Serbian
SRR	Serer
SHN	Shan
SNA	Shona
III	Sichuan Yi; Nuosu
SCN	Sicilian
SID	Sidamo
SGN	Other Sign Languages
BLA	Siksika
SND	Sindhi
SIN	Sinhala; Sinhalese
SIO	Siouan languages
SMS	Skolt Sami
DEN	Slave (Athapascan)
SLA	Slavic languages
SLO	Slovak
SLV	Slovenian
SOG	Sogdian
SOM	Somali
SON	Songhai languages
SNK	Soninke
WEN	Sorbian languages
SOT	Sotho, Southern
SAI	South American Indian languages
ALT	Southern Altai
SMA	Southern Sami
SPA	Spanish; Castilian
SRN	Sranan Tongo
ZGH	Standard Moroccan Tamazight
SUK	Sukuma





Code	Language Name
SUN	Sundanese
SUS	Susu
SWA	Swahili
SSW	Swati
SWE	Swedish
GSW	Swiss German; Alemannic; Alsatian
SYR	Syriac (Assyrian)
TGL	Tagalog
TAH	Tahitian
TAI	Tai languages
QAA	Taiwanese
TGK	Tajik
TMH	Tamashek
TAM	Tamil
TAT	Tatar
TEL	Telugu
TER	Tereno
TET	Tetum
THA	Thai
TIB	Tibetan
TIG	Tigre
TIR	Tigrinya
TEM	Timne
TIV	Tiv
TLI	Tlingit
TPI	Tok Pisin
TKL	Tokelau
TOG	Tonga (Nyasa)
TON	Tonga (Tonga Islands)
TSI	Tsimshian
TSO	Tsonga
TSN	Tswana
TUM	Tumbuka
TUP	Tupi languages
TUR	Turkish
OTA	Turkish, Ottoman (1500-1928)
TUK	Turkmen
TVL	Tuvalu
TYV	Tuvinian


Code	Language Name
TWI	Twi
UDM	Udmurt
UIG	Uighur; Uyghur
UKR	Ukrainian
UMB	Umbundu
MIS	Uncoded languages (Other non- English languages)
UND	Undetermined
HSB	Upper Sorbian
URD	Urdu
UZB	Uzbek
VAI	Vai
VEN	Venda
VIE	Vietnamese
VOT	Votic
WAK	Wakashan languages
WLN	Walloon
WAR	Waray
WAS	Washo
WEL	Welsh
FRY	Western Frisian
WAL	Wolaitta; Wolaytta
WOL	Wolof
XHO	Xhosa
SAH	Yakut
YAO	Yao (Mien)
YAP	Yapese
YID	Yiddish
YOR	Yoruba
YPK	Yupik languages
ZND	Zande languages
ZAP	Zapotec
ZZA	Zaza; Dimili; Dimli; Kirdki; Kirmanjki; Zazaki
ZEN	Zenaga
ZHA	Zhuang; Chuang
ZUL	Zulu
ZUN	Zuni
ZXX	No linguistic content



# **Common Education Data Standards Language Codes** (Field 39)

Code	Language Name
ABK	Abkhazian
ACE	Achinese
ACH	Acoli
ADA	Adangme
ADY	Adyghe; Adygei
AAR	Afar
AFR	Afrikaans
AFA	Afro-Asiatic languages
AIN	Ainu
AKA	Akan
ALB	Albanian
ALE	Aleut
ALG	Algonquian languages
TUT	Altaic languages
AMH	Amharic
ANP	Angika
APA	Apache languages
ARA	Arabic
ARG	Aragonese
ARP	Arapaho
ARW	Arawak
ARM	Armenian
RUP	Aromanian; Arumanian; Macedo-Romanian
ASM	Assamese
AST	Asturian; Bable; Leonese; Asturleonese
ATH	Athapascan languages
AUS	Australian languages
MAP	Austronesian languages
AVA	Avaric
AWA	Awadhi
AYM	Aymara
AZE	Azerbaijani
BAN	Balinese
BAT	Other Baltic languages


Code	Language Name
BAL	Baluchi
BAM	Bambara
BAI	Bamileke languages
BAD	Banda languages
BNT	Bantu languages
BAS	Basa
BAK	Bashkir
BAQ	Basque
BTK	Batak languages
BEJ	Beja; Bedawiyet
BEL	Belarusian
BEM	Bemba
BEN	Bengali
BER	Berber languages
BHO	Bhojpuri
BIH	Bihari languages
BIK	Bikol
BIN	Bini; Edo
BIS	Bislama
BYN	Blin; Bilin
ZBL	Blissymbols; Blissymbolics; Bliss
NOB	Bokmål, Norwegian; Norwegian Bokmål
BOS	Bosnian
BRA	Braj
BRE	Breton
BUG	Buginese
BUL	Bulgarian
BUA	Buriat
BUR	Burmese
CAD	Caddo
CAT	Catalan; Valencian
CAU	Caucasian languages
CEB	Cebuano (Bisayan, Visayan)
CEL	Celtic languages





CAI   Central American Indian   languages   KHM   Central Khmer   CMC   Chamic languages   CHA   Chamorro (Guamanian)   CHE   Chechen   CHR   Cherokee   CHY   Cheyenne   NYA   Chichewa; Chewa; Nyanja   CHI   Chinose (Other Chinese languages)   CHN   Chinook jargon   CHP   Chipewyan; Dene Suline   CHO   Choctaw   CHK   Chuukese   CHV   Chuvash   COR   Cornish   COS   Corsican   CRE   Cree   MUS   Creek   CRP   Creoles and pidgins   CPE   Creoles and pidgins, Frenchbased   CPF   Creoles and pidgins, Frenchbased   CPF   Creoles and pidgins, Frenchbased   CRH   Crimean Tatar; Crimean Turkish   HRV   Croatian   CUS   Cushitic languages   CZE   Czech   DAK   Dakota   DAN   Danish   DAR   Dargwa   DEL   Delaware   DIN   Dinka   DIV   Divehi; Dhivehi; Maldivian   DOI   Dogri   DGR   Dogrib   DRA   Dravidian languages   DRA   Dravidian   D	Code	Language Name
KHM Central Khmer  CMC Chamic languages  CHA Chamorro (Guamanian)  CHE Chechen  CHR Cherokee  CHY Cheyenne  NYA Chichewa; Chewa; Nyanja  CHI Chinook jargon  CHP Chipewyan; Dene Suline  CHO Choctaw  CHK Chuukese  CHV Chuvash  COR Cornish  COS Corsican  CRE Cree  MUS Creek  CRP Creoles and pidgins, English based  CPF Creoles and pidgins, French-based  CPF Creoles and pidgins, French-based  CPF Creoles and pidgins, CUB Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOR Dogri  DGR Dogrib		
KHM Central Khmer CMC Chamic languages CHA Chamorro (Guamanian) CHE Chechen CHR Cherokee CHY Cheyenne NYA Chichewa; Chewa; Nyanja CHI Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, French-based CPP Crooles and pidgins, CPE Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CAI	
CHA Chamorro (Guamanian) CHE Chechen CHR Cherokee CHY Cheyenne NYA Chichewa; Chewa; Nyanja CHI Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	KHM	
CHA Chamorro (Guamanian) CHE Chechen CHR Cherokee CHY Cheyenne NYA Chichewa; Chewa; Nyanja CHI Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CMC	Chamic languages
CHE Chechen CHR Cherokee CHY Cheyenne NYA Chichewa; Chewa; Nyanja Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE based CPF Creoles and pidgins, Frenchbased CPF Creoles and pidgins, Frenchbased CPP Creoles and pidgins, CPE Creoles and pidgins, Frenchbased CPP Creoles and pidgins	CHA	
CHY Cheyenne NYA Chichewa; Chewa; Nyanja Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE based CPF Creoles and pidgins, English based CPF Creoles and pidgins, Frenchbased CPP Creoles and pidgins, Frenchbased CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHE	
NYA Chichewa; Chewa; Nyanja CHI Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHR	Cherokee
CHI Chinese (Other Chinese languages) CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHY	Cheyenne
CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, COPP Creoles and pidgins, French-based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, French-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	NYA	Chichewa; Chewa; Nyanja
CHN Chinook jargon CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, French-based CPF Creoles and pidgins, COPP Creoles and pidgins, French-based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, French-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CLI	Chinese (Other Chinese
CHP Chipewyan; Dene Suline CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib		
CHO Choctaw CHK Chuukese CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHN	Chinook jargon
CHK Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHP	Chipewyan; Dene Suline
CHV Chuvash COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHO	Choctaw
COR Cornish COS Corsican CRE Cree MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CHK	Chuukese
COS Corsican CRE Cree  MUS Creek CRP Creoles and pidgins  CPE Creoles and pidgins, English based  CPF Creoles and pidgins, French-based  CPP Creoles and pidgins, Portuguese-based  CRH Crimean Tatar; Crimean Turkish  HRV Croatian  CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	CHV	Chuvash
CRE Cree  MUS Creek  CRP Creoles and pidgins  CPE Creoles and pidgins, English based  CPF Creoles and pidgins, French-based  CPP Creoles and pidgins, Portuguese-based  CRH Crimean Tatar; Crimean Turkish  HRV Croatian  CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	COR	Cornish
MUS Creek CRP Creoles and pidgins CPE Creoles and pidgins, English based CPF Creoles and pidgins, French-based CPP Creoles and pidgins, Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	COS	Corsican
CRP Creoles and pidgins  CPE Creoles and pidgins, English based  CPF Creoles and pidgins, French-based  CPP Creoles and pidgins, Portuguese-based  CRH Crimean Tatar; Crimean Turkish  HRV Croatian  CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	CRE	Cree
CPE Creoles and pidgins, English based  CPF Creoles and pidgins, French-based  CPP Creoles and pidgins, Portuguese-based  CRH Crimean Tatar; Crimean Turkish HRV Croatian  CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	MUS	Creek
CPE based  CPF Creoles and pidgins, Frenchbased  CPP Creoles and pidgins, Portuguese-based  CRH Crimean Tatar; Crimean Turkish HRV Croatian  CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	CRP	Creoles and pidgins
CPP based  CPP Creoles and pidgins, Portuguese-based  CRH Crimean Tatar; Crimean Turkish  HRV Croatian  CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	CPE	
CPP Portuguese-based CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CPF	. •
CRH Crimean Tatar; Crimean Turkish HRV Croatian CUS Cushitic languages CZE Czech DAK Dakota DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CPP	. •
CUS Cushitic languages  CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	CRH	
CZE Czech  DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	HRV	Croatian
DAK Dakota  DAN Danish  DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	CUS	Cushitic languages
DAN Danish DAR Dargwa DEL Delaware DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	CZE	Czech
DAR Dargwa  DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	DAK	Dakota
DEL Delaware  DIN Dinka  DIV Divehi; Dhivehi; Maldivian  DOI Dogri  DGR Dogrib	DAN	Danish
DIN Dinka DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	DAR	Dargwa
DIV Divehi; Dhivehi; Maldivian DOI Dogri DGR Dogrib	DEL	Delaware
DOI Dogri DGR Dogrib	DIN	Dinka
DGR Dogrib	DIV	Divehi; Dhivehi; Maldivian
<u> </u>	DOI	Dogri
DRA Dravidian languages	DGR	Dogrib
	DRA	Dravidian languages


Code	Language Name
DUA	Duala
DUT	Dutch; Flemish
DYU	Dyula
DZO	Dzongkha
FRS	Eastern Frisian
EFI	Efik
EKA	Ekajuk
ENG	English
MYV	Erzya
EST	Estonian
EWE	Ewe
EWO	Ewondo
FAN	Fang
FAT	Fanti
FAO	Faroese
FIJ	Fijian
FIL	Filipino; Pilipino
FIN	Finnish
FIU	Finno-Ugrian languages
FON	Fon
FRE	French
FUR	Friulian
FUL	Fulah
GAA	Ga
GLA	Gaelic; Scottish Gaelic
CAR	Galibi Carib
GLG	Galician
LUG	Ganda
GAY	Gayo
GBA	Gbaya
GEO	Georgian
GER	German
GEM	Germanic languages
GIL	Gilbertese
GON	Gondi
GOR	Gorontalo
GRB	Grebo
GRE	Greek, Modern (1453-)
GRN	Guarani
GUJ	Gujarati





Code	Language Name
GWI	Gwich'in
HAI	Haida
HAT	Haitian; Haitian Creole
HAU	Hausa
HAW	Hawaiian
HEB	Hebrew
HER	Herero
HIL	Hiligaynon
НІМ	Himachali languages; Western Pahari languages
HIN	Hindi
НМО	Hiri Motu
HIT	Hittite
HMN	Hmong; Mong
HUN	Hungarian
HUP	Hupa
IBA	Iban
ICE	Icelandic
IBO	Igbo
IJO	Ijo languages
ILO	lloko (llocano)
SMN	Inari Sami
INC	Indic languages
INE	Indo-European languages
IND	Indonesian
INH	Ingush
IKU	Inuktitut
IPK	Inupiaq
IRA	Iranian languages
GLE	Irish
IRO	Iroquoian languages
ITA	Italian
JPN	Japanese
JAV	Javanese
JRB	Judeo-Arabic
JPR	Judeo-Persian
KBD	Kabardian
KAB	Kabyle
KAC	Kachin; Jingpho
KAL	Kalaallisut; Greenlandic


Code	Language Name
XAL	Kalmyk; Oirat
KAM	Kamba
KAN	Kannada
KAU	Kanuri
KRC	Karachay-Balkar
KAA	Kara-Kalpak
KRL	Karelian
KAR	Karen languages
KAS	Kashmiri
CSB	Kashubian
KAZ	Kazakh
KHA	Khasi
KHI	Khoisan languages
KHO	Khotanese; Sakan
KIK	Kikuyu; Gikuyu
KMB	Kimbundu
KIN	Kinyarwanda
KIR	Kirghiz; Kyrgyz
KOM	Komi
KON	Kongo
KOK	Konkani
KOR	Korean
KOS	Kosraean
KPE	Kpelle
KRO	Kru languages
KUA	Kuanyama; Kwanyama
KUM	Kumyk
KUR	Kurdish (Kurdi, Kurmanji)
KRU	Kurukh
KUT	Kutenai
LAD	Ladino
LAH	Lahnda
LAM	Lamba
DAY	Land Dayak languages
LAO	Lao
LAV	Latvian
LEZ	Lezghian
LIM	Limburgan; Limburger; Limburgish
LIN	Lingala





Code	Language Name
LIT	Lithuanian
NDS	Low German; Low Saxon;
	German, Low; Saxon, Low
DSB	Lower Sorbian
LOZ	Lozi
LUB	Luba-Katanga
LUA	Luba-Lulua
LUI	Luiseno
SMJ	Lule Sami
LUN	Lunda
LUO	Luo (Kenya and Tanzania)
LUS	Lushai
LTZ	Luxembourgish; Letzeburgesch
MAC	Macedonian
MAD	Madurese
MAG	Magahi
MAI	Maithili
MAK	Makasar
MLG	Malagasy
MAY	Malay
MAL	Malayalam
MLT	Maltese
MDR	Mandar
MAN	Mandingo
MNI	Manipuri
MNO	Manobo languages
GLV	Manx
MAO	Maori
ARN	Mapudungun; Mapuche
MAR	Marathi
CHM	Mari
MAH	Marshallese
MWR	Marwari
MAS	Masai
MYN	Mayan languages
MEN	Mende
MIC	Mi'kmaq; Micmac
MIN	Minangkabau
MWL	Mirandese
МОН	Mohawk


Code	Language Name
MDF	Moksha
LOL	Mongo
MON	Mongolian
MKH	Mon-Khmer languages (Cambodian)
MOS	Mossi
MUL	Multiple languages
MUN	Munda languages
NAH	Nahuatl languages
NAU	Nauru
NAV	Navajo; Navaho
NDE	Ndebele, North; North Ndebele
NBL	Ndebele, South; South Ndebele
NDO	Ndonga
NAP	Neapolitan
NEW	Nepal Bhasa; Newari
NEP	Nepali
NIA	Nias
NIC	Niger-Kordofanian languages
SSA	Nilo-Saharan languages
NIU	Niuean
NQO	N'Ko
NOG	Nogai
NAI	North American Indian languages
FRR	Northern Frisian
SME	Northern Sami
NOR	Norwegian
NNO	Norwegian Nynorsk; Nynorsk, Norwegian
NUB	Nubian languages
NYM	Nyamwezi
NYN	Nyankole
NYO	Nyoro
NZI	Nzima
OCI	Occitan (post 1500)
OJI	Ojibwa
ORI	Oriya
ORM	Oromo
OSS	Ossetian; Ossetic





Code	Language Name
	Other Sino-Tibetan languages
SIT	(Taishanese)
ОТО	Otomian languages (Mixteco)
PAU	Palauan
PAM	Pampanga; Kapampangan
PAG	Pangasinan
PAN	Panjabi; Punjabi
PAP	Papiamento
PAA	Papuan languages
NSO	Pedi; Sepedi; Northern Sotho
PER	Persian (Farsi)
PHI	Philippine languages
PON	Pohnpeian
POL	Polish
POR	Portuguese
PRA	Prakrit languages
PUS	Pushto; Pashto
QUE	Quechua
RAJ	Rajasthani
RAP	Rapanui
RAR	Rarotongan; Cook Islands Maori
ROA	Romance languages
RUM	Romanian (Rumanian)
ROH	Romansh
ROM	Romany
RUN	Rundi
RUS	Russian
SAL	Salishan languages
SMI	Sami languages
SMO	Samoan
SAD	Sandawe
SAG	Sango
SAT	Santali
SRD	Sardinian
SAS	Sasak
SCO	Scots
SEL	Selkup
SEM	Semitic languages
SRP	Serbian
SRR	Serer

Code	Language Name				
SHN	Shan				
SNA	Shona				
III	Sichuan Yi; Nuosu				
SCN	Sicilian				
SID	Sidamo				
SGN	Other Sign Languages, American Sign Language				
BLA	Siksika				
SND	Sindhi				
SIN	Sinhala; Sinhalese				
SIO	Siouan languages				
SMS	Skolt Sami				
DEN	Slave (Athapascan)				
SLA	Slavic languages				
SLO	Slovak				
SLV	Slovenian				
SOG	Sogdian				
SOM	Somali				
SON	Songhai languages				
SNK	Soninke				
WEN	Sorbian languages				
SOT	Sotho, Southern				
SAI	South American Indian				
	languages				
ALT	Southern Altai				
SMA	Southern Sami				
SPA	Spanish; Castilian				
SRN	Sranan Tongo				
ZGH	Standard Moroccan Tamazight				
SUK	Sukuma				
SUN	Sundanese				
SUS	Susu				
SWA	Swahili				
SSW	Swati				
SWE	Swedish				
GSW	Swiss German; Alemannic; Alsatian				
SYR	Syriac (Assyrian)				
TGL	Tagalog				
TAH	Tahitian				





Code	Language Name
TAI	Tai languages
TGK	Tajik
TMH	Tamashek
TAM	Tamil
TAT	Tatar
TEL	Telugu
TER	Tereno
TET	Tetum
THA	Thai
TIB	Tibetan
TIG	Tigre
TIR	Tigrinya
TEM	Timne
TIV	Tiv
TLI	Tlingit
TPI	Tok Pisin
TKL	Tokelau
TOG	Tonga (Nyasa)
TON	Tonga (Tonga Islands)
TSI	Tsimshian
TSO	Tsonga
TSN	Tswana
TUM	Tumbuka
TUP	Tupi languages
TUR	Turkish
OTA	Turkish, Ottoman (1500-1928)
TUK	Turkmen
TVL	Tuvalu
TYV	Tuvinian
TWI	Twi
UDM	Udmurt
UIG	Uighur; Uyghur
UKR	Ukrainian
UMB	Umbundu
MIS	Uncoded languages (Other non- English languages)
UND	Undetermined
HSB	Upper Sorbian
URD	Urdu
UZB	Uzbek

Code	Language Name
VAI	Vai
VEN	Venda
VIE	Vietnamese
VOT	Votic
WAK	Wakashan languages
WLN	Walloon
WAR	Waray
WAS	Washo
WEL	Welsh
FRY	Western Frisian
WAL	Wolaitta; Wolaytta
WOL	Wolof
XHO	Xhosa
SAH	Yakut
YAO	Yao (Mien)
YAP	Yapese
YID	Yiddish
YOR	Yoruba
YPK	Yupik languages
ZND	Zande languages
ZAP	Zapotec
ZZA	Zaza; Dimili; Dimli; Kirdki; Kirmanjki; Zazaki
ZEN	Zenaga
ZHA	Zhuang; Chuang
ZUL	Zulu
ZUN	Zuni
ZXX	No linguistic content



# **Primary Disability Codes (Field 30)**

Code	Туре
AUT	Autism
DB	Deaf-blindness
EMN	Emotional disturbance
HI	Hearing impairment
ID	Intellectual disability
MD	Multiple disabilities
OI	Orthopedic impairment
OHI	Other health impairment
SLD	Specific learning disability
SLI	Speech or language impairment
TBI	Traumatic brain injury
VI	Visual impairment
DEAF	Deafness



### **Tested LEA Reporting Rules**

The following sections describe the tested LEA reporting rules for student data files, aggregate files, and public web reporting.

# Summative ELPAC LEA Student Data File Reporting Rules for Student(s) With Multiple Tested LEAs

- 1. For the computer-based assessment or PPT emergency form entered into the DEI (grades three through twelve), a student will be reported under the last tested LEA received for the computer-based domains.
- 2. For K–2, a student who tested in the PPT Writing domain and in the computer-based Listening, Speaking, and Reading domains will be reported under the last tested LEA for the computer-based assessments.
- 3. For K–2, a student who has not tested in at least one computer-based domain but who tested in the PPT Writing domain will be reported under the tested LEA received from scanning.
- 4. For the PPT emergency forms for K–2, a student will be reported under the tested LEA received from scanning.
- 5. A student who is assigned domain exemptions to one domain in each composite and has no logon to the nonexempted domains will be treated as not tested and reported under the enrolled LEA. This is applicable to all grade levels or grade spans.
- 6. Students are reported under the LEA where they last completed a non-exempted domain.
- 7. A student who did not test will be reported under the enrolled LEA.
- 8. A student record will be present only in the final tested LEA student data file per the rules mentioned before if the student tested in multiple LEAs.
- 9. The final tested LEA will be used for aggregate files and the Test Results for California's Assessments website at <a href="https://caaspp-elpac.ets.org/elpac/">https://caaspp-elpac.ets.org/elpac/</a>.

# Summative Alternate ELPAC LEA Student Data File Reporting Rules for Student(s) With Multiple Tested LEAs

- 1. All tested and partially tested students will be reported under the last tested LEA.
- 2. A student who did not test will be reported under the enrolled LEA at the end of the testing window.
- A student record will be present only in the final tested LEA student data file per the rules mentioned before if the student tested in multiple LEAs.
- 4. The final tested LEA will be used for aggregate files and the Test Results for California's Assessments website at https://caaspp-elpac.cde.ca.gov/elpac/Default.



#### **Condition Code Rules**

Condition codes are used by LEAs and the TOMS team to identify a special condition in a student's test record for reporting, such as setting Include Indicators. Condition codes are derived by TOMS and are visible in the TOMS user interface.

- 1. The EXD condition code is derived on the basis of one or two domain exemption(s) assigned to the student's domain in TOMS.
  - a. Exemption results in a no score with an "NS" value assigned by the scoring system. The EXD condition code is reported in the student data files.
- 2. The NT condition code is assigned when a student who is eligible to test with the Summative ELPAC or Summative Alternate ELPAC did not test, and the student's ELAS did not change from EL to non-EL.
- 3. Only one condition code can be applied per student.
- 4. Condition codes appear in the production state student data files and the LEA student data (downloadable) files.



## **Condition Codes (Field 118)**

Test	Code	Description	Derived From	Resulting Score	Comment
Summative ELPAC	EXD	Exempt Domain	This code is used when, within a composite, only one of two domains is selected as exempt for the student on the test assignment screen in TOMS.	A calculated score is assigned to the composite using the nonexempt domain for that composite; the resulting composite score is used to derive the overall score.	N/A
Summative ELPAC	NT	Not Tested	This is the default condition code when valid eligibility is present, the student did not test, and the student's ELAS did not change from EL to non-EL by the end of the testing window.	The student is present in the student data file with no score; no SSR will be generated.	The NT condition code is applied to Summative ELPAC eligible students as a closing event, at the end of the statewide testing window and when all student scores have been imported into TOMS.
Summative Alternate ELPAC	NT	Not Tested	This is the default condition code when valid eligibility is present, the student did not test or no score was present, and the student's ELAS did not change from EL to non-EL by the end of the testing window.	The student is present in the student data file with no score; no SSR will be generated.	The NT condition code is applied to Summative Alternate ELPAC eligible students as a closing event, at the end of the statewide Summative Alternate ELPAC testing window and after all eligible student scores have been imported into TOMS.



### **Attemptedness/Completion Status Codes (Field 119)**

Test	Attemptedness/ Completion Status	Description and Rules
Summative ELPAC or Summative Alternate ELPAC	P	For the Summative ELPAC, partial completion is assigned to students who logged on to one or both domains in the same composite but did not log on to at least one domain in each composite. For the Summative Alternate ELPAC, partial completion is assigned to students who completed fewer than one expressive and one receptive item. No SSR will be created for students who received an attemptedness value of "P". The student record will be included in the student data file as tested with an "NS" overall scale score.
Summative ELPAC or Summative Alternate ELPAC	Y	For the Summative ELPAC, completion is assigned to students who logged on to at least one domain in each composite. For the Summative Alternate ELPAC, completion is assigned to students who completed at least one expressive and one receptive item. An SSR will be created for students who received an attemptedness value of "Y". The student record will be included in the student data file as tested with a numeric overall scale score.

#### **Include Indicator Rules**

Include Indicator allowable values are "N", "T", and "Y". To determine the Include Indicator for the Summative ELPAC or the Summative Alternate ELPAC, follow the logic steps provided:

- 1. If the condition code is NT, then output a value of "N" and STOP; if this condition is not met, proceed to step 2.
- 2. If the attemptedness is "P", then output a value of "T" and STOP; if this condition is not met, proceed to step 3.
- 3. If the overall attemptedness value is "Y", then output a value of "Y" and STOP.

## **Include Indicators for Reporting (Field 120)**

Include Indicators are used to determine which students and scores are included in the aggregated formulas. Include Indicators are set for each test.

Code	Meaning
N	The student did not test.
T	The student tested and did not meet the participation rule or received an attemptedness value of "P" from the scoring system.
Υ	The student completed the test, received a valid score, or received an attemptedness value of "Y" from the scoring system.



## **Scale Score Ranges**

## **Summative ELPAC**

Grade Level or Grade Span	Score	Level 1 Min	Level 1 Max	Level 2 Min	Level 2 Max	Level 3 Min	Level 3 Max	Level 4 Min	Level 4 Max
K	Overall	1150	1373	1374	1421	1422	1473	1474	1700
K	Oral Language	1150	1385	1386	1426	1427	1477	1478	1700
K	Written Language	1150	1345	1346	1409	1410	1462	1463	1700
1	Overall	1150	1410	1411	1454	1455	1506	1507	1700
1	Oral Language	1150	1407	1408	1450	1451	1492	1493	1700
1	Written Language	1150	1413	1414	1458	1459	1519	1520	1700
2	Overall	1150	1423	1424	1470	1471	1531	1532	1700
2	Oral Language	1150	1413	1414	1459	1460	1509	1510	1700
2	Written Language	1150	1432	1433	1480	1481	1553	1554	1700
3	Overall	1150	1447	1448	1487	1488	1534	1535	1800
3	Oral Language	1150	1434	1435	1465	1466	1511	1512	1800
3	Written Language	1150	1460	1461	1508	1509	1556	1557	1800
4	Overall	1150	1458	1459	1498	1499	1548	1549	1800
4	Oral Language	1150	1438	1439	1471	1472	1521	1522	1800
4	Written Language	1150	1477	1478	1524	1525	1574	1575	1800
5	Overall	1150	1466	1467	1513	1514	1559	1560	1800
5	Oral Language	1150	1446	1447	1476	1477	1532	1533	1800
5	Written Language	1150	1486	1487	1549	1550	1586	1587	1800
6	Overall	1150	1474	1475	1516	1517	1566	1567	1900
6	Oral Language	1150	1449	1450	1483	1484	1541	1542	1900
6	Written Language	1150	1498	1499	1549	1550	1591	1592	1900
7	Overall	1150	1480	1481	1526	1527	1575	1576	1900
7	Oral Language	1150	1455	1456	1497	1498	1553	1554	1900
7	Written Language	1150	1504	1505	1555	1556	1597	1598	1900
8	Overall	1150	1485	1486	1533	1534	1589	1590	1900
8	Oral Language	1150	1460	1461	1504	1505	1568	1569	1900
8	Written Language	1150	1509	1510	1561	1562	1609	1610	1900
9–10	Overall	1150	1492	1493	1544	1545	1605	1606	1950
9–10	Oral Language	1150	1464	1465	1511	1512	1578	1579	1950
9–10	Written Language	1150	1519	1520	1577	1578	1631	1632	1950



Grade Level or Grade Span	Score	Level 1 Min	Level 1 Max	Level 2 Min	Level 2 Max	Level 3 Min	Level 3 Max	Level 4 Min	Level 4 Max
11–12	Overall	1150	1499	1500	1554	1555	1614	1615	1950
11–12	Oral Language	1150	1469	1470	1513	1514	1582	1583	1950
11–12	Written Language	1150	1528	1529	1594	1595	1645	1646	1950

## Summative Alternate ELPAC

Grade Level or Grade Span	Score	Level 1 Min	Level 1 Max	Level 2 Min	Level 2 Max	Level 3 Min	Level 3 Max
K	Overall	201	243	244	259	260	299
1	Overall	301	343	344	359	360	399
2	Overall	401	443	444	459	460	499
3–5	Overall	501	543	544	559	560	599
6–8	Overall	601	643	644	659	660	699
9–10	Overall	701	743	744	759	760	799
11–12	Overall	801	843	844	859	860	899



## **Student Move Reporting**

#### **Use Case Scenarios**

This table provides information on scenarios when a student tests and either has moved between LEAs or has a grade change. The scenarios are grouped together on the basis of the high-level use cases. While the rules indicate that the SSR gets delivered to the latest enrollment location based on the CALPADS enrollment feed, the LEA downloadable file will contain all students tested and not tested in the LEA regardless of the latest enrollment.

Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS	SSR in SIS Vendor Portal
Student enrolled throughout the year in LEA A, no grade change	LEA A	LEA A	LEA A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A	LEA A
Student enrolled in LEA A, moves to LEA B	LEA A	LEA A	LEA B	8	8	LEA B	LEA A	LEA A	LEA A	LEA B	LEA A and LEA B
Student enrolled in LEA A, moves to LEA B	LEA A	LEA B	LEA B	8	8	LEA B	LEA B	LEA B	LEA B	LEA B	LEA B



Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS	SSR in SIS Vendor Portal
Student enrolled in LEA A, moves to LEA B	LEA A	Not tested in either LEA A or B	LEA B	8	8	LEA B	LEA A	LEA A	LEA A	No SSR	No SSR
Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window has closed, no grade change	LEA A	LEA A	N/A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A	LEA A



Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS	SSR in SIS Vendor Portal
Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window is closed, no grade change		Not tested in LEA A	N/A	8	8	LEA A	LEA A	LEA A	LEA A	No SSR	No SSR
Student enrolled in LEA A, grade change occurs before the student tested	LEA A	LEA A	LEA A	9	9	LEA A	LEA A	LEA A	LEA A		LEA A Grade nine SSR reported
Student enrolled in LEA A, grade change occurs after student tested	LEA A	LEA A	LEA A	9	8	LEA A	LEA A	LEA A	LEA A		LEA A Grade eight SSR reported
Student moved before the administration year rollover	LEA A	LEA A	LEA A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A current year	LEA A current year



Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS	SSR in SIS Vendor Portal
Student moved before the administration year rollover	LEA A	LEA B	LEA B	8	8	LEA B	LEA B	LEA B	LEA B	LEA A current year	LEA B current year
Student moved after the administration year rollover	LEA A	LEA B	LEA A	8	8	LEA B	LEA B	LEA B		and previous administration year LEA B, previous administration	LEA A, current and previous administration year LEA B, previous administration year SSR only



### Tested LEA Reporting Examples

This table provides information on scenarios when a student has moved between the LEAs or schools between the domain testing. It shows test modes of computer-based and PPT (emergency form). A student who did not test appears as NT.

#### **Summative ELPAC Tested LEA Reporting Examples**

Test Mode	Grade Levels	Listening	Speaking	Reading	Writing	Reporting	Final Test Completed Date	
Computer-based and PPT	3–12	Day 2	Day 1	Day 2	Day 3	The tested LEA and school for the Writing domain will be reported as the final tested LEA and school.	Day 3	Day 3
Computer-based and PPT	3–12	NT	Day 1	Day 2	NT	The tested LEA and school for the Reading domain will be reported as the final tested LEA and school.	Day 2	Day 2
Computer-based	K-2	Day 1	Day 1	Day 2	Day 3	The tested LEA and school for the Reading domain will be reported as the final tested LEA and school.	Day 2	Day 2
Computer-based	K-2	NT	NT	NT	Day 1	The tested LEA and school for the Writing domain will be reported as the final tested LEA and school.	Day 1	No SSR
Computer-based	K-2	Exempt	NT	NT	Day 1	The student will be reported under the LEA where the Writing domain is completed. (This is scanned.)	Day 1	No SSR
PPT	K-2	Day 1	Day 1	Day 1	Day 1	The student will be reported under the LEA where the Answer Book was received from the GIS.	Day 1	Day 1
Computer-based and PPT	3–12	Day 2	Exempt	Day 1	Exempt	The student will be reported under the LEA where the Listening domain is completed.	Day 2	Day 2



Test Mode	Grade Levels	Listening	Speaking	Reading	Writing	Reporting	Final Test Completed Date	SSR Test Date
Computer-based	K-2	Exempt	Day 1	Exempt		The student will be reported under the LEA where the Speaking domain is completed.	Day 1	Day 1
Computer-based and PPT	K–12	Exempt	NT	Exempt		The student will be reported under the enrolled LEA.	Blank	No SSR
Computer-based and PPT	K–12	NT	NT	NT	NT	The student will be reported under the enrolled LEA.	Blank	No SSR

## **Summative Alternate ELPAC Tested LEA Reporting Examples**

Test Mode	Grade Levels	Testing Start Date	Testing Completed or Expired	Reporting LEA	Final Test Completed Date	SSR Test Date
Computer-based	K–12	Day 1		The tested LEA and school from the date the test was completed or expired is used as the final tested LEA and school.	Day 2	Day 2
Computer-based	K-12	N/A	N/A	Not-tested students are reported under the enrolled LEA.	N/A	No SSR