



# Local Educational Agency English Language Proficiency Assessments for California 2025–26 Summative ELPAC and Summative Alternate ELPAC Student Data File Layout

*April 17, 2026*

## **Contact Information**

California District Outreach • Contact: [Contact Us web page](#)

Program: [CAASPP & ELPAC Website](#)

Copyright © 2026 by the California Department of Education



## Table of Contents

Local Educational Agency English Language Proficiency Assessments for California 2025–26 Summative ELPAC and Summative Alternate ELPAC Student Data File Layout.....	1
Table of Contents .....	2
Introduction and Notes.....	4
What’s New in 2025–26 for the LEA Downloadable File .....	4
About the LEA and State Student Data Files for the Summative ELPAC and the Summative Alternate ELPAC .....	6
Score Data .....	6
Test Administration Data .....	6
Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation.....	7
Fields of Note .....	8
Additional Resources and Definitions .....	9
Change Log.....	10
Acronyms and Initialisms Used in the Student Data File Layout.....	11
Data Layout .....	13
Start-of-Record Information (Fields 1–4) .....	13
Student Information (Fields 5–16) .....	13
Enrollment Information (Fields 17–22).....	17
Program Participation (Fields 23–29) .....	19
Language Proficiency Information (Fields 30–35) .....	22
Background Information (Fields 36–43).....	24
Ethnicity/Race (Fields 44–52).....	27
Other Information (Fields 53–60).....	31
Test Details (Fields 61–118).....	34
Test Modes (Fields 119–138).....	85
Test Results (Fields 139–155).....	94
Test Irregularities and Domain Exemptions (Fields 156–160) .....	100
Accommodations and Designated Supports (Fields 161–305).....	101
Test Results for the Previous Year (Fields 306–365) .....	139
Other Score Information and New Fields (Fields 366–379).....	159
Reference Tables .....	164
Primary Language Codes (Field 37).....	164
Common Education Data Standards Language Codes (Field 38).....	170

Primary Disability Codes (Field 29) .....	176
Tested LEA Reporting Rules .....	177
Condition Code Rules.....	178
Condition Codes (Field 117).....	179
Attemptedness/Completion Status Codes (Field 118).....	180
Include Indicator Rules .....	180
Include Indicators for Reporting (Field 119).....	180
Scale Score Ranges.....	181
Student Move Reporting.....	183

---

## Introduction and Notes

This document contains the file layout and data definitions for the 2025–26 Summative English Language Proficiency Assessments for California (ELPAC) and the Summative Alternate ELPAC administered by a local educational agency (LEA). The data includes student demographic information, test scores, test settings, test administration information, and historical scores. In addition to the file layout, the following reference tables that define the code sets and rules for selected fields are provided in the [Reference Tables](#) section:

- Primary Language Codes
- Common Education Data Standards (CEDS) Language Codes
- Primary Disability Codes
- Tested LEA Reporting Rules
- Condition Code Rules
- Condition Codes
- Attemptedness/Completion Status Codes
- Include Indicator Rules
- Include Indicators for Reporting
- Scale Score Ranges
- Student Move Reporting

The notes in this section provide important information concerning key elements of the file layout.

## What's New in 2025–26 for the LEA Downloadable File

### *Updated Fields*

- New Fields
  - 224—Non-Embedded Accommodations 1 - Sensory Items (Online and Paper)
  - 225—Non-Embedded Accommodations 2 - Sensory Items (Online and Paper)
  - 226—Non-Embedded Accommodations 3 - Sensory Items (Online and Paper)
  - 227—Non-Embedded Accommodations 4 - Sensory Items (Online and Paper)
- Updated Fields
  - 23—CALPADS Special Education District of Accountability
    - Added “CALPADS” to File Field Name
  - 25—CALPADS Section 504 Status
    - Added “CALPADS” to File and Layout Field Names
  - 28—CALPADS Primary Disability Type
    - Added “CALPADS” to File Field Name
  - 30—CALPADS Migrant Status
    - Added “CALPADS” to File and Layout Field Names
  - 43—Economic Disadvantage Status for Testing
    - Updated File Field Name to align with Layout Field Name

- 44—Hispanic or Latino for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 45—American Indian or Alaska Native for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 46—Asian for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 47—Black or African American for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 48—White for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 49—Native Hawaiian or Other Pacific Islander for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 50—Filipino for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 51—Two or More Races for Testing
  - Updated File and Layout Field Names to include “for Testing”
- 53—CALPADS Parent Education Level
  - Added “CALPADS” to File and Layout Field Names
- 56—Student Address City Name
  - Updated Layout Field Name to align with File Field Name
- 57—Student Address State Code
  - Updated File and Layout Field Names to “State Code” from “State Name”
- 58—Student Address Zip Code
  - Updated Layout Field Name to include “Address”
- 254–257—Embedded Designated Supports 1–4
  - Updated field length and acceptable values
- Removed Fields
  - TK Indicator
  - Embedded Accommodation 1 - Text-to-Speech (Online)
  - Non-Embedded Designated Supports 1–4

## About the LEA and State Student Data Files for the Summative ELPAC and the Summative Alternate ELPAC

- Student records will be included in the downloadable state and LEA student data files for every valid registration for each test program, regardless of whether the test results are available.
- The Summative ELPAC and Summative Alternate ELPAC state and LEA student data files for the Student Score Report (SSR) quality-control production release will contain demographic data based on
  - the latest California Longitudinal Pupil Achievement Data System (CALPADS) file when the data is pulled;
  - the demographic snapshot rules described for each of the demographic fields in the student data file layout; or
  - students who were exited from CALPADS, and the demographic snapshot was taken.
- There are exceptions that will prevent student records from appearing in the state student data file data set because of edit and resolution processes.
- The end-of-year state student data file is a complete operational file for both the Summative ELPAC and the Summative Alternate ELPAC that includes 100 percent of the student population eligible for the assessments. When the final file is produced, all data has been reconciled from end to end, starting with the Test Delivery System (TDS) through to the scoring and rating processes, and through all reporting systems.
- Downloadable LEA student data files will be available (for both tested and enrolled LEAs) after receiving California Department of Education approval of the production SSR release.
- However, the demographic snapshot will be saved when the first summative testing event is received for the student and will continue to be updated daily throughout the Summative ELPAC testing window in the 2025–26 test administration year.

### Score Data

The Summative ELPAC score data includes (1) the overall scale score and performance level and (2) the oral and written language composite scale scores and performance levels. Conditional standard errors of measurement (CSEMs) are provided for oral and written language scores. Performance levels of “beginning to develop,” “somewhat/moderately developed,” and “well developed” are provided for the Listening, Speaking, Reading, and Writing domains.

The Summative Alternate ELPAC score data includes the overall scale score and performance level. Performance levels of “Novice English Learner,” “Intermediate English Learner,” and “Fluent English Proficient” are provided.

### Test Administration Data

Test administration data includes flags and condition codes describing specific elements of test administration. These include flags for attemptedness codes, Include Indicators, accommodations, and testing irregularities that occurred during the administration.

## **Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation**

The school-level data for nonpublic, nonsectarian schools (NPSs) is removed from the aggregate data published on the Test Results for California’s Assessments public web reporting site; this data will not be searchable or appear in the aggregate reporting. The county, LEA, and direct funded charter school totals continue to include the students attending NPSs in their aggregate data. If the *Special Education District of Accountability* field is populated in the student’s data record, then the student record is aggregated to the county-district-school code provided.

## Fields of Note

The following fields are of particular importance:

Field #	Section	Additional Explanation
1	Assessment Type	Each record in the file will have an <i>Assessment Type</i> in <a href="#">field 1</a> that identifies the assessment taken. Only summative records are included in this file.
2	UIN (Unique Identification Number)	The UIN, which is unique for every record in the file, may be used to join the records together so that all student information can be matched.
61–67, 70–76, 79–85, and 88–94	Test Details—Testing Locations	<ol style="list-style-type: none"> <li>1. These fields show the LEA name from the TDS where the assessment was submitted online by the student for the computer-based assessments, regardless of whether the student moved.</li> <li>2. LEA and school information are from the GIS returned with the student Answer Books for the PPTs.</li> <li>3. If the student did not test or partially completed the assessment, this field will be populated with the district, school, and charter codes where the student was enrolled or registered.</li> </ol>
68, 77, 86, and 95	Testing Start Date	<ol style="list-style-type: none"> <li>1. The <i>Testing Start Date</i> fields shows the date on which the student started testing online with the computer-based assessments in the TDS.</li> <li>2. The <i>Testing Start Date</i> is filled in on the Answer Book for the PPTs.</li> <li>3. A blank value is acceptable only for students who did not test or were assigned a domain exemption for the domain.</li> </ol>
69, 78, 87, and 96	Testing Completed Date	<ol style="list-style-type: none"> <li>1. The <i>Testing Completed Date</i> fields shows the date on which the student completed or submitted the computer-based assessments in the TDS.</li> <li>2. The <i>Testing Completed Date</i> is filled in on the Answer Book for the PPTs.</li> <li>3. A blank value is acceptable only for students who did not test or were assigned a domain exemption.</li> </ol>
117	Condition Code	A special condition code indicates the presence of a particular circumstance during testing. Refer to the <a href="#">Condition Codes (Field 117)</a> reference table for a list of codes included in this field. Only one condition code can be applied per record type.

Field #	Section	Additional Explanation
118	Attemptedness	This flag designates students as either partial-completion or completion. Refer to the <a href="#">Attemptedness/Completion Status Codes (Field 118)</a> reference table for definitions of the statuses.
119	Include Indicator	Include Indicators, when set, indicate how a test result will be treated for reporting the number of students tested, determining which students and scores are included in the aggregated data. Include Indicators also show whether or not a student has taken a required assessment. Refer to the <a href="#">Include Indicators for Reporting (Field 119)</a> reference table for more information.
145–147	Conditional Standard Error of Measurement (CSEM)	A random variation in individual scores that is quantified through the use of a statistic of measurement precision is called the CSEM. CSEMs are shown in bands or ranges. Note that the CSEM included with student test data is presented as a three-digit number. This number has been rounded up from a decimal to a whole number. CSEMs are provided for oral language and written language.

## Additional Resources and Definitions

CAASPP & ELPAC Website—<https://www.caaspp-elpac.org/>

California Longitudinal Pupil Achievement Data System (CALPADS) web page—<https://www.cde.ca.gov/ds/sp/cl/>

California School Dashboard and System of Support web page—<https://www.cde.ca.gov/ta/ac/cm/>

## Change Log

If necessary, updates to the 2025–26 ELPAC Student Data File Layout will be outlined in this table. This log is used when a data layout has been updated after its initial publication.

<b>Field #</b>	<b>Section(s)</b>	<b>Description of Change</b>	<b>Date Changed</b>
<b>TBD</b>	TBD	TBD	TBD
<b>TBD</b>	TBD	TBD	TBD
<b>TBD</b>	TBD	TBD	TBD

## Acronyms and Initialisms Used in the Student Data File Layout

Term	Definition
<b>ALT</b>	Alternate Assessment
<b>AMARD</b>	Analysis, Measurement, & Accountability Reporting Division
<b>AR-LTEL</b>	At-Risk of becoming LTEL (Long-Term English learner)
<b>ASL</b>	American Sign Language
<b>CAASPP</b>	California Assessment of Student Performance and Progress
<b>CALPADS</b>	California Longitudinal Pupil Achievement Data System
<b>CEDS</b>	Common Education Data Standards
<b>CSEM</b>	conditional standard error of measurement
<b>DEI</b>	Data Entry Interface
<b>DF</b>	direct funded charter school
<b>EA</b>	embedded accommodation
<b>EDS</b>	embedded designated support
<b>EL</b>	English learner
<b>ELAS</b>	English language acquisition status
<b>ELD</b>	English language development
<b>ELPAC</b>	English Language Proficiency Assessments for California
<b>EXD</b>	Exempt Domain
<b>GIS</b>	Group Identification Sheet
<b>IDEA</b>	Individuals with Disabilities Education Act
<b>IMS</b>	Instructional Management Systems
<b>K–2</b>	kindergarten through grade two
<b>KN</b>	kindergarten
<b>LEA</b>	local educational agency
<b>LF</b>	locally funded charter school
<b>LTEL</b>	Long-Term English learner
<b>NEA</b>	non-embedded accommodation
<b>NEDS</b>	non-embedded designated support
<b>NPS</b>	nonpublic, nonsectarian school
<b>NS</b>	No Score
<b>NT</b>	Not Tested
<b>PPT</b>	paper–pencil test
<b>SSID</b>	Statewide Student Identifier

<b>Term</b>	<b>Definition</b>
<b>SSR</b>	Student Score Report
<b>TBD</b>	to be determined
<b>TDS</b>	Test Delivery System
<b>TK</b>	transitional kindergarten
<b>TOMS</b>	Test Operations Management System
<b>UIN</b>	unique identification number

## Data Layout

### Start-of-Record Information (Fields 1–4)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
1 (A)	1	2	2	RecordType   Record Type This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric 21 = Summative ELPAC 23 = Summative Alternate ELPAC	TOMS
2 (B)	3	18	16	UIN   UIN (Unique Identification Number) This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	Internal ID from TOMS
3 (C)	19	34	16	Blank	Blank	Blank
4 (D)	35	50	16	Blank	Blank	Blank

### Student Information (Fields 5–16)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
5 (E)	51	60	10	SSID   Statewide Student Identifier (SSID) This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   1.08 SSID



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>6 (F)</b>	61	80	20	LocalStudentID   Student ID Number (Local ID) This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Blank	CALPADS Local Student ID  1.09
<b>7 (G)</b>	81	95	15	LocalUse   Optional-Local Use This field is applicable only to the Summative ELPAC.	Alphanumeric Blank	Scanning: Back page of the Answer Book
<b>8 (H)</b>	96	145	50	StudentLastName   Student Last Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   1.12 LastOrSurname
<b>9 (I)</b>	146	175	30	StudentFirstName   Student First Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   1.10 FirstName
<b>10 (J)</b>	176	205	30	StudentMiddleName   Student Middle Name This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Blank	CALPADS   1.11 MiddleName
<b>11 (K)</b>	206	207	2	Blank	N/A	N/A



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>12 (L)</b>	208	217	10	DateofBirth   CALPADS Date of Birth This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This field is updated daily until the last day of the statewide summative testing window.	Alphanumeric (YYYY-MM-DD)	CALPADS   1.17 DateofBirth
<b>13 (M)</b>	218	227	10	DateofBirthforTesting   Date of Birth for Testing This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC. This is the locked date of birth at the time TOMS receives the first test event for the Summative ELPAC or Summative Alternate ELPAC.	Alphanumeric (YYYY-MM-DD)	TOMS
<b>14 (N)</b>	228	228	1	Gender   Gender This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric F = Female M = Male X = Nonbinary	CALPADS   1.18 Sex



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
15 (O)	229	230	2	<p><b>CALPADSGrade   CALPADS Grade</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the latest grade level received from CALPADS. If a student was exited from CALPADS for the current year and reenrolled for the subsequent school year, this field will contain the current-year grade level.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric</p> <p>KN = Kindergarten                      01 = First grade                      02 = Second grade                      03 = Third grade                      04 = Fourth grade                      05 = Fifth grade                      06 = Sixth grade                      07 = Seventh grade                      08 = Eighth grade                      09 = Ninth grade                      10 = Tenth grade                      11 = Eleventh grade                      12 = Twelfth grade</p>	<p>CALPADS   1.25 Grade</p>
16 (P)	231	232	2	<p><b>GradeAssessed   Grade Assessed</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked grade level at the time TOMS receives the first test event either for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC for a computer-based assessment.</p> <p>This is the grade level marked on the Answer Book at the time the student takes the assessment for a PPT.</p> <p>If the student did not test, the grade level assessed is the grade level at which the student was eligible to test.</p>	<p>Alphanumeric</p> <p>KN = Kindergarten                      01 = First grade                      02 = Second grade                      03 = Third grade                      04 = Fourth grade                      05 = Fifth grade                      06 = Sixth grade                      07 = Seventh grade                      08 = Eighth grade                      09 = Ninth grade                      10 = Tenth grade                      11 = Eleventh grade                      12 = Twelfth grade</p>	<p>TOMS   Grade Assessed</p>



## Enrollment Information (Fields 17–22)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>17 (Q)</b>	233	246	14	<p>CALPADSDistrictCode   CALPADS District Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the latest district code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.</p>	Alphanumeric	CALPADS   2.06 ResponsibleDistrictIdentifier
<b>18 (R)</b>	247	346	100	<p>CALPADSDistrictName   CALPADS District Name</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the latest district name received from CALPADS. This field is updated daily through the end of the statewide summative testing window.</p>	Alphanumeric	CALPADS   2.06 ResponsibleDistrictIdentifier
<b>19 (S)</b>	347	360	14	<p>CALPADSSchoolCode   CALPADS School Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the latest school code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.</p>	Alphanumeric	CALPADS   2.07 ResponsibleSchoolIdentifier



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>20 (T)</b>	361	460	100	<p>CALPADSSchoolName   CALPADS School Name</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the latest school code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.</p>	Alphanumeric	CALPADS   2.07 ResponsibleSchoolIdentifier
<b>21 (U)</b>	461	464	4	<p>CALPADSCharterCode   CALPADS Charter Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the latest charter school code received from CALPADS. This field is updated daily until the last day of the statewide summative testing window.</p>	Alphanumeric Blank = Noncharter schools	CALPADS   ResponsibleSchoolIdentifier
<b>22 (V)</b>	465	466	2	<p>CALPADSCharterSchoolIndicator   CALPADS Charter School Indicator</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	Alphanumeric DF = Direct funded charter school LF = Locally funded charter school Blank	CALPADS   CharterSchoolIndicator



## Program Participation (Fields 23–29)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
23 (W)	467	473	7	<p>CALPADSSPEDAcctDist   CALPADS Special Education District of Accountability</p> <p>This is a two-digit county and five-digit district code.</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is used for aggregating NPS students to their home district. All other students are aggregated to the county-district-school or direct funded charter school in which the student tested.</p> <p>If the <i>NPS School Flag</i> is Y, then the <i>Special Education District of Accountability</i> where the student is enrolled is used for aggregating.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric (0–9)</p> <p>Blank</p>	<p>CALPADS   3.22</p> <p>EsilDSpecEduAcctbltyDist</p>
24 (X)	474	474	1	<p>CALPADSNPSSchoolFlag   CALPADS NPS School Flag</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric</p> <p>Y = Yes</p> <p>N = No</p> <p>Blank</p>	<p>CALPADS   1.06</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>25 (Y)</b>	475	477	3	<p>CALPADSSection504Status   CALPADS Section 504 Status</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   Section504Status
<b>26 (Z)</b>	478	480	3	<p>CALPADSSpecialEducation   CALPADS Special Education</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   IDEAIndicator
<b>27 (AA)</b>	481	483	3	<p>SpecialEducationforTesting   Special Education for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked IDEA Indicator value at the time the student started the first assessment for CAASPP, Summative ELPAC, or Summative Alternate ELPAC.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>28 (AB)</b>	484	487	4	<p>CALPADSPrimaryDisabilityType   CALPADS Primary Disability Type</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p> <p>Codes are listed in the <a href="#">Primary Disability Codes</a> reference table.</p>	<p>Alphanumeric AUT, DB, EMN, HI, ID, MD, OI, OHI, SLD, SLI, TBI, VI</p> <p>Blank</p>	CALPADS   PrimaryDisability Type
<b>29 (AC)</b>	488	491	4	<p>PrimaryDisabilityforTesting   Primary Disability Type for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked primary disability type value at the time TOMS receives the first test event for either CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC.</p> <p>Codes are listed in the <a href="#">Primary Disability Codes</a> reference table.</p>	<p>Alphanumeric AUT, DB, EMN, HI, ID, MD, OI, OHI, SLD, SLI, TBI, VI</p> <p>Blank</p>	TOMS



## Language Proficiency Information (Fields 30–35)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>30 (AD)</b>	492	494	3	<p>CALPADSMigrantStatus   CALPADS Migrant Status</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>CALPADS  </p> <p>3.20</p> <p>MigrantStatus</p>
<b>31 (AE)</b>	495	504	10	<p>ELEntryDate   EL Entry Date</p> <p>This is the date the student was assigned as an English learner (EL).</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the year, month, and day the student classified as EL and entered the English language development (ELD) program.</p>	<p>Alphanumeric</p> <p>(YYYY-MM-DD)</p> <p>Blank</p>	<p>CALPADS  </p> <p>LimitedEnglishPr</p> <p>oficiencyEntryDat</p> <p>e</p>
<b>32 (AF)</b>	505	514	10	<p>ELExitDate   EL Exit Date</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the date when the student’s classification was changed in CALPADS to exit ELD. This is the year, month, and day the student’s classification changed to exit from ELD.</p>	<p>Alphanumeric</p> <p>(YYYY-MM-DD)</p> <p>Blank</p>	<p>CALPADS</p> <p>LEPExitDate</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>33 (AG)</b>	515	517	3	<p><b>ELStatus   EnglishLearnerStatus</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is an indicator that the student is an EL based on their CALPADS English language acquisition status (ELAS).</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   EnglishLearnerStatus
<b>34 (AH)</b>	518	527	10	<p><b>FirstEntryDateInUSSchool   First Entry Date in US School</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	CALPADS   2.45 FirstEntryDateInUSSchool
<b>35 (AI)</b>	528	529	2	<p><b>ELASforTesting   English Language Acquisition Status for Testing</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ELAS at the time the student started the first computer-based domain, the paper Answer Book for the Summative ELPAC was scanned, or when a score was received. If the student did not test by the end of the test window, eligible students will be reported.</p>	<p>Alphanumeric</p> <p>EL = English learner</p>	CALPADS   12.13 EnglishLanguageAcquisitionStatus



## Background Information (Fields 36–43)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>36 (AJ)</b>	530	532	3	<p>CALPADSPrimaryLanguage   CALPADS Primary Language</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked primary language at the time the student started the first computer-based assessment, the paper Answer Book for the Summative ELPAC was scanned, or a score was received. If the student did not test by the end of the test window, eligible students will be reported.</p> <p>Codes are listed in the <a href="#">Primary Language Codes (Field 37)</a> reference table.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>CALPADS   LanguageCodeC ALPADS</p>
<b>37 (AK)</b>	533	535	3	<p>PrimaryLanguageforTesting   Primary Language for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked primary language at the time TOMS receives the first test event for the Summative ELPAC.</p> <p>If the student did not test by the end of the test window, the student’s enrolled primary language value is reported.</p> <p>Codes are listed in the <a href="#">Primary Language Codes (Field 37)</a> reference table.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>TOMS</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>38 (AL)</b>	536	538	3	<p>CEDSLanguageCode   Language Code (CEDS)</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p> <p>Codes are listed in the <a href="#">Common Education Data Standards Language Codes (Field 38)</a> reference table.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>CALPADS   12.15 LanguageCodeCEDS</p>
<b>39 (AM)</b>	539	541	3	<p>CALPADSMilitaryStatus   CALPADS Military Status</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>CALPADS   MilitaryStatus</p>
<b>40 (AN)</b>	542	544	3	<p>CALPADSFosterStatus   CALPADS Foster Status</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>CALPADS   FosterStatus</p>
<b>41 (AO)</b>	545	547	3	<p>CALPADSHomelessStatus   CALPADS Homeless Status</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>CALPADS   3.23 HomelessStatus</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
42 (AP)	548	550	3	<p>CALPADSEconomicDisadvantageStatus   CALPADS Economic Disadvantage Status</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked <i>Economic Disadvantage Status</i> at the time the student started the first computer-based assessment, the paper Answer Book for the Summative ELPAC was scanned, or when a score was received. If the student did not test by the end of the test window, eligible students will be reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>CALPADS   EconomicDisadvantageStatus</p>
43 (AQ)	551	553	3	<p>EconomicDisadvantageforTesting   Economic Disadvantage Status for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked <i>Economic Disadvantage Status</i> at the time TOMS received the first test event for CAASPP, Summative ELPAC, or Summative Alternate ELPAC.</p> <p>If the student did not test by the end of the test window, the student’s enrolled data is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>TOMS</p>



### Ethnicity/Race (Fields 44–52)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
44 (AR)	554	556	3	<p>HispanicorLatinoforTesting   Hispanic or Latino for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	Alphanumeric Yes No	CALPADS   2.23 HispanicOrLatino Ethnicity
45 (AS)	557	559	3	<p>AmericanIndianorAlaskaNativeforTesting   American Indian or Alaska Native for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	Alphanumeric Yes No	CALPADS   AmericanIndianO rAlaskaNative



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>46(AT)</b>	560	562	3	<p>AsianforTesting   Asian for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   Asian
<b>47 (AU)</b>	563	565	3	<p>BlackorAfricanAmericanforTesting   Black or African American for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   BlackOrAfricanA merican



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>48 (AV)</b>	566	568	3	<p>WhiteforTesting   White for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   White
<b>49 (AW)</b>	569	571	3	<p>HawaiianOrOtherPacificIslanderforTesting   Native Hawaiian or Other Pacific Islander for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	CALPADS   NativeHawaiianOrOtherPacificIslander



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
50 (AX)	572	574	3	<p>FilipinoforTesting   Filipino for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>CALPADS   Filipino</p>
51 (AY)	575	577	3	<p>TwoorMoreRacesforTesting   Two or More Races for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field represents the ethnicity of “Two or More Races” or if no ethnicity was reported.</p> <p>Blank is not an acceptable value.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	<p>Sourced from CALPADS   DemographicRace TwoOrMoreRaces</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
52 (AZ)	578	580	3	<p><b>Ethnicity for Testing   EthnicityforTesting</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked ethnicity at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s ethnicity on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>100 = American Indian or Alaska Native</p> <p>200 = Asian</p> <p>300 = Native Hawaiian or Pacific Islander</p> <p>400 = Filipino</p> <p>500 = Hispanic or Latino</p> <p>600 = Black or African American</p> <p>700 = White</p> <p>800 = Two or More Races</p>	<p>Derived field based on “Yes” values in fields 44–51</p>

### Other Information (Fields 53–60)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
53 (BA)	581	582	2	<p><b>CALPADSParentEducationLevel   CALPADS Parent Education Level</b></p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is updated daily until the last day of the statewide summative testing window.</p>	<p>Alphanumeric</p> <p>10 = Graduate Degree or Higher</p> <p>11 = College Graduate</p> <p>12 = Some College or Associate</p> <p>13 = High School Graduate</p> <p>14 = Not a High School Graduate</p> <p>15 = Decline to State</p> <p>Blank</p>	<p>CALPADS   2.50 ParentHighestEducationLevel</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>54 (BB)</b>	583	642	60	StudentAddressLine1   Student Address Line 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   2.50 ResidentialAddressLine1
<b>55 (BC)</b>	643	702	60	StudentAddressLine2   Student Address Line 2  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   2.50 ResidentialAddressLine2
<b>56 (BD)</b>	703	762	60	StudentAddressCityName   Student Address City Name  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   2.50 ResidentialAddressCityName
<b>57 (BE)</b>	763	768	6	StudentAddressStateCode   Student Address State Code  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric	CALPADS   ResidentialAddressState
<b>58 (BF)</b>	769	780	12	StudentAddressZipCode   Student Address Zip Code  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric (#####-00000)	CALPADS   ResidentialAddressZipCode



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>59(BG)</b>	781	781	1	TestedStatus   Tested Status This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric Y = Tested, when the attemptedness of the student score is P or Y N = Not tested, when the student did not test or has a condition code of NT	TOMS
<b>60 (BH)</b>	782	791	10	SSRAvailableDate   SSR Available Date This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric (YYYY-MM-DD) Blank	TOMS



## Test Details (Fields 61–118)

### Testing Locations and Testing Dates (Fields 61–104)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
61 (BI)	792	891	100	<p>TestedDistrictName1   Tested LEA Name 1—Listening</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the LEA name where the assessment was submitted online by the student for the computer-based assessments in the TDS, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a kindergarten through grade two (K–2) PPT emergency form.</p> <p>If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled LEA name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
62 (BJ)	892	905	14	<p><b>TestedDistrictCode1   Tested County-District Code 1—Listening</b></p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the county-district code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled county-district code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
63 (BK)	906	1005	100	<p>TestedSchoolName1   Tested School Name 1—Listening</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
64 (BL)	1006	1019	14	<p><b>TestedSchoolCode1   Tested School Code 1—Listening</b></p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>65 (BM)</b>	1020	1021	2	<p><b>TestedCharterSchoolIndicator1   Tested Charter School Indicator 1—Listening</b></p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>DF = Direct funded charter school</p> <p>LF = Locally funded charter school</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
66 (BN)	1022	1025	4	<p><b>TestedCharterCode1   Tested Charter Code 1—Listening</b></p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the tested charter school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
67 (BO)	1026	1026	1	<p><b>TestedSchoolNPSFlag1   Tested School NPS Flag 1—Listening</b></p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved.</p> <p>If the student did not test, this field will be populated with the NPS flag of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: GIS (paper)</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
68 (BP)	1027	1036	10	<p>TestStartDate1   Test Start Date 1—Listening</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the date when the assessment started for the Listening domain, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>A blank value is acceptable only for students who did not test, did not log on to the assessment or domain, or were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>Data Entry Interface (DEI)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
69 (BQ)	1037	1046	10	<p>TestCompletedDate1   Testing Completed Date 1—Listening</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This field shows the testing completed date when the assessment was submitted by the student in the Test Delivery System, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>In the case of an expired assessment, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, did not log on to the assessment or domain, or were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
70 (BR)	1047	1146	100	<p>TestedDistrictName2   Tested LEA Name 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains in the Summative ELPAC, this field will display the enrolled LEA name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
71 (BS)	1147	1160	14	<p>TestedDistrictCode2   Tested County-District Code 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved. If the student exited before testing started, this field will be blank, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the district code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled district code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
72 (BT)	1161	1260	100	<p>TestedSchoolName2   Tested School Name 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
73 (BU)	1261	1274	14	<p><b>TestedSchoolCode2   Tested School Code 2—Speaking</b></p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
74 (BV)	1275	1276	2	<p>TestedCharterSchoolIndicator2   Tested Charter School Indicator 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code indicator of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>DF = Direct funded charter school</p> <p>LF = Locally funded charter school</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
75 (BW)	1277	1280	4	<p>TestedCharterCode2   Tested Charter Code 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the tested charter school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
76 (BX)	1281	1281	1	<p><b>TestedSchoolNPSFlag2   Tested School NPS Flag 2—Speaking</b></p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the NPS flag of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
77 (BY)	1282	1291	10	<p>TestStartDate2   Test Start Date 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the date when the assessment started for the Speaking domain, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>A blank value is acceptable only for students who did not test, did not log on to the assessment or domain, or were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
78 (BZ)	1292	1301	10	<p>TestCompletedDate2   Testing Completed Date 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field shows the testing completed date when the assessment was submitted by the student in the TDS, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>In the case of an expired assessment, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, did not log on to the assessment or domain, or were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
79 (CA)	1302	1401	100	<p>TestedDistrictName3   Tested LEA Name 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>80 (CB)</b>	1402	1415	14	<p><b>TestedDistrictCode3   Tested County-District Code 3—Reading</b></p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the district code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled district code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
81 (CC)	1416	1515	100	<p><b>TestedSchoolName3   Tested School Name 3—Reading</b></p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
82 (CD)	1516	1529	14	<p><b>TestedSchoolCode3   Tested School Code 3—Reading</b></p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
83 (CE)	1530	1531	2	<p>TestedCharterSchoolIndicator3   Tested Charter School Indicator 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>DF = Direct funded charter school</p> <p>LF = Locally funded charter school</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
84 (CF)	1532	1535	4	<p>TestedCharterCode3   Tested Charter Code 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the tested charter school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
85 (CG)	1536	1536	1	<p><b>TestedSchoolNPSFlag3   Tested School NPS Flag 3—Reading</b></p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved.</p> <p>If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p> <p>Blank</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
86 (CH)	1537	1546	10	<p>TestStartDate3   Test Start Date 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the date when the assessment started for the Reading domain, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>A blank value is acceptable only for students who did not test, did not log on to the assessment or domain, or were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
87 (CI)	1547	1556	10	<p>TestCompletedDate3   Testing Completed Date 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field shows the testing completed date when the assessment was submitted by the student in the TDS, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>In the case of an expired assessment, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, did not log on to the assessment or domain, or were assigned a domain exemption.</p>	Alphanumeric (YYYY-MM-DD)	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
88 (CJ)	1557	1656	100	<p>TestedDistrictName4   Tested LEA Name 4—Writing</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the LEA name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled LEA name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
89 (CK)	1657	1670	14	<p><b>TestedDistrictCode4   Tested County-District Code 4—Writing</b></p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the district code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled district code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
90 (CL)	1671	1770	100	<p>TestedSchoolName4   Tested School Name 4—Writing</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school name of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school name. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>91 (CM)</b>	1771	1784	14	<p><b>TestedSchoolCode4   Tested School Code 4—Writing</b></p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school code. This is applicable for all grade levels or grade spans.</p>	Alphanumeric	<p>TOMS</p> <p>Scanning: GIS (paper)</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
92 (CN)	1785	1786	2	<p><b>TestedCharterSchoolIndicator4   Tested Charter School Indicator 4—Writing</b></p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school indicator. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>DF = Direct funded charter school</p> <p>LF = Locally funded charter school</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
93 (CO)	1787	1790	4	<p><b>TestedCharterCode4   Tested Charter School Code 4—Writing</b></p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the tested charter school code where the assessment was submitted by the student, regardless of whether the student moved, or it is obtained from the scanned Answer Book in the event of a K–2 PPT emergency form.</p> <p>If the student did not test, this field will be populated with the school code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled charter school code. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>TOMS</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
94 (CP)	1791	1791	1	<p><b>TestedSchoolNPSFlag4   Tested School NPS Flag 4—Writing</b></p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved.</p> <p>If the student did not test, this field will be populated with the school charter code of the last enrollment with valid registration at the end of the testing window.</p> <p>If the student is assigned domain exemptions for all domains, this field will display the enrolled school NPS flag. This is applicable for all grade levels or grade spans.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p> <p>Blank</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
95 (CQ)	1792	1801	10	<p>TestStartDate4   Test Start Date 4—Writing</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the date when the assessment started for the Writing domain, or it is obtained from the scanned Answer Book for K–2 in the event of a K–2 PPT emergency form.</p> <p>A blank value is acceptable only for students who did not test, students who did not log on to the assessment or domain, or students who were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
96 (CR)	1802	1811	10	<p>TestCompletedDate4   Testing Completed Date 4—Writing</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field shows the testing completed date when the assessment was submitted by the student in the TDS, or it is obtained from the scanned Answer Book for K–2 in the event of a K–2 PPT emergency form.</p> <p>In the case of an expired assessment, the test completion date will be populated using the expiration date. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, students who did not log on to the assessment or domain, or students who were assigned a domain exemption.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TDS</p> <p>DEI</p> <p>Scanning: Answer Book</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
97 (CS)	1812	1911	100	<p>FinalTestedDistrictName   Final Tested LEA Name</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the final tested LEA name (of the tested domains). This data will be used for the tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the <i>Final Tested County-District Code</i> field.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the LEA name of the last enrollment with a valid registration at the end of the testing window.</p>	Alphanumeric	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
98 (CT)	1912	1925	14	<p>FinalTestedDistrictCode   Final Tested County-District Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the county-district code of the LEA (of the tested domains). This data will be used for the tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the tested LEA reporting rules that identifies the LEA where the student will be reported as tested.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the county-district code of the last enrollment with a valid registration at the end of the testing window.</p>	Alphanumeric 14 digits	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
99 (CU)	1926	2025	100	<p>FinalTestedSchoolName   Final Tested School Name</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the final tested school name (of the tested domains). This data will be used for the tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the <i>Final Tested School Code</i> field.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the school name of the last enrollment with a valid registration at the end of the testing window.</p>	Alphanumeric	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<p><b>100 (CV)</b></p>	<p>2026</p>	<p>2039</p>	<p>14</p>	<p>FinalTestedSchoolCode   Final Tested School Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the school code of the final tested school where the student will be reported as tested. This data will be used for the tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the <i>Final Tested County-District Code</i> field.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the school code of the last enrollment with a valid registration at the end of the testing window.</p>	<p>Alphanumeric 14 digits</p>	<p>TOMS</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
101 (CW)	2040	2041	2	<p>FinalTestedCharterSchoolIndicator   Final Tested Charter School Indicator</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the charter school indicator of the final tested school. This data will be used for the tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the <i>Final Tested School Code</i> field.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the charter school indicator with a valid registration at the end of the testing window.</p>	<p>Alphanumeric</p> <p>DF = Direct funded charter school</p> <p>LF = Locally funded charter school</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<p><b>102</b> <b>(CX)</b></p>	<p>2042</p>	<p>2045</p>	<p>4</p>	<p>FinalTestedCharterCode   Final Tested Charter Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the final tested charter code.</p> <p>This data will be used for the tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the <i>Final Tested School Code</i>.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the <i>Special Education District of Accountability</i> code of the last enrollment with a valid registration at the end of the testing window.</p>	<p>Alphanumeric 4 digits</p>	<p>TOMS</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
103 (CY)	2046	2046	1	<p>FinalTestedSchoolNPSFlag   Final Tested School NPS Flag</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field shows the NPS flag of the final tested school (of the tested domains) where the assessment was submitted by the student, regardless of whether the student moved. This data will be used for tested LEA student data files and aggregate reporting.</p> <p>This field is derived by TOMS based on the <i>Final Tested School Code</i> field.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC or was assigned a domain exemption, then this field is populated with the school NPS flag of the last enrollment with a valid registration at the end of the testing window.</p>	<p>Alphanumeric</p> <p>Y = NPS</p> <p>N = Not an NPS</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<p><b>104</b> <b>(CZ)</b></p>	<p>2047</p>	<p>2056</p>	<p>10</p>	<p>FinalTestCompletedDate   Final Test Completed Date</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>The final testing completed date (of the tested domains) will be used to identify the final tested LEA and school, and the date is printed on the SSR.</p> <p>This field is derived by TOMS using the latest opportunity test completed date of the tested domains.</p> <p>If the student did not test for the Summative ELPAC or Summative Alternate ELPAC, this field will be blank.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>TOMS</p>



**Test Identification (Fields 105–112)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>105 (DA)</b>	2057	2072	16	<p>OpportunityID1   Opportunity ID 1—Listening</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This is a unique testing opportunity identifier that allows linkage to a testing session and students’ responses.</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>Blank</p>	TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>106 (DB)</b>	2073	2073	1	<p>OpportunityTestingStatus1   Opportunity Testing Status 1—Listening</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.</p> <p>This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.</p> <p>A completed test opportunity is one that is submitted. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric C = Completed E = Expired Blank</p>	TDS, DEI
<b>107 (DC)</b>	2074	2089	16	<p>OpportunityID2   Opportunity ID 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This is a unique testing opportunity identifier that allows linkage to a testing session and students’ responses.</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric Blank</p>	TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>108 (DD)</b>	2090	2090	1	<p>OpportunityTestingStatus2   Opportunity Testing Status 2—Speaking</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.</p> <p>A completed test opportunity is one that is submitted. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric C = Completed E = Expired Blank</p>	TDS, DEI
<b>109 (DE)</b>	2091	2106	16	<p>OpportunityID3   Opportunity ID 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric Blank</p>	TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>110 (DF)</b>	2107	2107	1	<p>OpportunityTestingStatus3   Opportunity Testing Status 3—Reading</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>C = Completed</p> <p>E = Expired</p> <p>Blank</p>	TDS, DEI
<b>111 (DG)</b>	2108	2123	16	<p>OpportunityID4   Opportunity ID 4—Writing</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>Blank</p>	TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
112 (DH)	2124	2124	1	<p>OpportunityTestingStatus4   Opportunity Testing Status 4—Writing</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.</p> <p>A completed test opportunity is one that is submitted. An expired test opportunity is either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the state testing window.</p> <p>A blank value is acceptable only for students who did not test, students who took the PPT, or students who were assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>C = Completed</p> <p>E = Expired</p> <p>Blank</p>	TDS, DEI



**Testing Special Conditions (Fields 113–118)**

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>113 (DI)</b>	2125	2128	4	<p>StudentExitCode   Student Exit Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is populated with the exit code received from CALPADS.</p> <p>Blank is an acceptable value when there is no exit code.</p>	<p>Alphanumeric</p> <p>Blank</p>	<p>CALPADS   StuExitCatgKey</p>
<b>114 (DJ)</b>	2129	2138	10	<p>StudentExitDate   Student Exit Date</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the date on which the student was removed from the CALPADS file.</p> <p>This is the date the student was last enrolled in the LEA, as shown in CALPADS and is reported to CALPADS by the LEA.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	<p>CALPADS   WithdrlDate</p>



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>115 (DK)</b>	2139	2148	10	<p>StudentExitFileDate   Student in Exit File Date</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the date when CALPADS sent the student exit record to TOMS. This date is used to determine whether a student’s test enrollment should be changed from valid to invalid status.</p>	<p>Alphanumeric (YYYY-MM-DD)</p> <p>Blank</p>	TOMS (derived)
<b>116 (DL)</b>	2149	2149	1	<p>ELAS Correction Code   ELASCorrectionCode</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field is populated when the ELAS for a student in kindergarten through twelve is being corrected.</p> <p>This field will be blank if the value is not received from CALPADS.</p>	<p>Alphanumeric</p> <p>1 = Evidence of Non-English Primary Language</p> <p>4 = Ineligible Student Tested</p> <p>5 = Evidence for EL or IFEP</p> <p>Blank</p>	CALPADS
<b>117 (DM)</b>	2150	2152	3	<p>ConditionCode   Condition Code</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>A blank value for the Summative ELPAC indicates that the student tested and no domain exemption was assigned in TOMS for the student.</p>	<p>Alphanumeric</p> <p>NT = Not Tested</p> <p>EXD = Exempt Domain (Summative ELPAC only)</p> <p>Blank</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>118 (DN)</b>	2153	2153	1	<p>Attemptedness   Attemptedness</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>A “P” or “Y” value is derived from scoring.</p> <p>Blank is the accepted value only if student did not test.</p>	<p>Alphanumeric</p> <p>P = Partial-completion</p> <p>Y = Completion</p> <p>Blank</p>	Scoring (derived)

### Test Modes (Fields 119–138)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>119 (DO)</b>	2154	2154	1	<p>IncludeIndicator   Include Indicator</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p>	<p>Alphanumeric</p> <p>N = The student did not test and received a condition code of “NT”.</p> <p>T = The student tested and did not meet the participation rule or received an attemptedness value of “P” from the scoring system.</p> <p>Y = The student completed the assessment, received a valid score, or received an attemptedness value of “Y” from the scoring system.</p>	TOMS (derived)



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>120 (DP)</b>	2155	2155	1	UnlistedResources1   Unlisted Resources 1—Listening  This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC.	Alphanumeric  Y = The approved unlisted resource changes the construct.  N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS
<b>121 (DQ)</b>	2156	2156	1	UnlistedResources2   Unlisted Resources 2—Speaking  This field applies to the Summative ELPAC (Speaking domain).	Alphanumeric  Y = The approved unlisted resource changes the construct.  N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS
<b>122 (DR)</b>	2157	2157	1	UnlistedResources3   Unlisted Resources 3—Reading  This field applies to the Summative ELPAC (Reading domain).	Alphanumeric  Y = The approved unlisted resource changes the construct.  N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>123 (DS)</b>	2158	2158	1	UnlistedResources4   Unlisted Resources 4—Writing  This field applies to the Summative ELPAC (Writing domain).	Alphanumeric  Y = The approved unlisted resource changes the construct.  N = The approved unlisted resource does not change the construct.  Blank = No unlisted resource was requested.	TOMS
<b>124 (DT)</b>	2159	2159	1	SSREligible   SSR Eligible  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric  Y = An SSR was created for the student.  N = An SSR was not created for the student.  Blank = The student did not test.	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>125 (DU)</b>	2160	2160	1	<p>RemoteTester1   Remote Tester 1</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC (which can be administered only locally).</p> <p>This field indicates whether the student’s participation was remote, local, or mixed (combination).</p> <p>A value of Y is not applicable to Summative Alternate ELPAC, as it is only administered locally or in person.</p> <p>A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>Y = Remote</p> <p>N = Local</p> <p>M = Mixed</p> <p>Blank = Student not tested</p>	TOMS
<b>126 (DV)</b>	2161	2161	1	<p>RemoteTester2   Remote Tester 2</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field indicates whether the student’s participation was remote, local, or mixed (combination).</p> <p>A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>Y = Remote</p> <p>N = Local</p> <p>M = Mixed</p> <p>Blank = Student not tested</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>127 (DW)</b>	2162	2162	1	<p>RemoteTester3   Remote Tester 3</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field indicates whether the student’s participation was remote, local, or mixed (combination).</p> <p>A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>Y = Remote</p> <p>N = Local</p> <p>M = Mixed</p> <p>Blank = Student not tested</p>	TOMS
<b>128 (DX)</b>	2163	2163	1	<p>RemoteTester4   Remote Tester 4</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field indicates whether the student’s participation was remote, local, or mixed (combination).</p> <p>A blank value indicates that the student did not test, took the K–2 PPT, or was assigned a domain exemption.</p>	<p>Alphanumeric</p> <p>Y = Remote</p> <p>N = Local</p> <p>M = Mixed</p> <p>Blank = Student not tested</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>129 (DY)</b>	2164	2164	1	<p>TestMode1   Test Mode 1</p> <p>This field is applicable to the Summative ELPAC (Listening domain) and the Summative Alternate ELPAC (which can be administered only online).</p> <p>This field identifies whether the student tested online or used a PPT form.</p> <p>A value of P is not applicable to Summative Alternate ELPAC, as it is only administered online.</p> <p>Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Listening domain.</p>	<p>Alphanumeric</p> <p>O = Online</p> <p>P = Paper</p>	TOMS
<b>130 (DZ)</b>	2165	2165	1	<p>TestMode2   Test Mode 2</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>This field identifies whether the student tested online or used a PPT form.</p> <p>Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Speaking domain.</p>	<p>Alphanumeric</p> <p>O = Online</p> <p>P = Paper</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>131 (EA)</b>	2166	2166	1	<p>TestMode3   Test Mode 3</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>This field identifies whether the student tested online or used a PPT form.</p> <p>Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Reading domain.</p>	<p>Alphanumeric</p> <p>O = Online</p> <p>P = Paper</p>	TOMS
<b>132 (EB)</b>	2167	2167	1	<p>TestMode4   Test Mode 4</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>This field identifies whether the student tested online or used a PPT form.</p> <p>Blank is an acceptable value for students who did not test or were assigned a domain exemption for the Writing domain.</p>	<p>Alphanumeric</p> <p>O = Online</p> <p>P = Paper</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>133 (EC)</b>	2168	2168	1	ForceComplete   Force Complete This field is applicable only to the Summative ELPAC.	Alphanumeric Y = The student record was force-completed. The student did not test in one or more domains, and the domain(s) were force-completed at the end of the testing window, or the student has a domain exemption. N = The student record was not force-completed. The student tested in all domains, or no domain exemption was assigned. Blank = The student did not test for the Summative ELPAC.	TOMS
<b>134 (ED)</b>	2169	2171	3	Blank	Blank	N/A
<b>135 (EE)</b>	2172	2173	2	RawScore1   Raw Score 1 This field is applicable to the Summative ELPAC (Listening domain).	Alphanumeric ## = Raw score 1 (MIN = 00, MAX = 99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>136 (EF)</b>	2174	2175	2	RawScore2   Raw Score 2 This field is applicable to the Summative ELPAC (Speaking domain).	Alphanumeric ## = Raw score 1 (MIN = 00, MAX = 99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	Scoring
<b>137 (EG)</b>	2176	2177	2	RawScore3   Raw Score 3 This field is applicable to the Summative ELPAC (Reading domain).	Alphanumeric ## = Raw score 1 (MIN = 00, MAX = 99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	Scoring
<b>138 (EH)</b>	2178	2179	2	RawScore4   Raw Score 4 This field is applicable to the Summative ELPAC (Writing domain).	Alphanumeric ## = Raw score 1 (MIN = 00, MAX = 99) NS = No Score can be due to force complete or domain exemptions. Blank = The student did not test.	Scoring



### Test Results (Fields 139–155)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>139 (EI)</b>	2180	2183	4	<p>OverallScaleScore   Overall Scale Score</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p> <p>A blank value is acceptable only for students who did not test.</p> <p><b>Note:</b> If scale scores are not available for the Summative Alternate ELPAC, this field will be blank.</p>	<p>Alphanumeric</p> <p>For Summative ELPAC: #### = (MIN = 1150, MAX = 1950) NS = No Score Blank = Not tested</p> <p>For Summative Alternate ELPAC: (###) = (MIN = 201, MAX = 999) NS = No Score</p>	Scoring Overall Scale Score
<b>140 (EJ)</b>	2184	2187	4	<p>OralLanguageScaleScore   Oral Language Scale Score</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>#### = (MIN = 1150, MAX = 1950) NS = No Score Blank = Not tested</p>	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
141 (EK)	2188	2191	4	<p>WrittenLanguageScaleScore   Written Language Scale Score</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>#### = (MIN = 1150, MAX = 1950)</p> <p>NS = No Score</p> <p>Blank = Not tested</p>	Scoring
142 (EL)	2192	2193	2	<p>OverallIPL   Overall Performance Level</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p> <p><b>Note:</b> If overall performance levels are not available for the Summative Alternate ELPAC, this field will be blank.</p>	<p>Alphanumeric</p> <p>For Summative ELPAC:</p> <p>4 = Level 4 (Summative ELPAC only)</p> <p>3 = Level 3</p> <p>2 = Level 2</p> <p>1 = Level 1</p> <p>NS = No Score</p> <p>For Summative Alternate ELPAC:</p> <p>3 = Fluent English Proficient (FEP)</p> <p>2 = Intermediate English Learner</p> <p>1 = Novice English Learner</p> <p>Blank = The student did not test, or no performance levels are available.</p>	Scoring Overall Performance Level



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>143 (EM)</b>	2194	2195	2	<p>OralLanguagePL   Oral Language Performance Level</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p>	<p>Alphanumeric</p> <p>4 = Level 4</p> <p>3 = Level 3</p> <p>2 = Level 2</p> <p>1 = Level 1</p> <p>NS = No Score</p> <p>Blank</p>	Scoring
<b>144 (EN)</b>	2196	2197	2	<p>WrittenLanguagePL   Written Language Performance Level</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p>	<p>Alphanumeric</p> <p>4 = Level 4</p> <p>3 = Level 3</p> <p>2 = Level 2</p> <p>1 = Level 1</p> <p>NS = No Score</p> <p>Blank</p>	Scoring
<b>145 (EO)</b>	2198	2200	3	<p>OverallScaleScoreCSEM   Overall Scale Score—CSEM (Conditional Standard Error of Measurement)</p> <p>This field is applicable only to the Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p>	<p>Alphanumeric</p> <p>### = (000–maximum)</p> <p>Blank</p>	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>146 (EP)</b>	2201	2203	3	<p>OralLanguageCSEM   Standard Error of Measurement—CSEM (Oral Language)</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p>	<p>Alphanumeric ### = (000–maximum)</p> <p>Blank</p>	Scoring
<b>147 (EQ)</b>	2204	2206	3	<p>WrittenLanguageCSEM   Standard Error of Measurement—CSEM (Written Language)</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” is an acceptable value if the student received an attemptedness value of “P”.</p>	<p>Alphanumeric ### = (000–maximum)</p> <p>Blank</p>	Scoring
<b>148 (ER)</b>	2207	2208	2	<p>ListeningPL   Listening Performance Level</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” can be due to force-completion or domain exemptions.</p>	<p>Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score</p>	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	
<b>149 (ES)</b>	2209	2210	2	<p>SpeakingPL   Speaking Performance Level</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” can be due to force-completion or domain exemptions.</p>	<p>Alphanumeric</p> <p>3 = Well Developed</p> <p>2 = Somewhat/Moderately</p> <p>1 = Beginning</p> <p>NS = No Score</p> <p>Blank</p>	Scoring
<b>150 (ET)</b>	2211	2212	2	<p>ReadingPL   Reading Performance Level</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” can be due to force-completion or domain exemptions.</p>	<p>Alphanumeric</p> <p>3 = Well Developed</p> <p>2 = Somewhat/Moderately</p> <p>1 = Beginning</p> <p>NS = No Score</p> <p>Blank</p>	Scoring
<b>151 (EU)</b>	2213	2214	2	<p>WritingPL   Writing Performance Level</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p> <p>“NS” can be due to force-completion or domain exemptions.</p>	<p>Alphanumeric</p> <p>3 = Well Developed</p> <p>2 = Somewhat/Moderately</p> <p>1 = Beginning</p> <p>NS = No Score</p> <p>Blank</p>	Scoring



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>152 (EV)</b>	2215	2215	1	<p>DomainEx1   Domain Exemption 1</p> <p>This field is applicable to the Summative ELPAC (Listening domain).</p> <p>An “N” value is applicable for students who did not test or were not assigned a domain exemption for the Listening domain.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p>	TOMS
<b>153 (EW)</b>	2216	2216	1	<p>DomainEx2   Domain Exemption 2</p> <p>This field is applicable to the Summative ELPAC (Speaking domain).</p> <p>An “N” value is applicable for students who did not test or were not assigned a domain exemption for the Speaking domain.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p>	TOMS
<b>154 (EX)</b>	2217	2217	1	<p>DomainEx3   Domain Exemption 3</p> <p>This field is applicable to the Summative ELPAC (Reading domain).</p> <p>An “N” value is applicable for students who did not test or were not assigned a domain exemption for the Reading domain.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p>	TOMS
<b>155 (EY)</b>	2218	2218	1	<p>DomainEx4   Domain Exemption 4</p> <p>This field is applicable to the Summative ELPAC (Writing domain).</p> <p>An “N” value is applicable for students who did not test or were not assigned a domain exemption for the Writing domain.</p>	<p>Alphanumeric</p> <p>Y</p> <p>N</p>	TOMS



## Test Irregularities and Domain Exemptions (Fields 156–160)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>156 (EZ)</b>	2219	2221	3	OverallNumberAnswered   Overall Number Answered  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric ### = (000–999)  Blank = The student did not test.	Scoring
<b>157 (FA)</b>	2222	2224	3	ItemsAttempted1   Items Attempted 1  This field is applicable to the Summative ELPAC (Listening domain).	Alphanumeric ### = (000–999)  Blank = The student did not test.	Scoring
<b>158 (FB)</b>	2225	2227	3	ItemsAttempted2   Items Attempted 2  This field is applicable to the Summative ELPAC (Speaking domain).	Alphanumeric ### = (000–999)  Blank = The student did not test.	Scoring
<b>159 (FC)</b>	2228	2230	3	ItemsAttempted3   Items Attempted 3  This field is applicable to the Summative ELPAC (Reading domain).	Alphanumeric ### = (000–999)  Blank = The student did not test.	Scoring
<b>160 (FD)</b>	2231	2233	3	ItemsAttempted4   Items Attempted 4  This field is applicable to the Summative ELPAC (Writing domain).	Alphanumeric ### = (000–999)  Blank = The student did not test.	Scoring



## Accommodations and Designated Supports (Fields 161–305)

### Availability Indicators (Fields 161–162)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>161 (FE)</b>	2234	2236	3	<p>AccommodationsIndicator   Accommodations Available Indicator</p> <p>This field is applicable to the Summative ELPAC (Online and Paper) and the Summative Alternate ELPAC (Online).</p> <p>If the <i>Embedded Accommodations</i> or <i>Non-Embedded Accommodations</i> fields are populated, then a value will be set to “Yes” for computer-based assessments or PPTs.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p> <p>Blank = The student did not test.</p>	Derived
<b>162 (FF)</b>	2237	2239	3	<p>DesignatedSupportIndicator   Designated Support Available Indicator</p> <p>This field is applicable to the Summative ELPAC (Online and Paper) and the Summative Alternate ELPAC (Online).</p> <p>If the <i>Embedded Designated Supports</i> or <i>Non-Embedded Designated Supports</i> fields are populated, then a value will be set to “Yes” for computer-based assessments or PPTs.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p> <p>Blank = The student did not test.</p>	Derived



***Embedded Accommodations, Online (Fields 163–182)***

<b>Field #</b>	<b>Field Start</b>	<b>Field End</b>	<b>Length</b>	<b>Field Name   Field Description</b>	<b>Data Type   Acceptable Values</b>	<b>Data Source   Data Element</b>
<b>163 (FG)</b>	2240	2247	8	EAmericanSignLanguage1   Embedded Accommodation 1—American Sign Language (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_AS11  Blank	TOMS, TDS
<b>164 (FH)</b>	2248	2255	8	EAmericanSignLanguage2   Embedded Accommodation 2—American Sign Language (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_AS11  Blank	TOMS, TDS
<b>165 (FI)</b>	2256	2271	16	EAAudioScript1   Embedded Accommodation 1—Audio Transcript (includes braille transcript) (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_AudioScript1  Blank	TOMS, TDS
<b>166 (FJ)</b>	2272	2287	16	EAAudioScript2   Embedded Accommodation 2—Audio Transcript (includes braille transcript) (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_AudioScript1  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>167 (FK)</b>	2288	2303	16	EAAudioScript3   Embedded Accommodation 3—Audio Transcript (includes braille transcript) (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_AudioScript1 Blank	TOMS, TDS
<b>168 (FL)</b>	2304	2319	16	EAAudioScript4   Embedded Accommodation 4—Audio Transcript (includes braille transcript) (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_AudioScript1 Blank	TOMS, TDS
<b>169 (FM)</b>	2320	2330	11	EABraille1   Embedded Accommodation 1—Braille (Embossed and Refreshable) (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric ENU-Braille Blank	TOMS, TDS
<b>170 (FN)</b>	2331	2341	11	EABraille2   Embedded Accommodation 2—Braille (Embossed and Refreshable) (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric ENU-Braille Blank	TOMS, TDS
<b>171 (FO)</b>	2342	2352	11	EABraille3   Embedded Accommodation 3—Braille (Embossed and Refreshable) (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric ENU-Braille Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>172 (FP)</b>	2353	2363	11	EABraille4   Embedded Accommodation 4—Braille (Embossed and Refreshable) (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric ENU-Braille  Blank	TOMS, TDS
<b>173 (FQ)</b>	2364	2377	14	EAClosedCaptioning1   Embedded Accommodation 1—Closed Captioning (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_ClosedCap1  Blank	TOMS, TDS
<b>174 (FR)</b>	2378	2391	14	EAClosedCaptioning2   Embedded Accommodation 2—Closed Captioning (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_ClosedCap1  Blank	TOMS, TDS
<b>175 (FS)</b>	2392	2405	14	EAClosedCaptioning3   Embedded Accommodation 3—Closed Captioning (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_ClosedCap1  Blank	TOMS, TDS
<b>176 (FT)</b>	2406	2419	14	EAClosedCaptioning4   Embedded Accommodation 4—Closed Captioning (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_ClosedCap1  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>177 (FU)</b>	2420	2434	15	EASpeechoText1   Embedded Accommodations 1—Speech-to-Text (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_Dictation1  Blank	TOMS, TDS
<b>178 (FV)</b>	2435	2449	15	EASpeechoText2   Embedded Accommodations 2—Speech-to-Text (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_Dictation1  Blank	TOMS, TDS
<b>179 (FW)</b>	2450	2464	15	EASpeechoText3   Embedded Accommodations 3—Speech-to-Text (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_Dictation1  Blank	TOMS, TDS
<b>180 (FX)</b>	2465	2479	15	EASpeechoText4   Embedded Accommodations 4—Speech-to-Text (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_Dictation1  Blank	TOMS, TDS
<b>181 (FY)</b>	2480	2504	25	EATexttoSpeech2   Embedded Accommodation 2—Text-to-Speech (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_TTS_Stim TDS_TTS_Item TDS_TTS_Stim&TDS_TTS_Item  Blank	TOMS, TDS

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>182 (FZ)</b>	2505	2529	25	EATexttoSpeech4   Embedded Accommodation 4—Text-to-Speech (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_TTS_Stim TDS_TTS_Item TDS_TTS_Stim&TDS_TTS_Item  Blank	TOMS, TDS

***Non-Embedded Accommodations, Online (Fields 183–227)***

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>183 (GA)</b>	2530	2542	13	NEAAdditionalInstructionalSupports1   Non-Embedded Accommodations 1—Additional Instructional Supports and Resources for Alternate Assessments  This field is applicable only to the Summative Alternate ELPAC (Online).	Alphanumeric NEA_AddAltRSC  Blank	TOMS
<b>184 (GB)</b>	2543	2548	6	NEAAlternateResponseOptions1   Non-Embedded Accommodation 1—Alternate Response Options (Online or Paper)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_AR  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>185 (GC)</b>	2549	2554	6	NEAAlternateResponseOptions2   Non-Embedded Accommodation 2—Alternate Response Options (Online or Paper)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_AR  Blank	TOMS
<b>186 (GD)</b>	2555	2560	6	NEAAlternateResponseOptions3   Non-Embedded Accommodation 3—Alternate Response Options (Online or Paper)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_AR  Blank	TOMS
<b>187 (GE)</b>	2561	2566	6	NEAAlternateResponseOptions4   Non-Embedded Accommodation 4—Alternate Response Options (Online or Paper)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_AR  Blank	TOMS
<b>188 (GF)</b>	2567	2590	24	NEAManuallyCodedEnglish1   Non-Embedded Accommodation 1—ASL or Manually Coded English (Online or Paper)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_ManuallyCodedEnglis h NEA_ASLP  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>189 (GG)</b>	2591	2614	24	NEAManuallyCodedEnglish2   Non-Embedded Accommodation 2—ASL or Manually Coded English (Online or Paper)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_ManuallyCodedEnglish NEA_ASLP  Blank	TOMS
<b>190 (GH)</b>	2615	2638	24	NEAManuallyCodedEnglish3   Non-Embedded Accommodation 3—Manually Coded English (Online or Paper)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_ManuallyCodedEnglish NEA_ASLP  Blank	TOMS
<b>191 (GI)</b>	2639	2662	24	NEAManuallyCodedEnglish4   Non-Embedded Accommodation 4—Manually Coded English (Online or Paper)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_ManuallyCodedEnglish NEA_ASLP  Blank	TOMS
<b>192 (GJ)</b>	2663	2678	16	NEAAudioScript1   Non-Embedded Accommodations 1—Audio Transcript (Paper)  This field is applicable to the Summative ELPAC Listening domain (Paper).	Alphanumeric NEA_AudioscriptP  Blank	CALPADS, TOMS, DEI
<b>193 (GK)</b>	2679	2694	16	NEAAudioScript2   Non-Embedded Accommodations 2—Audio Transcript (Paper)  This field is applicable to the Summative ELPAC Speaking domain (Paper).	Alphanumeric NEA_AudioscriptP  Blank	CALPADS, TOMS, DEI

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>194 (GL)</b>	2695	2710	16	NEAAudioScript3   Non-Embedded Accommodations 3—Audio Transcript (Paper)  This field is applicable to the Summative ELPAC Reading domain (Paper).	Alphanumeric NEA_AudioscriptP  Blank	CALPADS, TOMS, DEI
<b>195 (GM)</b>	2711	2726	16	NEAAudioScript4   Non-Embedded Accommodations 4—Audio Transcript (Paper)  This field is applicable to the Summative ELPAC Writing domain (Paper).	Alphanumeric NEA_AudioscriptP  Blank	CALPADS, TOMS, DEI
<b>196 (GN)</b>	2727	2736	10	NEABreaks1   Non-Embedded Accommodations 1—Breaks (Online or Paper)  This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_Breaks  Blank	CALPADS, TOMS, DEI
<b>197 (GO)</b>	2737	2746	10	NEABreaks2   Non-Embedded Accommodations 2—Breaks (Online or Paper)  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_Breaks  Blank	CALPADS, TOMS, DEI
<b>198 (GP)</b>	2747	2756	10	NEABreaks3   Non-Embedded Accommodations 3—Breaks (Online or Paper)  This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_Breaks  Blank	CALPADS, TOMS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>199 (GQ)</b>	2757	2766	10	NEABreaks4   Non-Embedded Accommodations 4—Breaks (Online or Paper)  This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_Breaks  Blank	CALPADS, TOMS, DEI
<b>200 (GR)</b>	2767	2777	11	NEABraille1   Non-Embedded Accommodations 1—Braille (Online or Paper)  This field is applicable to the Summative ELPAC Listening domain (Online or Paper).	Alphanumeric NEA_Braille  Blank	CALPADS, TOMS, DEI
<b>201 (GS)</b>	2778	2788	11	NEABraille2   Non-Embedded Accommodations 2—Braille (Online or Paper)  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_Braille  Blank	CALPADS, TOMS, DEI
<b>202 (GT)</b>	2789	2799	11	NEABraille3   Non-Embedded Accommodations 3—Braille (Online or Paper)  This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_Braille  Blank	CALPADS, TOMS, DEI
<b>203 (GU)</b>	2800	2810	11	NEABraille4   Non-Embedded Accommodations 4—Braille (Online or Paper)  This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_Braille  Blank	CALPADS, TOMS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>204 (GV)</b>	2811	2826	16	NEAScribe1   Non-Embedded Accommodation 1—Scribe Items (Writing) (Online or Paper)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online or Paper).	Alphanumeric NEA_SC_Writltems  Blank	CALPADS, TOMS, DEI
<b>205 (GW)</b>	2827	2842	16	NEAScribe2   Non-Embedded Accommodation 2—Scribe Items (Writing) (Online or Paper)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper).	Alphanumeric NEA_SC_Writltems  Blank	CALPADS, TOMS, DEI
<b>206 (GX)</b>	2843	2858	16	NEAScribe3   Non-Embedded Accommodation 3—Scribe Items (Writing) (Online or Paper)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online or Paper).	Alphanumeric NEA_SC_Writltems  Blank	CALPADS, TOMS, DEI
<b>207 (GY)</b>	2859	2874	16	NEAScribe4   Non-Embedded Accommodation 4—Scribe Items (Writing) (Online or Paper)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online or Paper).	Alphanumeric NEA_SC_Writltems  Blank	CALPADS, TOMS, DEI
<b>208 (GZ)</b>	2875	2881	7	NEASpeechtoText1   Non-Embedded Accommodation 1—Speech-to-Text (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric NEA_STT  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>209 (HA)</b>	2882	2888	7	NEASpeechtoText2   Non-Embedded Accommodation 2—Speech-to-Text (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric NEA_STT  Blank	TOMS
<b>210 (HB)</b>	2889	2895	7	NEASpeechtoText3   Non-Embedded Accommodation 3—Speech-to-Text (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric NEA_STT  Blank	TOMS
<b>211 (HC)</b>	2896	2902	7	NEASpeechtoText4   Non-Embedded Accommodation 4—Speech-to-Text (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric NEA_STT  Blank	TOMS
<b>212 (HD)</b>	2903	2908	6	NEALargeVersionsofPaper1   Non-Embedded Accommodations 1—Large-print Versions of a Paper—Pencil Test (Paper)  This field is applicable to the Summative ELPAC Listening domain (Paper).	Alphanumeric NEA_LP  Blank	TOMS
<b>213 (HE)</b>	2909	2914	6	NEALargeVersionsofPaper2   Non-Embedded Accommodations 2—Large-print Versions of a Paper—Pencil Test (Paper)  This field is applicable to the Summative ELPAC Speaking domain (Paper).	Alphanumeric NEA_LP  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>214 (HF)</b>	2915	2920	6	NEALargeVersionsofPaper3   Non-Embedded Accommodations 3—Large-print Versions of a Paper–Pencil Test (Paper)  This field is applicable to the Summative ELPAC Reading domain (Paper).	Alphanumeric NEA_LP  Blank	TOMS
<b>215 (HG)</b>	2921	2926	6	NEALargeVersionsofPaper4   Non-Embedded Accommodations 4—Large-print Versions of a Paper–Pencil Test (Paper)  This field is applicable to the Summative ELPAC Writing domain (Paper).	Alphanumeric NEA_LP  Blank	TOMS
<b>216 (HH)</b>	2927	2944	18	NEAUnlisted Resources1   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 1—Listening  This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_IndividualAids  Blank	TOMS
<b>217 (HI)</b>	2945	2962	18	NEAUnlisted Resources2   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 2—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_IndividualAids  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>218 (HJ)</b>	2963	2980	18	NEAUnlisted Resources3   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 3—Reading  This field is applicable to the Summative ELPAC Reading domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_IndividualAids  Blank	TOMS
<b>219 (HK)</b>	2981	2998	18	NEAUnlisted Resources4   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) 4—Writing  This field is applicable to the Summative ELPAC Writing domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_IndividualAids  Blank	TOMS
<b>220 (HL)</b>	2999	3004	6	NEAWordProcessor1   Non-Embedded Accommodations 1—Word Processor (Paper)  This field is applicable to the Summative ELPAC Listening domain (Paper).	Alphanumeric NEA_WP  Blank	TOMS
<b>221 (HM)</b>	3005	3010	6	NEAWordProcessor2   Non-Embedded Accommodations 2—Word Processor (Paper)  This field is applicable to the Summative ELPAC Speaking domain (Paper).	Alphanumeric NEA_WP  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>222 (HN)</b>	3011	3016	6	NEAWordProcessor3   Non-Embedded Accommodations 3—Word Processor (Paper)  This field is applicable to the Summative ELPAC Reading domain (Paper).	Alphanumeric NEA_WP  Blank	TOMS
<b>223 (HO)</b>	3017	3022	6	NEAWordProcessor4   Non-Embedded Accommodations 4—Word Processor (Paper)  This field is applicable to the Summative ELPAC Writing domain (Paper).	Alphanumeric NEA_WP  Blank	TOMS
<b>224 (HP)</b>	3023	3028	6	NEASensoryItems1   Non-Embedded Accommodations 1 - Sensory Items (Online and Paper)  This field is applicable to the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_SI  Blank	TOMS
<b>225 (HQ)</b>	3029	3034	6	NEASensoryItems2   Non-Embedded Accommodations 2 - Sensory Items (Online and Paper)  This field is applicable to the Summative ELPAC Speaking domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_SI  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>226 (HR)</b>	3035	3040	6	NEASensoryItems3   Non-Embedded Accommodations 3 - Sensory Items (Online and Paper)  This field is applicable to the Summative ELPAC Reading domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_SI  Blank	TOMS
<b>227 (HS)</b>	3041	3046	6	NEASensoryItems4   Non-Embedded Accommodations 4 - Sensory Items (Online and Paper)  This field is applicable to the Summative ELPAC Writing domain (Online or Paper) and the Summative Alternate ELPAC (Online).	Alphanumeric NEA_SI  Blank	TOMS



***Embedded Designated Supports, Online (Fields 228–257)***

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>228 (HT)</b>	3047	3065	19	<p>EDSColorContrast1   Embedded Designated Support 1—Color Contrast (Online)—Listening</p> <p>This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).</p>	<p>Alphanumeric</p> <p>TDS_CCInvert</p> <p>TDS_CCMagenta</p> <p>TDS_CCMedGrayLtGray</p> <p>TDS_CCYellowB</p> <p>TDS_CCBBlue</p> <p>TDS_CCBBlue2</p> <p>TDS_CCCream</p> <p>TDS_CCGray</p> <p>TDS_CCGray2</p> <p>TDS_CCGreen</p> <p>TDS_CCGreen2</p> <p>TDS_CCMagenta2</p> <p>TDS_CCWhiteN</p> <p>TDS_CCYellow</p> <p>TDS_CCYellow2</p> <p>TDS_CCRedW</p> <p>TDS_CCWhiteR</p> <p>TDS_CCYellowBlk</p> <p>Blank</p>	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
229 (HU)	3066	3084	19	EDSColorContrast2   Embedded Designated Support 2—Color Contrast (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 TDS_CCRedW TDS_CCWhiteR TDS_CCYellowBlk  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
230 (HV)	3085	3103	19	EDSColorContrast3   Embedded Designated Support 3—Color Contrast (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 TDS_CCRedW TDS_CCWhiteR TDS_CCYellowBlk  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>231 (HW)</b>	3104	3122	19	EDSColorContrast4   Embedded Designated Support 4—Color Contrast (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 TDS_CCRedW TDS_CCWhiteR TDS_CCYellowBlk  Blank	TOMS, TDS
<b>232 (HX)</b>	3123	3134	12	EDSMasking1   Embedded Designated Support 1—Masking (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_Masking1  Blank	TOMS, TDS
<b>233 (HY)</b>	3135	3146	12	EDSMasking2   Embedded Designated Support 2—Masking (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_Masking1  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>234 (HZ)</b>	3147	3158	12	EDSMasking3   Embedded Designated Support 3—Masking (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_Masking1 Blank	TOMS, TDS
<b>235 (IA)</b>	3159	3170	12	EDSMasking4   Embedded Designated Support 4—Masking (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_Masking1 Blank	TOMS, TDS
<b>236 (IB)</b>	3171	3186	16	EDSMousePointer1   Embedded Designated Support 1—Mouse Pointer (size and color) (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>237 (IC)</b>	3187	3202	16	EDSMousePointer2   Embedded Designated Support 2—Mouse Pointer (size and color) (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL  Blank	TOMS, TDS
<b>238 (ID)</b>	3203	3218	16	EDSMousePointer3   Embedded Designated Support 3—Mouse Pointer (size and color) (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>239 (IE)</b>	3219	3234	16	EDSMousePointer4   Embedded Designated Support 4—Mouse Pointer (size and color) (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL  Blank	TOMS, TDS
<b>240 (IF)</b>	3235	3243	9	EDSPauseorReplayAudio1   Embedded Designated Support 1—Pause or Replay Audio(Listening) (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online).	Alphanumeric TDS_UAV_1  Blank	TOMS, TDS
<b>241 (IG)</b>	3244	3252	9	EDSPauseorReplayAudio2   Embedded Designated Support 2—Pause or Replay Audio (Speaking) (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_UAV_1  Blank	TOMS, TDS
<b>242 (IH)</b>	3253	3259	7	EDSPermissiveMode1   Embedded Designated Support 1—Permissive Mode (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_PM1  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>243 (II)</b>	3260	3266	7	EDSPermissiveMode2   Embedded Designated Support 2—Permissive Mode (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_PM1  Blank	TOMS, TDS
<b>244 (IJ)</b>	3267	3273	7	EDSPermissiveMode3   Embedded Designated Support 3—Permissive Mode (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_PM1  Blank	TOMS, TDS
<b>245 (IK)</b>	3274	3280	7	EDSPermissiveMode4   Embedded Designated Support 4—Permissive Mode (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_PM1  Blank	TOMS, TDS
<b>246 (IL)</b>	3281	3289	9	EDSPrintSize1   Embedded Designated Support 1—Print Size (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4  Blank	TOMS, TDS
<b>247 (IM)</b>	3290	3298	9	EDSPrintSize2   Embedded Designated Support 2—Print Size (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>248 (IN)</b>	3299	3307	9	EDSPrintSize3   Embedded Designated Support 3—Print Size (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	TOMS, TDS
<b>249 (IO)</b>	3308	3316	9	EDSPrintSize4   Embedded Designated Support 4—Print Size (Online)—Writing This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	TOMS, TDS
<b>250 (IP)</b>	3317	3324	8	EDSStreamline1   Embedded Designated Support 1—Streamline (Online)—Listening This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric TDS_SLM1 Blank	TOMS, TDS
<b>251 (IQ)</b>	3325	3332	8	EDSStreamline2   Embedded Designated Support 2—Streamline (Online)—Speaking This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric TDS_SLM1 Blank	TOMS, TDS
<b>252 (IR)</b>	3333	3340	8	EDSStreamline3   Embedded Designated Support 3—Streamline (Online)—Reading This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric TDS_SLM1 Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>253 (IS)</b>	3341	3348	8	EDSStreamline4   Embedded Designated Support 4—Streamline (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric TDS_SLM1  Blank	TOMS, TDS
<b>254 (IT)</b>	3349	3351	3	EDSTurnOffAnyUniversalTool1   Embedded Designated Support 1—Turn Off Any Universal Tool(s) (Online)—Listening  This field is applicable to the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online).	Alphanumeric Yes  Blank	TOMS, TDS
<b>255 (IU)</b>	3352	3354	3	EDSTurnOffAnyUniversalTool2   Embedded Designated Support 2—Turn Off Any Universal Tool(s) (Online)—Speaking  This field is applicable to the Summative ELPAC Speaking domain (Online).	Alphanumeric Yes  Blank	TOMS, TDS
<b>256 (IV)</b>	3355	3357	3	EDSTurnOffAnyUniversalTool3   Embedded Designated Support 3—Turn Off Any Universal Tool(s) (Online)—Reading  This field is applicable to the Summative ELPAC Reading domain (Online).	Alphanumeric Yes  Blank	TOMS, TDS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>257 (IW)</b>	3358	3360	3	EDSTurnOffAnyUniversalTool4   Embedded Designated Support 4—Turn Off Any Universal Tool(s) (Online)—Writing  This field is applicable to the Summative ELPAC Writing domain (Online).	Alphanumeric Yes Blank	TOMS, TDS

***Non-Embedded Designated Supports, Online (Fields 258–305)***

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>258 (IX)</b>	3361	3372	12	NEDSAmplification1   Non-Embedded Designated Support 1—Amplification (Online or Paper)—Listening  Non-embedded designated support for Listening	Alphanumeric NEDS_Amplify Blank	TOMS
<b>259 (IY)</b>	3373	3384	12	NEDSAmplification2   Non-Embedded Designated Support 2—Amplification (Online or Paper)—Speaking  Non-embedded designated support for Speaking	Alphanumeric NEDS_Amplify Blank	TOMS
<b>260 (IZ)</b>	3385	3396	12	NEDSAmplification3   Non-Embedded Designated Support 3—Amplification (Online or Paper)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_Amplify Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>261 (JA)</b>	3397	3408	12	NEDSAmplification4   Non-Embedded Designated Support 4—Amplification (Online or Paper)—Writing Non-embedded designated support for Writing	Alphanumeric NEDS_Amplify Blank	TOMS
<b>262 (JB)</b>	3409	3415	7	NEDSColorOverlay1   Non-Embedded Designated Support 1—Color Overlay (Paper)—Listening Non-embedded designated support for Listening	Alphanumeric NEDS_CO Blank	TOMS
<b>263 (JC)</b>	3416	3422	7	NEDSColorOverlay2   Non-Embedded Designated Support 2—Color Overlay (Paper)—Speaking Non-embedded designated support for Speaking	Alphanumeric NEDS_CO Blank	TOMS
<b>264 (JD)</b>	3423	3429	7	NEDSColorOverlay3   Non-Embedded Designated Support 3—Color Overlay (Paper)—Reading Non-embedded designated support for Reading	Alphanumeric NEDS_CO Blank	TOMS
<b>265 (JE)</b>	3430	3436	7	NEDSColorOverlay4   Non-Embedded Designated Support 4—Color Overlay (Paper)—Writing Non-embedded designated support for Writing	Alphanumeric NEDS_CO Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>266 (JF)</b>	3437	3444	8	NEDSInterfaceAssistant1   Non-Embedded Designated Support 1—Designated Interface Assistant (DIA) (Online)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_DIA  Blank	TOMS
<b>267 (JG)</b>	3445	3452	8	NEDSInterfaceAssistant2   Non-Embedded Designated Support 2—Designated Interface Assistant (DIA) (Online)—Speaking  Non-embedded designated support for Speaking	Alphanumeric NEDS_DIA  Blank	TOMS
<b>268 (JH)</b>	3453	3460	8	NEDSInterfaceAssistant3   Non-Embedded Designated Support 3—Designated Interface Assistant (DIA) (Online)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_DIA  Blank	TOMS
<b>269 (JI)</b>	3461	3468	8	NEDSInterfaceAssistant4   Non-Embedded Designated Support 4—Designated Interface Assistant (DIA) (Online)—Writing  Non-embedded designated support for Writing	Alphanumeric NEDS_DIA  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	
<b>270 (JJ)</b>	3469	3476	8	NEDSMagnification1   Non-Embedded Designated Support 1—Magnification (Online or Paper)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_Mag  Blank	TOMS
<b>271 (JK)</b>	3477	3484	8	NEDSMagnification2   Non-Embedded Designated Support 2—Magnification (Online or Paper)—Speaking  Non-embedded designated support for Speaking	Alphanumeric NEDS_Mag  Blank	TOMS
<b>272 (JL)</b>	3485	3492	8	NEDSMagnification3   Non-Embedded Designated Support 3—Magnification (Online or Paper)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_Mag  Blank	TOMS
<b>273 (JM)</b>	3493	3500	8	NEDSMagnification4   Non-Embedded Designated Support 4—Magnification (Online or Paper)—Writing  Non-embedded designated support for Writing	Alphanumeric NEDS_Mag  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>274 (JN)</b>	3501	3513	13	NEDSMasking1   Non-Embedded Designated Supports 1—Masking (Online or Paper)  Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_Masking NEDS_MaskingP  Blank	CALPADS, TOMS, TDS, DEI
<b>275 (JO)</b>	3514	3526	13	NEDSMasking2   Non-Embedded Designated Supports 2—Masking (Online or Paper)  Non-embedded designated support for Speaking	Alphanumeric NEDS_Masking NEDS_MaskingP  Blank	CALPADS, TOMS, TDS, DEI
<b>276 (JP)</b>	3527	3539	13	NEDSMasking3   Non-Embedded Designated Supports 3—Masking (Online or Paper)  Non-embedded designated support for Reading	Alphanumeric NEDS_Masking NEDS_MaskingP  Blank	CALPADS, TOMS, TDS, DEI
<b>277 (JQ)</b>	3540	3552	13	NEDSMasking4   Non-Embedded Designated Supports 4—Masking (Online or Paper)  Non-embedded designated support for Writing	Alphanumeric NEDS_Masking NEDS_MaskingP  Blank	CALPADS, TOMS, TDS, DEI



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>278 (JR)</b>	3553	3563	11	NEDSMedicalSupports1   Non-Embedded Designated Support 1—Medical Supports (Online or Paper)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_MedDev  Blank	TOMS
<b>279 (JS)</b>	3564	3574	11	NEDSMedicalSupports2   Non-Embedded Designated Support 2—Medical Supports (Online or Paper)—Speaking  Non-embedded designated support for Speaking	Alphanumeric NEDS_MedDev  Blank	TOMS
<b>280 (JT)</b>	3575	3585	11	NEDSMedicalSupports3   Non-Embedded Designated Support 3—Medical Supports (Online or Paper)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_MedDev  Blank	TOMS
<b>281 (JU)</b>	3586	3596	11	NEDSMedicalSupports4   Non-Embedded Designated Support 4—Medical Supports (Online or Paper)—Writing  Non-embedded designated support for Writing	Alphanumeric NEDS_MedDev  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>282 (JV)</b>	3597	3609	13	NEDSNoiseBuffers1   Non-Embedded Designated Support 1—Noise Buffers (Online or Paper)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_NoiseBuf  Blank	TOMS
<b>283 (JW)</b>	3610	3622	13	NEDSNoiseBuffers2   Non-Embedded Designated Support 2—Noise Buffers (Online or Paper)—Speaking  Non-embedded designated support for Speaking	Alphanumeric NEDS_NoiseBuf  Blank	TOMS
<b>284 (JX)</b>	3623	3635	13	NEDSNoiseBuffers3   Non-Embedded Designated Support 3—Noise Buffers (Online or Paper)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_NoiseBuf  Blank	TOMS
<b>285 (JY)</b>	3636	3648	13	NEDSNoiseBuffers4   Non-Embedded Designated Support 4—Noise Buffers (Online or Paper)—Writing  Non-embedded designated support for Writing	Alphanumeric NEDS_NoiseBuf  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>286 (JZ)</b>	3649	3673	25	NEDSPrintonDemand1   Non-Embedded Designated Support 1—Print on Demand (Online)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online) and the Summative Alternate ELPAC (Online)	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item  Blank	TOMS
<b>287 (KA)</b>	3674	3698	25	NEDSPrintonDemand2   Non-Embedded Designated Support 2—Print on Demand (Online)—Speaking  Non-embedded designated support for Speaking	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item  Blank	TOMS
<b>288 (KB)</b>	3699	3723	25	NEDSPrintonDemand3   Non-Embedded Designated Support 3—Print on Demand (Online)—Reading  Non-embedded designated support for Reading	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item  Blank	TOMS
<b>289 (KC)</b>	3724	3748	25	NEDSPrintonDemand4   Non-Embedded Designated Support 4—Print on Demand (Online)—Writing  Non-embedded designated support for Writing	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item  Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>290 (KD)</b>	3749	3757	9	NEDSPauseorReplayAudio1   Non-Embedded Designated Supports 1—Pause or Replay Audio (Paper) Non-embedded designated support for Summative ELPAC Listening (Paper)	Alphanumeric NEDS_UAVP Blank	CALPADS, TOMS, DEI
<b>291 (KE)</b>	3758	3766	9	NEDSPauseorReplayAudio2   Non-Embedded Designated Supports 2—Pause or Replay Audio (Paper) Non-embedded designated support for Summative ELPAC Speaking (Paper)	Alphanumeric NEDS_UAVP Blank	CALPADS, TOMS, DEI
<b>292 (KF)</b>	3767	3779	13	NEDSReadAloudItems1   Non-Embedded Designated Supports 1—Read-Aloud Items (Online) Non-embedded designated support for the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_RA_Items Blank	TOMS
<b>293 (KG)</b>	3780	3792	13	NEDSReadAloudItems4   Non-Embedded Designated Supports 4—Read-Aloud Items (Online or Paper) Non-embedded designated support for Writing (Online or Paper)	Alphanumeric NEDS_RA_Items Blank	TOMS
<b>294 (KH)</b>	3793	3799	7	NEDSSeparateSetting1   Non-Embedded Designated Support 1—Separate Setting (Online or Paper)—Listening Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_SS Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>295 (KI)</b>	3800	3806	7	NEDSSeparateSetting2   Non-Embedded Designated Support 2—Separate Setting (Online or Paper)—Speaking Non-embedded designated support for Speaking	Alphanumeric NEDS_SS Blank	TOMS
<b>296 (KJ)</b>	3807	3813	7	NEDSSeparateSetting3   Non-Embedded Designated Support 3—Separate Setting (Online or Paper)—Reading Non-embedded designated support for Reading	Alphanumeric NEDS_SS Blank	TOMS
<b>297 (KKM)</b>	3814	3820	7	NEDSSeparateSetting4   Non-Embedded Designated Support 4—Separate Setting (Online or Paper)—Writing Non-embedded designated support for Writing	Alphanumeric NEDS_SS Blank	TOMS
<b>298 (KL)</b>	3821	3833	13	NEDSSimplifiedTestDirections1   Non-Embedded Designated Support 1—Simplified Test Directions (Online)—Listening Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_SimpDirs Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>299 (KM)</b>	3834	3846	13	NEDSSimplifiedTestDirections2   Non-Embedded Designated Support 2—Simplified Test Directions (Online)—Speaking  Non-embedded designated support for Speaking	Alphanumeric NEDS_SimpDirs Blank	TOMS
<b>300 (KN)</b>	3847	3859	13	NEDSSimplifiedTestDirections3   Non-Embedded Designated Support 3—Simplified Test Directions (Online)—Reading  Non-embedded designated support for Reading	Alphanumeric NEDS_SimpDirs Blank	TOMS
<b>301 (KO)</b>	3860	3872	13	NEDSSimplifiedTestDirections4   Non-Embedded Designated Support 4—Simplified Test Directions (Online)—Writing  Non-embedded designated support for Writing	Alphanumeric NEDS_SimpDirs Blank	TOMS
<b>302 (KP)</b>	3873	3887	15	NEDSTranslatedTestDirections1   Non-Embedded Designated Support 1—Translated Test Directions (including ASL) (Online or Paper)—Listening  Non-embedded designated support for the Summative ELPAC Listening domain (Online or Paper) and the Summative Alternate ELPAC (Online)	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>303 (KQ)</b>	3888	3902	15	NEDSTranslatedTestDirections2   Non-Embedded Designated Support 2—Translated Test Directions (including ASL) (Online or Paper)—Speaking Non-embedded designated support for Speaking	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS
<b>304 (KR)</b>	3903	3917	15	NEDSTranslatedTestDirections3   Non-Embedded Designated Support 3—Translated Test Directions (including ASL) (Online or Paper)—Reading Non-embedded designated support for Reading	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS
<b>305 (KS)</b>	3918	3932	15	NEDSTranslatedTestDirections4   Non-Embedded Designated Support 4—Translated Test Directions (including ASL) (Online or Paper)—Writing Non-embedded designated support for Writing	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	TOMS



### Test Results for the Previous Year (Fields 306–365)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>306 (KT)</b>	3933	3933	1	SSREligibleMinus1   SSR Eligible Current Year Minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.  The flag indicates whether an SSR was created in year minus 1.	Alphanumeric Y = An SSR was created for the student. N = An SSR was not created for the student.  Blank = The student did not test.	TOMS
<b>307 (KU)</b>	3934	3934	1	AttemptednessMinus1   Attemptedness Current Year Minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric P = Partial-completion Y = Completion  Blank = The student did not test.	TOMS Historical Table
<b>308 (KV)</b>	3935	3936	2	GradeAssessedMinus1   Grade Assessed Current Year Minus 1  This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.	Alphanumeric KN = Kindergarten 01 = First grade 02 = Second grade 03 = Third grade 04 = Fourth grade 05 = Fifth grade 06 = Sixth grade 07 = Seventh grade 08 = Eighth grade 09 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>309 (KW)</b>	3937	3939	3	<p>ConditionCodeMinus1   Condition Code Current Year Minus 1</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test or for whom no condition code is present.</p> <p>Students with the NT condition code will not be reported in the historical fields.</p>	<p>Alphanumeric</p> <p>EXD = Exempt Domain (Summative ELPAC only)</p> <p>Blank = The student did not test, or no condition code is present.</p>	TOMS Historical Table
<b>310 (KX)</b>	3940	3941	2	<p>ListeningRawScoreMinus1   Listening Raw Score Current Year Minus 1</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>311 (KY)</b>	3942	3943	2	<p>SpeakingRawScoreMinus1   Speaking Raw Score Current Year Minus 1</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>312 (KZ)</b>	3944	3945	2	<p>ReadingRawScoreMinus1   Reading Raw Score Current Year Minus 1</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>313 (LA)</b>	3946	3947	2	<p>WritingRawScoreMinus1   Writing Raw Score Current Year Minus 1</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>314 (LB)</b>	3948	3951	4	<p>OverallScaleScoreMinus1   Overall Scale Score Current Year Minus 1</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ## = (00–maximum)</p> <p>Blank</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>315 (LC)</b>	3952	3953	2	<p>OverallPLMinus1   Overall Performance Level Current Year Minus 1</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>For the Summative ELPAC:                      4 = Level 4                      3 = Level 3                      2 = Level 2                      1 = Level 1                      NS</p> <p>For the Summative Alternate ELPAC:                      3 = Level 3                      2 = Level 2                      1 = Level 1                      NS</p> <p>NS = No Score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table
<b>316 (LD)</b>	3954	3957	4	<p>OralLanguageScaleScoreMinus1   Oral Language Scale Score Current Year Minus 1</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>##### = (1150–1950)                      NS = No Score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>317 (LE)</b>	3958	3960	3	OralLanguageCSEMMinus1   Standard Error of Measurement – CSEM (Oral Language) Current Year Minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table
<b>318 (LF)</b>	3961	3962	2	OralLanguagePLMinus1   Oral Language Performance Level Current Year Minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table
<b>319 (LG)</b>	3963	3966	4	WrittenLanguageScaleScoreMinus1   Written Language Scale Score Current Year Minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric #### = 1150–1950 NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>320 (LH)</b>	3967	3969	3	WrittenLanguageCSEMinus1   Standard Error of Measurement – CSEM (Written Language) Current Year Minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table
<b>321 (LI)</b>	3970	3971	2	WrittenLanguagePLMinus1   Written Language Performance Level Current Year Minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table
<b>322 (LJ)</b>	3972	3973	2	ListeningPLMinus1   Listening Performance Current Year Minus 1  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions.  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>323 (LK)</b>	3974	3975	2	SpeakingPLMinus1   Speaking Performance Current Year Minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions. Blank	TOMS Historical Table
<b>324 (LL)</b>	3976	3977	2	ReadingPLMinus1   Reading Performance Current Year Minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions. Blank	TOMS Historical Table
<b>325 (LM)</b>	3978	3979	2	WritingPLMinus1   Writing Performance Current Year Minus 1 This field is applicable only to the Summative ELPAC. A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions. Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>326 (LN)</b>	3980	3980	1	SSREligibleMinus2   SSR Eligible Current Year Minus 2  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric Y = An SSR was created for the student. N = An SSR was not created for the student.  Blank	TOMS
<b>327 (LO)</b>	3981	3981	1	AttemptednessMinus2   Attemptedness Current Year Minus 2  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.	Alphanumeric P = Partial-completion Y = Completion  Blank = The student did not test.	TOMS Historical Table
<b>328 (LP)</b>	3982	3983	2	GradeAssessedMinus2   Grade Assessed Current Year Minus 2  This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.	Alphanumeric KN = Kindergarten 01 = First grade 02 = Second grade 03 = Third grade 04 = Fourth grade 05 = Fifth grade 06 = Sixth grade 07 = Seventh grade 08 = Eighth grade 09 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>329 (LQ)</b>	3984	3986	3	<p>ConditionCodeMinus2   Condition Code Current Year Minus 2</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>Students with the NT condition code will not be reported in the historical fields.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>EXD = Exempt Domain (Summative ELPAC only)</p> <p>Blank = The student did not test, or no condition code is present.</p>	TOMS Historical Table
<b>330 (LR)</b>	3987	3988	2	<p>ListeningRawScoreMinus2   Listening Raw Score Current Year Minus 2</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–MAX)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>331 (LS)</b>	3989	3990	2	<p>SpeakingRawScoreMinus2   Speaking Raw Score Current Year Minus 2</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–MAX)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>332 (LT)</b>	3991	3992	2	<p>ReadingRawScoreMinus2   Reading Raw Score Current Year Minus 2</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ## = (00–MAX)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>333 (LU)</b>	3993	3994	2	<p>WritingRawScoreMinus2   Writing Raw Score Current Year Minus 2</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ## = (00–MAX)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>334 (LV)</b>	3995	3998	4	<p>OverallScaleScoreMinus2   Overall Scale Score Current Year Minus 2</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric #### = 1150–1950</p> <p>NS = No Score</p> <p>Blank</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>335 (LW)</b>	3999	4000	2	<p>OverallPLMinus2   Overall Performance Level Current Year Minus 2</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>For the Summative ELPAC:                      4 = Level 4                      3 = Level 3                      2 = Level 2                      1 = Level 1                      NS</p> <p>For the Summative Alternate ELPAC:                      3 = Level 3                      2 = Level 2                      1 = Level 1                      NS</p> <p>NS = No Score is an acceptable value if the student received an attemptedness value of "P".</p> <p>Blank</p>	TOMS Historical Table
<b>336 (LX)</b>	4001	4004	4	<p>OralLanguageScaleScoreMinus2   Oral Language Scale Score Current Year Minus 2</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>#### = 1150–1950                      NS = No Score</p> <p>Blank</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>337 (LY)</b>	4005	4007	3	OralLanguageCSEMMinus2   Standard Error of Measurement – CSEM (Oral Language) Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score  Blank	TOMS Historical Table
<b>338 (LZ)</b>	4008	4009	2	OralLanguagePLMinus2   Oral Language Performance Level Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score  Blank	TOMS Historical Table
<b>339 (MA)</b>	4010	4013	4	WrittenLanguageScaleScoreMinus2   Written Language Scale Score Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ##### = (1150–1950) NS = No Score  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>340 (MB)</b>	4014	4016	3	WrittenLanguageCSEMINus2   Standard Error of Measurement – CSEM (Written Language) Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score  Blank	TOMS Historical Table
<b>341 (MC)</b>	4017	4018	2	WrittenLanguagePLMinus2   Written Language Performance Level Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score  Blank	TOMS Historical Table
<b>342 (MD)</b>	4019	4020	2	ListeningPLMinus2   Listening Performance Level Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions.  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>343 (ME)</b>	4021	4022	2	SpeakingPLMinus2   Speaking Performance Level Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions.  Blank	TOMS Historical Table
<b>344 (MF)</b>	4023	4024	2	ReadingPLMinus2   Reading Performance Level Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions.  Blank	TOMS Historical Table
<b>345 (MG)</b>	4025	4026	2	WritingPLMinus2   Writing Performance Level Current Year Minus 2  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force-complete or domain exemptions.  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>346 (MH)</b>	4027	4027	1	<p>SSREligibleMinus3   SSR Eligible Current Year Minus 3</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>Y = An SSR was created for the student.</p> <p>N = An SSR was not created for the student.</p> <p>Blank</p>	TOMS Historical Table
<b>347 (MI)</b>	4028	4028	1	<p>AttemptednessMinus3   Attemptedness Current Year Minus 3</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>P = Partial-completion</p> <p>Y = Completion</p> <p>Blank</p>	TOMS Historical Table
<b>348 (MJ)</b>	4029	4030	2	<p>GradeAssessedMinus3   Grade Assessed Current Year Minus 3</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p>	<p>Alphanumeric</p> <p>KN = Kindergarten</p> <p>01 = First grade</p> <p>02 = Second grade</p> <p>03 = Third grade</p> <p>04 = Fourth grade</p> <p>05 = Fifth grade</p> <p>06 = Sixth grade</p> <p>07 = Seventh grade</p> <p>08 = Eighth grade</p> <p>09 = Ninth grade</p> <p>10 = Tenth grade</p> <p>11 = Eleventh grade</p> <p>12 = Twelfth grade</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>349 (MK)</b>	4031	4033	3	<p>ConditionCodeMinus3   Condition Code Current Year Minus 3</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>EXD = Exempt Domain (Summative ELPAC only)</p> <p>Blank = The student did not test, or no condition code is present.</p>	TOMS Historical Table
<b>350 (ML)</b>	4034	4035	2	<p>ListeningRawScoreMinus3   Listening Raw Score Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>351 (MM)</b>	4036	4037	2	<p>SpeakingRawScoreMinus3   Speaking Raw Score Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>352 (MN)</b>	4038	4039	2	<p>ReadingRawScoreMinus3   Reading Raw Score Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>353 (MO)</b>	4040	4041	2	<p>WritingRawScoreMinus3   Writing Raw Score Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ## = (00–99)</p> <p>NS = No Score can be due to force complete or domain exemptions.</p> <p>Blank = The student did not test.</p>	TOMS Historical Table
<b>354 (MP)</b>	4042	4045	4	<p>OverallScaleScoreMinus3   Overall Scale Score Current Year Minus 3</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric #### = (1150–1950)</p> <p>NS = No score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table
<b>355 (MQ)</b>	4046	4047	2	<p>OverallPLMinus3   Overall Performance Level Current Year Minus 3</p> <p>This field is applicable to both the Summative ELPAC and Summative Alternate.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>4 = Level 4</p> <p>3 = Level 3</p> <p>2 = Level 2</p> <p>1 = Level 1</p> <p>NS = No score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>356 (MR)</b>	4048	4051	4	<p>OralLanguageScaleScoreMinus3   Oral Language Scale Score Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric #### = (1150–1950) NS = No Score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table
<b>357 (MS)</b>	4052	4054	3	<p>OralLanguageCSEMMinus3   Standard Error of Measurement – CSEM (Oral Language) Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric ### = (000–maximum) NS = No Score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table
<b>358 (MT)</b>	4055	4056	2	<p>OralLanguagePLMinus3   Oral Language Performance Level Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score is an acceptable value if the student received an attemptedness value of “P”.</p> <p>Blank</p>	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>359 (MU)</b>	4057	4060	4	WrittenLanguageScaleScoreMinus3   Written Language Scale Score Current Year Minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ##### = (1150–1950) NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table
<b>360 (MV)</b>	4061	4063	3	WrittenLanguageCSEMMinus3   Standard Error of Measurement – CSEM (Written Language) Current Year Minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric ### = (000–maximum) NS = No Score is an acceptable value if the student received an attemptedness value of “P”.  Blank	TOMS Historical Table
<b>361 (MW)</b>	4064	4065	2	WrittenLanguagePLMinus3   Written Language Performance Level Current Year Minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 4 = Level 4 3 = Level 3 2 = Level 2 1 = Level 1 NS = No Score can be due to force complete or domain exemptions or alternate assessment.  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>362 (MX)</b>	4066	4067	2	ListeningPLMinus3   Listening Performance Level Current Year Minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions or alternate assessment.  Blank	TOMS Historical Table
<b>363 (MY)</b>	4068	4069	2	SpeakingPLMinus3   Speaking Performance Level Current Year Minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions or alternate assessment.  Blank	TOMS Historical Table
<b>364 (MZ)</b>	4070	4071	2	ReadingPLMinus3   Reading Performance Level Current Year Minus 3  This field is applicable only to the Summative ELPAC.  A blank value is acceptable only for students who did not test.	Alphanumeric 3 = Well Developed 2 = Somewhat/Moderately 1 = Beginning NS = No Score can be due to force complete or domain exemptions or alternate assessment.  Blank	TOMS Historical Table



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>365 (NA)</b>	4072	4073	2	<p>WritingPLMinus3   Writing Performance Level Current Year Minus 3</p> <p>This field is applicable only to the Summative ELPAC.</p> <p>A blank value is acceptable only for students who did not test.</p>	<p>Alphanumeric</p> <p>3 = Well Developed</p> <p>2 = Somewhat/Moderately</p> <p>1 = Beginning</p> <p>NS = No Score can be due to force-complete or domain exemptions.</p> <p>Blank</p>	TOMS Historical Table

### Other Score Information and New Fields (Fields 366–379)

Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>366 (NB)</b>	4074	4083	10	<p>ReportCreatedDate   Report Created Date</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the date the student record was added to the report.</p>	<p>Alphanumeric</p> <p>(YYYY-MM-DD)</p>	TOMS
<b>367 (NC)</b>	4084	4093	10	<p>ScoreAvailableDate   Score Available Date</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the date on which score data is available to the LEAs. Note that it may take up to 24 hours for the score data to be available in the LEA downloadable student data file.</p>	<p>Alphanumeric</p> <p>(YYYY-MM-DD)</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>368 (ND)</b>	4094	4094	1	<p>LTELorARLTEL   LTEL or ARLTEL</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This field reflects whether the student has been identified by AMARD as meeting the requirements to be designated as an LTEL or AR-LTEL.</p>	<p>Alphanumeric</p> <p>1 = LTEL 2 = AR-LTEL LTEL = Long-Term English learner AR-LTEL = At-Risk of becoming LTEL (Long-Term English learner)</p> <p>Blank = Not designated as either LTEL or AR-LTEL</p>	AMARD
<b>369 (NE)</b>	4095	4097	3	<p>MigrantStatusforTesting   Migrant Status for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked migrant status at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s migrant status on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes No</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>370 (NF)</b>	4098	4100	3	<p>MilitaryStatusforTesting   Military Status for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked military status at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s military status on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	TOMS
<b>371 (NG)</b>	4101	4103	3	<p>FosterStatusforTesting   Foster Status for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked foster status at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s foster status on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>372 (NH)</b>	4104	4106	3	<p>HomelessStatusforTesting   Homeless Status for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked homeless status at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s homeless status on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>Yes</p> <p>No</p>	TOMS
<b>373 (NI)</b>	4107	4108	2	<p>ParentEducationLevelforTesting   Parent Education Level for Testing</p> <p>This field is applicable to both the Summative ELPAC and the Summative Alternate ELPAC.</p> <p>This is the locked parent education level at the time TOMS received the first test event (started, paused, completed) for CAASPP, the Summative ELPAC, or the Summative Alternate ELPAC. If the student did not test by the end of the testing window, the student’s parent education level on the last day of the LEA’s selected testing window is reported.</p>	<p>Alphanumeric</p> <p>10 = Graduate Degree or Higher</p> <p>11 = College Graduate</p> <p>12 = Some College or Associate</p> <p>13 = High School Graduate</p> <p>14 = Not a High School Graduate</p> <p>15 = Decline to State</p> <p>Blank</p>	TOMS



Field #	Field Start	Field End	Length	Field Name   Field Description	Data Type   Acceptable Values	Data Source   Data Element
<b>374 (NJ)</b>	4109	4124	16	Blank	Blank	N/A
<b>375 (NK)</b>	4125	4128	4	Blank	Blank	N/A
<b>376 (NL)</b>	4129	4132	4	Blank	Blank	N/A
<b>377 (NM)</b>	4133	4136	4	Blank	Blank	N/A
<b>378 (NN)</b>	4137	4140	4	Blank	Blank	N/A
<b>379 (NO)</b>	4141	4142	2	EndofRecord   End of Record	Alphanumeric ZZ	Derived

## Reference Tables

### Primary Language Codes (Field 37)

Code	Language Name	Code	Language Name
ABK	Abkhazian	HBS	Serbo-Croatian
ACE	Achinese	BAL	Baluchi
ACH	Acoli	BAM	Bambara
ADA	Adangme	BAI	Bamileke languages
ADY	Adyghe; Adygei	BAD	Banda languages
AAR	Afar	BNT	Bantu languages
AFR	Afrikaans	BAS	Basa
AFA	Afro-Asiatic languages	BAK	Bashkir
AIN	Ainu	BAQ	Basque
AKA	Akan	BTK	Batak languages
ALB	Albanian	BEJ	Beja; Bedawiyet
ALE	Aleut	BEL	Belarusian
ALG	Algonquian languages	BEM	Bemba
TUT	Altaic languages	BEN	Bengali
AMH	Amharic	BER	Berber languages
ANP	Angika	BHO	Bhojpuri
APA	Apache languages	BIH	Bihari languages
ARA	Arabic	BIK	Bikol
ARG	Aragonese	BIN	Bini; Edo
ARP	Arapaho	BIS	Bislama
ARW	Arawak	BYN	Blin; Bilin
ASE	American Sign Language	ZBL	Blissymbols; Blissymbolics; Bliss
ARM	Armenian	NOB	Bokmål, Norwegian; Norwegian Bokmål
RUP	Aromanian; Arumanian; Macedo-Romanian	BOS	Bosnian
ASM	Assamese	BRA	Braj
AST	Asturian; Bable; Leonese; Asturleonese	BRE	Breton
ATH	Athapascan languages	BUG	Buginese
AUS	Australian languages	BUL	Bulgarian
MAP	Austronesian languages	BUA	Buriat
AVA	Avaric	BUR	Burmese
AWA	Awadhi	CAD	Caddo
AYM	Aymara	YUE	Yue Chinese (Cantonese)
AZE	Azerbaijani	CAT	Catalan; Valencian
BAN	Balinese	CAU	Caucasian languages
		CEB	Cebuano (Bisayan, Visayan)

Code	Language Name
CEL	Celtic languages
CAI	Central American Indian languages
KHM	Khmer, Central Khmer
CLD	Chaldean Neo-Aramaic (Chaldean)
CMC	Chamic languages
CHA	Chamorro (Guamanian)
CHE	Chechen
CHR	Cherokee
CHY	Cheyenne
NYA	Chichewa; Chewa; Nyanja
CHI	Chinese (Other Chinese languages)
CHN	Chinook jargon
CHP	Chipewyan; Dene Suline
CHO	Choctaw
CHK	Chuukese
CHV	Chuvash
SYC	Classical Syriac
COR	Cornish
COS	Corsican
CRE	Cree
MUS	Creek
CRP	Creoles and pidgins
CPE	Creoles and pidgins, English based
CPF	Creoles and pidgins, French-based
CPP	Creoles and pidgins, Portuguese-based
CRH	Crimean Tatar; Crimean Turkish
HRV	Croatian
CUS	Cushitic languages
CZE	Czech
DAK	Dakota
DAN	Danish
DAR	Dargwa
DEL	Delaware
DIN	Dinka
DIV	Divehi; Dhivehi; Maldivian

Code	Language Name
DOI	Dogri
DGR	Dogrib
DRA	Dravidian languages
DUA	Duala
DUT	Dutch; Flemish
DYU	Dyula
DZO	Dzongkha
FRS	Eastern Frisian
EFI	Efik
EKA	Ekajuk
ENG	English
MYV	Erzya
EPO	Esperanto
EST	Estonian
EWE	Ewe
EWO	Ewondo
FAN	Fang
FAT	Fanti
FAO	Faroese
FIJ	Fijian
FIL	Filipino; Pilipino
FIN	Finnish
FIU	Finno-Ugrian languages
FON	Fon
FRE	French
FUR	Friulian
FUL	Fulah
GAA	Ga
GLA	Gaelic; Scottish Gaelic
CAR	Galibi Carib
GLG	Galician
LUG	Ganda
GAY	Gayo
GBA	Gbaya
GEO	Georgian
GER	German
GEM	Germanic languages
GIL	Gilbertese
GON	Gondi
GOR	Gorontalo

Code	Language Name
GRB	Grebo
GRE	Greek, Modern (1453-)
GRN	Guarani
GUJ	Gujarati
GWI	Gwich'in
HAI	Haida
HAT	Haitian; Haitian Creole
HAU	Hausa
HAW	Hawaiian
HEB	Hebrew
HER	Herero
HIL	Hiligaynon
HIM	Himachali languages; Western Pahari languages
HIN	Hindi
HMO	Hiri Motu
HIT	Hittite
HMN	Hmong; Mong
HUN	Hungarian
HUP	Hupa
IBA	Iban
ICE	Icelandic
IBO	Igbo
IJO	Ijo languages
ILO	Iloko (Ilocano)
SMN	Inari Sami
INC	Indic languages
INE	Indo-European languages
IND	Indonesian
INH	Ingush
IKU	Inuktitut
IPK	Inupiaq
IRA	Iranian languages
GLE	Irish
IRO	Iroquoian languages
ITA	Italian
JPN	Japanese
JAV	Javanese
JRB	Judeo-Arabic
JPR	Judeo-Persian

Code	Language Name
KBD	Kabardian
KAB	Kabyle
KAC	Kachin; Jingpho
KAL	Kalaallisut; Greenlandic
XAL	Kalmyk; Oirat
KAM	Kamba
KAN	Kannada
KAU	Kanuri
KRC	Karachay-Balkar
KAA	Kara-Kalpak
KRL	Karelian
KAR	Karen languages
KAS	Kashmiri
CSB	Kashubian
KAZ	Kazakh
KHA	Khasi
KHI	Khoisan languages
KHO	Khotanese; Sakan
KJG	Khmu
KIK	Kikuyu; Gikuyu
KMB	Kimbundu
KIN	Kinyarwanda
KIR	Kirghiz; Kyrgyz
KOM	Komi
KON	Kongo
KOK	Konkani
KOR	Korean
KOS	Kosraean
KPE	Kpelle
KRO	Kru languages
KUA	Kuanyama; Kwanyama
KUM	Kumyk
KUR	Kurdish
KRU	Kurukh
KUT	Kutenai
LAD	Ladino
LAH	Lahnda
LHU	Lahu
LAM	Lamba
DAY	Land Dayak languages

Code	Language Name
LAO	Lao
LAV	Latvian
LEZ	Lezghian
LIM	Limburgan; Limburger; Limburgish
LIN	Lingala
LIT	Lithuanian
NDS	Low German; Low Saxon; German, Low; Saxon, Low
DSB	Lower Sorbian
LOZ	Lozi
LUB	Luba-Katanga
LUA	Luba-Lulua
LUI	Luiseno
SMJ	Lule Sami
LUN	Lunda
LUO	Luo (Kenya and Tanzania)
LUS	Lushai
LTZ	Luxembourgish; Letzeburgesch
MAC	Macedonian
MAD	Madurese
MAG	Magahi
MAI	Maithili
MAK	Makasar
MLG	Malagasy
MAY	Malay
MAL	Malayalam
MLT	Maltese
MDR	Mandar
CMN	Mandarin Chinese (Putonghua, Guoyu)
MAN	Mandingo
MNI	Manipuri
MNO	Manobo languages
GLV	Manx
MAO	Maori
ARN	Mapudungun; Mapuche
MAR	Marathi
CHM	Mari
MAH	Marshallese
MWR	Marwari

Code	Language Name
MAS	Masai
MYN	Mayan languages
MEN	Mende
MIC	Mi'kmaq; Micmac
MIN	Minangkabau
MWL	Mirandese
MOH	Mohawk
MDF	Moksha
LOL	Mongo
MON	Mongolian
MKH	Mon-Khmer languages
MOS	Mossi
MUL	Multiple languages
MUN	Munda languages
NAH	Nahuatl languages
NAU	Nauru
NAV	Navajo; Navaho
NDE	Ndebele, North; North Ndebele
NBL	Ndebele, South; South Ndebele
NDO	Ndonga
NAP	Neapolitan
NEW	Nepal Bhasa; Newari
NEP	Nepali
NIA	Nias
NIC	Niger-Kordofanian languages
SSA	Nilo-Saharan languages
NIU	Niuean
NQO	N'Ko
NOG	Nogai
NAI	North American Indian languages
FRR	Northern Frisian
SME	Northern Sami
NOR	Norwegian
NNO	Norwegian Nynorsk; Nynorsk, Norwegian
NUB	Nubian languages
NYM	Nyamwezi
NYN	Nyankole
NYO	Nyoro
NZI	Nzima

Code	Language Name
OCI	Occitan (post 1500)
ARC	Official Aramaic (700-300 BCE); Imperial Aramaic (700-300 BCE)
OJI	Ojibwa
ORI	Oriya
ORM	Oromo
OSS	Ossetian; Ossetic
QAB	Chaozhou (Teochew/Chiuchow)
QAC	Toishanese (Taishanese)
QAD	Mixteco
PAU	Palauan
PAM	Pampangang; Kapampangan
PAG	Pangasinan
PAN	Panjabi; Punjabi
PAP	Papiamentu
PAA	Papuan languages
NSO	Pedi; Sepedi; Northern Sotho
PER	Persian (Farsi)
PHI	Philippine languages
PON	Pohnpeian
POL	Polish
POR	Portuguese
PRA	Prakrit languages
PUS	Pushto; Pashto
QUE	Quechua
RAJ	Rajasthani
RAP	Rapanui
RAR	Rarotongan; Cook Islands Maori
ROA	Romance languages
RUM	Romanian (Rumanian)
ROH	Romansh
ROM	Romany
RUN	Rundi
RUS	Russian
SAL	Salishan languages
SMI	Sami languages
SMO	Samoan
SAD	Sandawe
SAG	Sango
SAN	Sanskrit

Code	Language Name
SAT	Santali
SRD	Sardinian
SAS	Sasak
SCO	Scots
SEL	Selkup
SEM	Semitic languages
SRP	Serbian
SRR	Serer
SHN	Shan
SNA	Shona
III	Sichuan Yi; Nuosu
SCN	Sicilian
SID	Sidamo
SGN	Other Sign Languages
BLA	Siksika
SND	Sindhi
SIN	Sinhala; Sinhalese
SIO	Siouan languages
SMS	Skolt Sami
DEN	Slave (Athapaskan)
SLA	Slavic languages
SLO	Slovak
SLV	Slovenian
SOG	Sogdian
SOM	Somali
SON	Songhai languages
SNK	Soninke
WEN	Sorbian languages
SOT	Sotho, Southern
SAI	South American Indian languages
ALT	Southern Altai
SMA	Southern Sami
SPA	Spanish; Castilian
SRN	Sranan Tongo
ZGH	Standard Moroccan Tamazight
SUK	Sukuma
SUN	Sundanese
SUS	Susu
SWA	Swahili
SSW	Swati

Code	Language Name
SWE	Swedish
GSW	Swiss German; Alemannic; Alsatian
SYR	Syriac
TGL	Tagalog
TAH	Tahitian
TAI	Tai languages
QAA	Taiwanese
TGK	Tajik
TMH	Tamashek
TAM	Tamil
TAT	Tatar
TEL	Telugu
TER	Tereno
TET	Tetum
THA	Thai
TIB	Tibetan
TIG	Tigre
TIR	Tigrinya
TEM	Timne
TIV	Tiv
TLI	Tlingit
TPI	Tok Pisin
TKL	Tokelau
TOG	Tonga (Nyasa)
TON	Tonga (Tonga Islands)
TSI	Tsimshian
TSO	Tsonga
TSN	Tswana
TUM	Tumbuka
TUP	Tupi languages
TUR	Turkish
OTA	Turkish, Ottoman (1500-1928)
TUK	Turkmen
TVL	Tuvalu
TYV	Tuvinian
TWI	Twi
UDM	Udmurt
UIG	Uighur; Uyghur

Code	Language Name
UKR	Ukrainian
UMB	Umbundu
MIS	Uncoded languages (Other non- English languages)
UND	Undetermined
HSB	Upper Sorbian
URD	Urdu
UZB	Uzbek
VAI	Vai
VEN	Venda
VIE	Vietnamese
VOT	Votic
WAK	Wakashan languages
WLN	Walloon
WAR	Waray
WAS	Washo
WEL	Welsh
FRY	Western Frisian
WAL	Wolaitta; Wolaytta
WOL	Wolof
XHO	Xhosa
SAH	Yakut
YAO	Yao (Mien)
YAP	Yapese
YID	Yiddish
YOR	Yoruba
YPK	Yupik languages
ZND	Zande languages
ZAP	Zapotec
ZZA	Zaza; Dimili; Dimli; Kirdki; Kirmanjki; Zazaki
ZEN	Zenaga
ZHA	Zhuang; Chuang
ZUL	Zulu
ZUN	Zuni
ZXX	No linguistic content
OTO	Otomian languages (Mixteco)
BAT	Other Baltic languages
SIT	Other Sino-Tibetan languages

## Common Education Data Standards Language Codes (Field 38)

Code	Language Name
ABK	Abkhazian
ACE	Achinese
ACH	Acoli
ADA	Adangme
ADY	Adyghe; Adygei
AAR	Afar
AFR	Afrikaans
AFA	Afro-Asiatic languages
AIN	Ainu
AKA	Akan
ALB	Albanian
ALE	Aleut
ALG	Algonquian languages
TUT	Altaic languages
AMH	Amharic
ANP	Angika
APA	Apache languages
ARA	Arabic
ARG	Aragonese
ARP	Arapaho
ARW	Arawak
ARM	Armenian
RUP	Aromanian; Arumanian; Macedo-Romanian
ASM	Assamese
AST	Asturian; Bable; Leonese; Asturleonese
ATH	Athapascan languages
AUS	Australian languages
MAP	Austronesian languages
AVA	Avaric
AWA	Awadhi
AYM	Aymara
AZE	Azerbaijani
BAN	Balinese
BAT	Other Baltic languages

Code	Language Name
BAL	Baluchi
BAM	Bambara
BAI	Bamileke languages
BAD	Banda languages
BNT	Bantu languages
BAS	Basa
BAK	Bashkir
BAQ	Basque
BTK	Batak languages
BEJ	Beja; Bedawiyet
BEL	Belarusian
BEM	Bemba
BEN	Bengali
BER	Berber languages
BHO	Bhojpuri
BIH	Bihari languages
BIK	Bikol
BIN	Bini; Edo
BIS	Bislama
BYN	Blin; Bilin
ZBL	Blissymbols; Blissymbolics; Bliss
NOB	Bokmål, Norwegian; Norwegian Bokmål
BOS	Bosnian
BRA	Braj
BRE	Breton
BUG	Buginese
BUL	Bulgarian
BUA	Buriat
BUR	Burmese
CAD	Caddo
CAT	Catalan; Valencian
CAU	Caucasian languages
CEB	Cebuano (Bisayan, Visayan)
CEL	Celtic languages

Code	Language Name
CAI	Central American Indian languages
KHM	Central Khmer
CMC	Chamic languages
CHA	Chamorro (Guamanian)
CHE	Chechen
CHR	Cherokee
CHY	Cheyenne
NYA	Chichewa; Chewa; Nyanja
CHI	Chinese (Other Chinese languages)
CHN	Chinook jargon
CHP	Chipewyan; Dene Suline
CHO	Choctaw
CHK	Chuukese
CHV	Chuvash
COR	Cornish
COS	Corsican
CRE	Cree
MUS	Creek
CRP	Creoles and pidgins
CPE	Creoles and pidgins, English based
CPF	Creoles and pidgins, French-based
CPP	Creoles and pidgins, Portuguese-based
CRH	Crimean Tatar; Crimean Turkish
HRV	Croatian
CUS	Cushitic languages
CZE	Czech
DAK	Dakota
DAN	Danish
DAR	Dargwa
DEL	Delaware
DIN	Dinka
DIV	Divehi; Dhivehi; Maldivian
DOI	Dogri
DGR	Dogrib
DRA	Dravidian languages

Code	Language Name
DUA	Duala
DUT	Dutch; Flemish
DYU	Dyula
DZO	Dzongkha
FRS	Eastern Frisian
EFI	Efik
EKA	Ekajuk
ENG	English
MYV	Erzya
EST	Estonian
EWE	Ewe
EWO	Ewondo
FAN	Fang
FAT	Fanti
FAO	Faroese
FIJ	Fijian
FIL	Filipino; Pilipino
FIN	Finnish
FIU	Finno-Ugrian languages
FON	Fon
FRE	French
FUR	Friulian
FUL	Fulah
GAA	Ga
GLA	Gaelic; Scottish Gaelic
CAR	Galibi Carib
GLG	Galician
LUG	Ganda
GAY	Gayo
GBA	Gbaya
GEO	Georgian
GER	German
GEM	Germanic languages
GIL	Gilbertese
GON	Gondi
GOR	Gorontalo
GRB	Grebo
GRE	Greek, Modern (1453-)
GRN	Guarani
GUJ	Gujarati

Code	Language Name
GWI	Gwich'in
HAI	Haida
HAT	Haitian; Haitian Creole
HAU	Hausa
HAW	Hawaiian
HEB	Hebrew
HER	Herero
HIL	Hiligaynon
HIM	Himachali languages; Western Pahari languages
HIN	Hindi
HMO	Hiri Motu
HIT	Hittite
HMN	Hmong; Mong
HUN	Hungarian
HUP	Hupa
IBA	Iban
ICE	Icelandic
IBO	Igbo
IJO	Ijo languages
ILO	Iloko (Ilocano)
SMN	Inari Sami
INC	Indic languages
INE	Indo-European languages
IND	Indonesian
INH	Ingush
IKU	Inuktitut
IPK	Inupiaq
IRA	Iranian languages
GLE	Irish
IRO	Iroquoian languages
ITA	Italian
JPN	Japanese
JAV	Javanese
JRB	Judeo-Arabic
JPR	Judeo-Persian
KBD	Kabardian
KAB	Kabyle
KAC	Kachin; Jingpho
KAL	Kalaallisut; Greenlandic

Code	Language Name
XAL	Kalmyk; Oirat
KAM	Kamba
KAN	Kannada
KAU	Kanuri
KRC	Karachay-Balkar
KAA	Kara-Kalpak
KRL	Karelian
KAR	Karen languages
KAS	Kashmiri
CSB	Kashubian
KAZ	Kazakh
KHA	Khasi
KHI	Khoisan languages
KHO	Khotanese; Sakan
KIK	Kikuyu; Gikuyu
KMB	Kimbundu
KIN	Kinyarwanda
KIR	Kirghiz; Kyrgyz
KOM	Komi
KON	Kongo
KOK	Konkani
KOR	Korean
KOS	Kosraean
KPE	Kpelle
KRO	Kru languages
KUA	Kuanyama; Kwanyama
KUM	Kumyk
KUR	Kurdish (Kurdi, Kurmanji)
KRU	Kurukh
KUT	Kutenai
LAD	Ladino
LAH	Lahnda
LAM	Lamba
DAY	Land Dayak languages
LAO	Lao
LAV	Latvian
LEZ	Lezghian
LIM	Limburgan; Limburger; Limburgish
LIN	Lingala

Code	Language Name
LIT	Lithuanian
NDS	Low German; Low Saxon; German, Low; Saxon, Low
DSB	Lower Sorbian
LOZ	Lozi
LUB	Luba-Katanga
LUA	Luba-Lulua
LUI	Luiseno
SMJ	Lule Sami
LUN	Lunda
LUO	Luo (Kenya and Tanzania)
LUS	Lushai
LTZ	Luxembourgish; Letzeburgesch
MAC	Macedonian
MAD	Madurese
MAG	Magahi
MAI	Maithili
MAK	Makasar
MLG	Malagasy
MAY	Malay
MAL	Malayalam
MLT	Maltese
MDR	Mandar
MAN	Mandingo
MNI	Manipuri
MNO	Manobo languages
GLV	Manx
MAO	Maori
ARN	Mapudungun; Mapuche
MAR	Marathi
CHM	Mari
MAH	Marshallese
MWR	Marwari
MAS	Masai
MYN	Mayan languages
MEN	Mende
MIC	Mi'kmaq; Micmac
MIN	Minangkabau
MWL	Mirandese
MOH	Mohawk

Code	Language Name
MDF	Moksha
LOL	Mongo
MON	Mongolian
MKH	Mon-Khmer languages (Cambodian)
MOS	Mossi
MUL	Multiple languages
MUN	Munda languages
NAH	Nahuatl languages
NAU	Nauru
NAV	Navajo; Navaho
NDE	Ndebele, North; North Ndebele
NBL	Ndebele, South; South Ndebele
NDO	Ndonga
NAP	Neapolitan
NEW	Nepal Bhasa; Newari
NEP	Nepali
NIA	Nias
NIC	Niger-Kordofanian languages
SSA	Nilo-Saharan languages
NIU	Niuean
NQO	N'Ko
NOG	Nogai
NAI	North American Indian languages
FRR	Northern Frisian
SME	Northern Sami
NOR	Norwegian
NNO	Norwegian Nynorsk; Nynorsk, Norwegian
NUB	Nubian languages
NYM	Nyamwezi
NYN	Nyankole
NYO	Nyoro
NZI	Nzima
OCI	Occitan (post 1500)
OJI	Ojibwa
ORI	Oriya
ORM	Oromo
OSS	Ossetian; Ossetic

Code	Language Name
SIT	Other Sino-Tibetan languages (Taishanese)
OTO	Otomian languages (Mixteco)
PAU	Palauan
PAM	Pampanga; Kapampangan
PAG	Pangasinan
PAN	Panjabi; Punjabi
PAP	Papiamento
PAA	Papuan languages
NSO	Pedi; Sepedi; Northern Sotho
PER	Persian (Farsi)
PHI	Philippine languages
PON	Pohnpeian
POL	Polish
POR	Portuguese
PRA	Prakrit languages
PUS	Pushto; Pashto
QUE	Quechua
RAJ	Rajasthani
RAP	Rapanui
RAR	Rarotongan; Cook Islands Maori
ROA	Romance languages
RUM	Romanian (Rumanian)
ROH	Romansh
ROM	Romany
RUN	Rundi
RUS	Russian
SAL	Salishan languages
SMI	Sami languages
SMO	Samoan
SAD	Sandawe
SAG	Sango
SAT	Santali
SRD	Sardinian
SAS	Sasak
SCO	Scots
SEL	Selkup
SEM	Semitic languages
SRP	Serbian
SRR	Serer

Code	Language Name
SHN	Shan
SNA	Shona
III	Sichuan Yi; Nuosu
SCN	Sicilian
SID	Sidamo
SGN	Other Sign Languages, American Sign Language
BLA	Siksika
SND	Sindhi
SIN	Sinhala; Sinhalese
SIO	Siouan languages
SMS	Skolt Sami
DEN	Slave (Athapaskan)
SLA	Slavic languages
SLO	Slovak
SLV	Slovenian
SOG	Sogdian
SOM	Somali
SON	Songhai languages
SNK	Soninke
WEN	Sorbian languages
SOT	Sotho, Southern
SAI	South American Indian languages
ALT	Southern Altai
SMA	Southern Sami
SPA	Spanish; Castilian
SRN	Sranan Tongo
ZGH	Standard Moroccan Tamazight
SUK	Sukuma
SUN	Sundanese
SUS	Susu
SWA	Swahili
SSW	Swati
SWE	Swedish
GSW	Swiss German; Alemannic; Alsatian
SYR	Syriac (Assyrian)
TGL	Tagalog
TAH	Tahitian

Code	Language Name
TAI	Tai languages
TGK	Tajik
TMH	Tamashek
TAM	Tamil
TAT	Tatar
TEL	Telugu
TER	Tereno
TET	Tetum
THA	Thai
TIB	Tibetan
TIG	Tigre
TIR	Tigrinya
TEM	Timne
TIV	Tiv
TLI	Tlingit
TPI	Tok Pisin
TKL	Tokelau
TOG	Tonga (Nyasa)
TON	Tonga (Tonga Islands)
TSI	Tsimshian
TSO	Tsonga
TSN	Tswana
TUM	Tumbuka
TUP	Tupi languages
TUR	Turkish
OTA	Turkish, Ottoman (1500-1928)
TUK	Turkmen
TVL	Tuvalu
TYV	Tuvinian
TWI	Twi
UDM	Udmurt
UIG	Uighur; Uyghur
UKR	Ukrainian
UMB	Umbundu
MIS	Uncoded languages (Other non-English languages)
UND	Undetermined
HSB	Upper Sorbian
URD	Urdu
UZB	Uzbek

Code	Language Name
VAI	Vai
VEN	Venda
VIE	Vietnamese
VOT	Votic
WAK	Wakashan languages
WLN	Walloon
WAR	Waray
WAS	Washo
WEL	Welsh
FRY	Western Frisian
WAL	Wolaitta; Wolaytta
WOL	Wolof
XHO	Xhosa
SAH	Yakut
YAO	Yao (Mien)
YAP	Yapese
YID	Yiddish
YOR	Yoruba
YPK	Yupik languages
ZND	Zande languages
ZAP	Zapotec
ZZA	Zaza; Dimili; Dimli; Kirdki; Kirmanjki; Zazaki
ZEN	Zenaga
ZHA	Zhuang; Chuang
ZUL	Zulu
ZUN	Zuni
ZXX	No linguistic content

## Primary Disability Codes (Field 29)

Code	Type
AUT	Autism
DB	Deaf-blindness
EMN	Emotional disability
HI	Hearing impairment
ID	Intellectual disability
MD	Multiple disabilities
OI	Orthopedic impairment
OHI	Other health impairment
SLD	Specific learning disability
SLI	Speech or language impairment
TBI	Traumatic brain injury
VI	Visual impairment
DEAF	Deafness

## **Tested LEA Reporting Rules**

The following sections describe the tested LEA reporting rules for student data files, aggregate files, and public web reporting.

### ***Summative ELPAC LEA Student Data File Reporting Rules for Student(s) With Multiple Tested LEAs***

1. For the computer-based assessment or PPT emergency form entered into the DEI (grades three through twelve), a student will be reported under the last tested LEA received for the computer-based domains.
2. For K–2, a student who tested in the PPT Writing domain and in the computer-based Listening, Speaking, and Reading domains will be reported under the last tested LEA for the computer-based assessments.
3. For K–2, a student who has not tested in at least one computer-based domain but who tested in the PPT Writing domain will be reported under the tested LEA received from scanning.
4. For the PPT emergency forms for K–2, a student will be reported under the tested LEA received from scanning.
5. A student who is assigned domain exemptions to one domain in each composite and has no logon to the nonexempted domains will be treated as not tested and reported under the enrolled LEA. This is applicable to all grade levels or grade spans.
6. Students are reported under the LEA where they last completed a non-exempted domain.
7. A student who did not test will be reported under the enrolled LEA.
8. A student record will be present only in the final tested LEA student data file per the rules mentioned before if the student tested in multiple LEAs.
9. The final tested LEA will be used for aggregate files and the Test Results for California's Assessments website at <https://caaspp-elpac.ets.org/elpac/>.

### ***Summative Alternate ELPAC LEA Student Data File Reporting Rules for Student(s) With Multiple Tested LEAs***

1. All tested and partially tested students will be reported under the last tested LEA.
2. A student who did not test will be reported under the enrolled LEA at the end of the testing window.
3. A student record will be present only in the final tested LEA student data file per the rules mentioned before if the student tested in multiple LEAs.
4. The final tested LEA will be used for aggregate files and the Test Results for California's Assessments website at <https://caaspp-elpac.ets.org/elpac/>.

## Condition Code Rules

Condition codes are used by LEAs and the TOMS team to identify a special condition in a student's test record for reporting, such as setting Include Indicators. Condition codes are derived by TOMS and are visible in the TOMS user interface.

1. The EXD condition code is derived on the basis of one or two domain exemption(s) assigned to the student's domain in TOMS.
  - a. Exemption results in a no score with an "NS" value assigned by the scoring system. The EXD condition code is reported in the student data files.
2. The NT condition code is assigned when a student who is eligible to test with the Summative ELPAC or Summative Alternate ELPAC did not test, and the student's ELAS did not change from EL to non-EL.
3. Only one condition code can be applied per student.
4. Condition codes appear in the production state student data files and the LEA student data (downloadable) files.

## Condition Codes (Field 117)

Assessment	Code	Description	Derived From	Resulting Score	Comment
Summative ELPAC	EXD	Exempt Domain	This code is used when, within a composite, only one of two domains is selected as exempt for the student on the test assignment screen in TOMS.	A calculated score is assigned to the composite using the nonexempt domain for that composite; the resulting composite score is used to derive the overall score.	N/A
Summative ELPAC	NT	Not Tested	This is the default condition code when valid eligibility is present, the student did not test, and the student's ELAS did not change from EL to non-EL by the end of the testing window.	The student is present in the student data file with no score; no SSR will be generated.	The NT condition code is applied to Summative ELPAC eligible students as a closing event, at the end of the statewide testing window and when all student scores have been imported into TOMS.
Summative Alternate ELPAC	NT	Not Tested	This is the default condition code when valid eligibility is present, the student did not test or no score was present, and the student's ELAS did not change from EL to non-EL by the end of the testing window.	The student is present in the student data file with no score; no SSR will be generated.	The NT condition code is applied to Summative Alternate ELPAC eligible students as a closing event, at the end of the statewide Summative Alternate ELPAC testing window and after all eligible student scores have been imported into TOMS.

## Attemptedness/Completion Status Codes (Field 118)

Assessment	Attemptedness/Completion Status	Description and Rules
Summative ELPAC or Summative Alternate ELPAC	P	For the Summative ELPAC, partial completion is assigned to students who logged on to one or both domains in the same composite but did not log on to at least one domain in each composite. For the Summative Alternate ELPAC, partial completion is assigned to students who completed fewer than one expressive and one receptive item. No SSR will be created for students who received an attemptedness value of “P”. The student record will be included in the student data file as tested with an “NS” overall scale score.
Summative ELPAC or Summative Alternate ELPAC	Y	For the Summative ELPAC, completion is assigned to students who logged on to at least one domain in each composite. For the Summative Alternate ELPAC, completion is assigned to students who completed at least one expressive and one receptive item. An SSR will be created for students who received an attemptedness value of “Y”. The student record will be included in the student data file as tested with a numeric overall scale score.

### Include Indicator Rules

Include Indicator allowable values are “N”, “T”, and “Y”. To determine the Include Indicator for the Summative ELPAC or the Summative Alternate ELPAC, follow the logic steps provided:

1. If the condition code is NT, then output a value of “N” and STOP; if this condition is not met, proceed to step 2.
2. If the attemptedness is “P”, then output a value of “T” and STOP; if this condition is not met, proceed to step 3.
3. If the overall attemptedness value is “Y”, then output a value of “Y” and STOP.

### Include Indicators for Reporting (Field 119)

Include Indicators are used to determine which students and scores are included in the aggregated formulas. Include Indicators are set for each assessment.

Code	Meaning
N	The student did not test.
T	The student tested and did not meet the participation rule or received an attemptedness value of “P” from the scoring system.
Y	The student completed the assessment, received a valid score, or received an attemptedness value of “Y” from the scoring system.

## Scale Score Ranges

### Summative ELPAC

Grade Level or Grade Span	Score	Level 1 Min	Level 1 Max	Level 2 Min	Level 2 Max	Level 3 Min	Level 3 Max	Level 4 Min	Level 4 Max
K	Overall	1150	1373	1374	1421	1422	1473	1474	1700
K	Oral Language	1150	1385	1386	1426	1427	1477	1478	1700
K	Written Language	1150	1345	1346	1409	1410	1462	1463	1700
1	Overall	1150	1410	1411	1454	1455	1506	1507	1700
1	Oral Language	1150	1407	1408	1450	1451	1492	1493	1700
1	Written Language	1150	1413	1414	1458	1459	1519	1520	1700
2	Overall	1150	1423	1424	1470	1471	1531	1532	1700
2	Oral Language	1150	1413	1414	1459	1460	1509	1510	1700
2	Written Language	1150	1432	1433	1480	1481	1553	1554	1700
3	Overall	1150	1447	1448	1487	1488	1534	1535	1800
3	Oral Language	1150	1434	1435	1465	1466	1511	1512	1800
3	Written Language	1150	1460	1461	1508	1509	1556	1557	1800
4	Overall	1150	1458	1459	1498	1499	1548	1549	1800
4	Oral Language	1150	1438	1439	1471	1472	1521	1522	1800
4	Written Language	1150	1477	1478	1524	1525	1574	1575	1800
5	Overall	1150	1466	1467	1513	1514	1559	1560	1800
5	Oral Language	1150	1446	1447	1476	1477	1532	1533	1800
5	Written Language	1150	1486	1487	1549	1550	1586	1587	1800
6	Overall	1150	1474	1475	1516	1517	1566	1567	1900
6	Oral Language	1150	1449	1450	1483	1484	1541	1542	1900
6	Written Language	1150	1498	1499	1549	1550	1591	1592	1900
7	Overall	1150	1480	1481	1526	1527	1575	1576	1900
7	Oral Language	1150	1455	1456	1497	1498	1553	1554	1900
7	Written Language	1150	1504	1505	1555	1556	1597	1598	1900
8	Overall	1150	1485	1486	1533	1534	1589	1590	1900
8	Oral Language	1150	1460	1461	1504	1505	1568	1569	1900
8	Written Language	1150	1509	1510	1561	1562	1609	1610	1900

Grade Level or Grade Span	Score	Level 1 Min	Level 1 Max	Level 2 Min	Level 2 Max	Level 3 Min	Level 3 Max	Level 4 Min	Level 4 Max
9–10	Overall	1150	1492	1493	1544	1545	1605	1606	1950
9–10	Oral Language	1150	1464	1465	1511	1512	1578	1579	1950
9–10	Written Language	1150	1519	1520	1577	1578	1631	1632	1950
11–12	Overall	1150	1499	1500	1554	1555	1614	1615	1950
11–12	Oral Language	1150	1469	1470	1513	1514	1582	1583	1950
11–12	Written Language	1150	1528	1529	1594	1595	1645	1646	1950

**Summative Alternate ELPAC**

Grade Level or Grade Span	Score	Level 1 Min	Level 1 Max	Level 2 Min	Level 2 Max	Level 3 Min	Level 3 Max
K	Overall	201	243	244	259	260	299
1	Overall	301	343	344	359	360	399
2	Overall	401	443	444	459	460	499
3–5	Overall	501	543	544	559	560	599
6–8	Overall	601	643	644	659	660	699
9–10	Overall	701	743	744	759	760	799
11–12	Overall	801	843	844	859	860	899





Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS	SSR in SIS Vendor Portal
Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window is closed, no grade change	LEA A	Not tested in LEA A	N/A	8	8	LEA A	LEA A	LEA A	LEA A	No SSR	No SSR
Student enrolled in LEA A, grade change occurs before the student tested	LEA A	LEA A	LEA A	9	9	LEA A	LEA A	LEA A	LEA A	LEA A Grade nine SSR reported	LEA A Grade nine SSR reported
Student enrolled in LEA A, grade change occurs after student tested	LEA A	LEA A	LEA A	9	8	LEA A	LEA A	LEA A	LEA A	LEA A Grade eight SSR reported	LEA A Grade eight SSR reported
Student moved before the administration year rollover	LEA A	LEA A	LEA A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A current year	LEA A current year

Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS	SSR in SIS Vendor Portal
Student moved before the administration year rollover	LEA A	LEA B	LEA B	8	8	LEA B	LEA B	LEA B	LEA B	LEA A current year	LEA B current year
Student moved after the administration year rollover	LEA A	LEA B	LEA A	8	8	LEA B	LEA B	LEA B	LEA B	LEA A, current and previous administration year LEA B, previous administration year SSR only	LEA A, current and previous administration year LEA B, previous administration year SSR only

### Tested LEA Reporting Examples

This table provides information on scenarios when a student has moved between the LEAs or schools between the domain testing. It shows test modes of computer-based and PPT (emergency form). A student who did not test appears as NT.

### Summative ELPAC Tested LEA Reporting Examples

Test Mode	Grade Levels	Listening	Speaking	Reading	Writing	Reporting	Final Test Completed Date	SSR Test Date
Computer-based and PPT	3–12	Day 2	Day 1	Day 2	Day 3	The tested LEA and school for the Writing domain will be reported as the final tested LEA and school.	Day 3	Day 3
Computer-based and PPT	3–12	NT	Day 1	Day 2	NT	The tested LEA and school for the Reading domain will be reported as the final tested LEA and school.	Day 2	Day 2
Computer-based	K–2	Day 1	Day 1	Day 2	Day 3	The tested LEA and school for the Reading domain will be reported as the final tested LEA and school.	Day 2	Day 2
Computer-based	K–2	NT	NT	NT	Day 1	The tested LEA and school for the Writing domain will be reported as the final tested LEA and school.	Day 1	No SSR
Computer-based	K–2	Exempt	NT	NT	Day 1	The student will be reported under the LEA where the Writing domain is completed. (This is scanned.)	Day 1	No SSR
PPT	K–2	Day 1	Day 1	Day 1	Day 1	The student will be reported under the LEA where the Answer Book was received from the GIS.	Day 1	Day 1
Computer-based and PPT	3–12	Day 2	Exempt	Day 1	Exempt	The student will be reported under the LEA where the Listening domain is completed.	Day 2	Day 2



Test Mode	Grade Levels	Listening	Speaking	Reading	Writing	Reporting	Final Test Completed Date	SSR Test Date
Computer-based	K–2	Exempt	Day 1	Exempt	Day 2	The student will be reported under the LEA where the Speaking domain is completed.	Day 1	Day 1
Computer-based and PPT	K–12	Exempt	NT	Exempt	NT	The student will be reported under the enrolled LEA.	Blank	No SSR
Computer-based and PPT	K–12	NT	NT	NT	NT	The student will be reported under the enrolled LEA.	Blank	No SSR

**Summative Alternate ELPAC Tested LEA Reporting Examples**

Test Mode	Grade Levels	Testing Start Date	Testing Completed or Expired	Reporting LEA	Final Test Completed Date	SSR Test Date
Computer-based	K–12	Day 1	Day 2	The tested LEA and school from the date the assessment was completed or expired is used as the final tested LEA and school.	Day 2	Day 2
Computer-based	K–12	N/A	N/A	Not-tested students are reported under the enrolled LEA.	N/A	No SSR