

# Local Educational Agency English Language Proficiency Assessments for California 2023–24 Initial and Initial Alternate ELPAC Student Data File Layout

August 2, 2024

#### **Contact Information**

California District Outreach ● Contact: <u>California Outreach</u> web page Program: <u>ELPAC</u> website

Copyright ☐ 2023 by the California Department of Education



#### **Introduction and Notes**

This document contains the file layout and data definitions for the 2023–24 Initial English Language Proficiency Assessments for California (ELPAC) administered by your local educational agency (LEA). The data include student demographic information, test scores, and test administration information. In addition to the file layout, the following reference tables that define the code sets and rules for selected fields are provided in the Reference Tables section:

- California Longitudinal Pupil Achievement Data System (CALPADS) Primary Language Codes
- Common Education Data Standards (CEDS) Language Codes
- Primary Disability Codes
- Tested LEA Reporting Rules
- Condition Code Rules
- Condition Codes
- Attemptedness and Participation Rules
- Include Indicator Rules for Reporting
- Include Indicators
- Scale Score Ranges
- Student Move Reporting

The notes in this section provide important information concerning key elements of the file layout.

#### What's New in 2023–24 for the Initial LEA Downloadable File

#### Updated Fields

- Updated Test Abbreviations
- New Field # 108: ELAS Correction Code
- Updated Field # 30: Primary Language Codes to reflect the new 3-digit format that will be required starting August
- Updated Field # 168: Non-Embedded Accommodations 1—Scribe Items (Online or Paper) as it is not applicable to Initial Alternate ELPAC this year.
- Removed fields for "Non-Embedded Accommodations 3—ASL or Manually Coded English (Online or Paper)", "Non-Embedded Accommodations 4—ASL or Manually Coded English (Online or Paper)"
- The following fields have been moved up in order:
  - Field # 51:Score Available Date (formerly Field # 280)
  - Field # 52: Tested Status (formerly Field # 281)
  - Field # 116 SSR Eligible (formerly Field # 282)
  - Field # 117–121 Remote Tester 1–4 (formerly Field # 283–287)



# Acronyms and Initialisms Used in the Student Data File Layout

| Term    | Definition  |  |  |  |  |
|---------|---|--|--|--|--|
| ASL     | American Sign Language                                  |  |  |  |  |
| CALPADS | California Longitudinal Pupil Achievement Data System   |  |  |  |  |
| CARD    | CARD California Reporting Data Warehouse                |  |  |  |  |
| CDE     | California Department of Education                      |  |  |  |  |
| CEDS    | Common Education Data Standards                         |  |  |  |  |
| CERS    | California Educator Reporting System                    |  |  |  |  |
| DEI     | Data Entry Interface                                    |  |  |  |  |
| DF      | direct funded charter school                            |  |  |  |  |
| EA      | embedded accommodations                                 |  |  |  |  |
| EDS     | Embedded designated support                             |  |  |  |  |
| EL      | English learner   |  |  |  |  |
| ELAS    | English Learner Acquisition Status                      |  |  |  |  |
| ELPAC   | English Language Proficiency Assessments for California |  |  |  |  |
| ETS     | Educational Testing Service                             |  |  |  |  |
| EXD     | Domain Exempt   |  |  |  |  |
| IDEA    | Individuals with Disabilities Education Act             |  |  |  |  |
| IFEP    | initial fluent English proficient                       |  |  |  |  |
| IEP     | dividualized education program                          |  |  |  |  |
| IE      | Initial ELPAC   |  |  |  |  |
| K       | kindergarten  |  |  |  |  |
| K-12    | kindergarten through grade twelve                       |  |  |  |  |
| K-2     | kindergarten through grade two                          |  |  |  |  |
| LEA     | local educational agency                                |  |  |  |  |
| LOSS    | lowest obtainable scale score                           |  |  |  |  |
| LF      | locally funded charter school                           |  |  |  |  |
| NEA     | non-embedded accommodations                             |  |  |  |  |
| NEDS    | non-embedded designated supports                        |  |  |  |  |
| NPS     | nonpublic, nonsectarian school                          |  |  |  |  |
| NS      | no score  |  |  |  |  |
| NT      | not tested  |  |  |  |  |



| Term | Definition  |  |  |  |  |
|------|---|--|--|--|--|
| PL   | Performance Level   |  |  |  |  |
| RSVP | Rotating Score Validation Process   |  |  |  |  |
| PWR  | public web reporting (now known as Test Results for California's Assessments) website |  |  |  |  |
| SSID | Statewide Student Identifier  |  |  |  |  |
| SSR  | Student Score Report  |  |  |  |  |
| TBD  | to be determined  |  |  |  |  |
| TDS  | test delivery system  |  |  |  |  |
| TOMS | Test Operations Management System   |  |  |  |  |
| TRCA | Test Results for California's Assessments website                                     |  |  |  |  |
| UIN  | unique identification number  |  |  |  |  |
| UR   | Unlisted Resources  |  |  |  |  |



#### **Demographics**

Student demographic data is derived from the California Longitudinal Pupil Achievement Data System (CALPADS) and reflects student demographics as captured in the demographic snapshot. Demographic snapshots for students who tested occur at the time the student starts testing or for alternate assessment students when scoring is complete, and the score becomes available for reporting in the Test Operations Management System (TOMS). For students that did not test, the demographic snapshot is taken daily until the end of the Initial and Initial Alt ELPAC testing window for reporting in the Test Operations Management System (TOMS). Note that the source for each field is indicated in the file layout.

Data sources for the student data file are as follows:

- CALPADS—Extracted from CALPADS
- Derived—Created during generation of the student data file
- Scoring—Created as a result of scoring
- TOMS—Extracted from TOMS
- DEI—Data Entry Interface

#### **Score Data**

Score data for the Initial ELPAC includes (1) the overall scale score and performance level, (2) oral language performance levels, and (3) written language performance levels. Score data for the Initial Alternate ELPAC includes the overall scale score and performance level.

#### **Test Administration Data**

Test administration data includes flags and condition codes describing specific elements of test administration. These include flags for Attemptedness codes, Include Indicators, accommodations, and domain exemptions that occurred during the administration.

# Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation

The school-level data for nonpublic, nonsectarian schools (NPS) is removed from the aggregate data published on the ELPAC public web reporting site; this data will not be searchable and will not appear in the aggregate reporting. The county, LEA, and direct funded charter school totals continue to include students attending NPSs in their aggregate data. If the Special Education District of Accountability field is populated in the student's data record, then the student record is aggregated to the county, district, and school entity levels or direct funded charter school code provided.



#### **Fields of Note**

The following fields are of particular importance:

| Field #                                     | Section                                  | Additional Explanation  |
|---|--|---|
| 1   | Assessment Type                          | Each record in the file will have an <i>Assessment Type</i> in Field 1 that identifies the assessment taken. Only Initial and Initial Alternate ELPAC records are included in this file.  |
| 2   | UIN (Unique<br>Identification<br>Number) | The UIN, which is unique for every record in the file, may be used to join the records together so that all student information can be matched.   |
| 53–59,<br>62–68,<br>71–77,<br>and 80–<br>86 | Test Details—<br>Testing Locations       | <ul> <li>This field shows the LEA name where the test was submitted by the student, or if partially completed the LEA where the student last tested, regardless of whether the student moved.</li> <li>1. If the student did not test, this field is populated with the LEA name of the last enrollment with valid registration at the end of the testing window.</li> </ul>  |
| 60, 69,<br>78, and<br>87                    | Test Start Date                          | <ol> <li>The Test Start Date field shows the date on which the student started testing online with the computer-based assessments in the test delivery system (TDS).</li> <li>A blank or null value is acceptable only for students who did not test, students who took the emergency paper test, or students who were assigned a domain exemption.</li> </ol>  |
| 61, 70,<br>79, and<br>88                    | Testing Completed Date                   | This field shows the testing completed date when the test was submitted by the student in the TDS.  In the case of an expired test, the test completion date is populated using the expiration date. An expired test opportunity was expired by the system using the test expiration rules employed for the specific program, manually expired after the testing window has closed, or automatically expired at the end of the state testing window. Testing opportunities acquired through the DEI cannot be manually expired.  A blank value is only acceptable for students who did not test, students who were assigned a domain exemption. |
| 109   | Condition Code                           | A special condition code indicates the presence of a particular circumstance during testing. Refer to the Condition Codes  (Field 109) reference table for a list of codes included in this field. Only one condition code can be applied per record type.  |



Fields of Note (continuation)

| Field # | Section           | Additional Explanation  |
|---------|-------------------|---|
| 110     | Attemptedness     | This flag designates students as either partial-completion, or completion. Refer to the <a href="Attemptedness Codes">Attemptedness Codes</a> (Field 110) reference table for definitions of the statuses.  |
| 111     | Include Indicator | Include Indicators, when set, indicate how a test result will be treated for reporting the number of students tested, determining which students and scores are included in the aggregated data. Include Indicators also show whether or not a student has taken a required test. Refer to the Include Indicators for Reporting (Field 111) reference table for more information. |

#### **Additional Resources and Definitions**

- ELPAC web page—<a href="https://www.elpac.org/">https://www.elpac.org/</a>
- California Department of Education (CDE) CALPADS web page https://www.cde.ca.gov/ds/sp/cl/
- CDE Accountability web page—<a href="https://www.cde.ca.gov/ta/ac/">https://www.cde.ca.gov/ta/ac/</a>



# **Change Log**

If necessary, updates to the 2023–24 Initial and Initial Alternate ELPAC Student Data File Layout will be outlined in this table.

| Field # | Section(s)             | Description of Change  | Date<br>Changed |
|---------|------------------------|--|-----------------|
| 51      | Other Information      | Updated field name "Score Available Date" to "SSR Approved Date" | 8/2/2024        |
| 30      | Background Information | Updated Primary Language Codes table                             | 8/2/2024        |
| 31      | Background Information | Updated CEDS Language Codes table                                | 8/2/2024        |
| 14      | Enrollment Information | Defined TK Indicator field                                       | 8/2/2024        |



## **Data Layout**

## **Start-of-Record Information (Fields 1–3)**

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type                                      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 1       | 1              | 2            | 2      | RecordType   Record Type This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.                  | Alphanumeric  • 22 = Initial ELPAC  • 24 = Initial Alternate ELPAC | TOMS                          |
| 2       | 3              | 18           | 16     | UIN   UIN (Unique Identification Number)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric   | Internal ID from<br>TOMS      |
| 3       | 19             | 34           | 16     | Blank   | Blank  | Blank                         |

# **Student Information (Fields 4–13)**

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 4       | 35             | 44           | 10     | SSID   Statewide Student Identifier (SSID)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric (0–9)            | CALPADS  <br>1.08 SSID        |



Student Information (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element      |
|---------|----------------|--------------|--------|---|-------------------------------|------------------------------------|
| 5       | 45             | 59           | 15     | LocalStudentID   Student ID Number (Local ID)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  | Alphanumeric (0–9) or blank   | CALPADS <br>LocalStudentID<br>1.09 |
| 6       | 60             | 109          | 50     | StudentLastName   Student Last Name  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric                  | CALPADS  <br>1.12<br>LastOrSurname |



Student Information (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 7       | 110            | 139          | 30     | StudentFirstName   Student First Name  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.   | Alphanumeric                  | CALPADS  <br>1.10 FirstName   |
| 8       | 140            | 169          | 30     | StudentMiddleName   Student Middle Name  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric, or blank        | CALPADS  <br>1.11 MiddleName  |



Student Information (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element    |
|---------|----------------|--------------|--------|---|-------------------------------|----------------------------------|
| 9       | 170            | 171          | 2      | Blank   | Blank                         | Blank                            |
| 9 10    | 170<br>172     | 171          | 10     | Blank DateofBirthforTesting   Date of Birth  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The date of birth demographic snapshot for tested students was taken at the time TOMS receives the first test event for the Initial ELPAC. For nottested students, it is taken daily until the end of the Initial and Initial Alt ELPAC testing window.  Note: For students who were assigned domain exemption, the date of birth demographic snapshot was taken at the test completion | Alphanumeric (YYYY-MM-DD)     | Blank CALPADS   1.17 DateofBirth |
|         |                |              |        | event.  |                               |                                  |



Student Information (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type                                      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 11      | 182            | 182          | 1      | This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric F, M, or X  • F = Female  • M = Male  • X = Nonbinary | CALPADS  <br>1.18 Sex         |



Student Information (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element             |
|---------|----------------|--------------|--------|---|---|---|
| 12      | 183            | 184          | 2      | CALPADS Grade  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This is the latest grade level received from CALPADS. If a student was exited from CALPADS for the current year and reregistered for the subsequent school year, next year's grade level is presented in this field.  The demographic snapshot for tested and not-tested students is taken daily until the end of the statewide Initial and Initial Alt ELPAC testing window. | Alphanumeric  KN = Kindergarten  01 = First grade  02 = Second grade  03 = Third grade  04 = Fourth grade  05 = Fifth grade  06 = Sixth grade  07 = Seventh grade  08 = Eighth grade  09 = Ninth grade  10 = Tenth grade  11 = Eleventh grade  12 = Twelfth grade | CALPADS   1.25<br>GradeLevelWhenA ssessed |



Student Information (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 13      | 185            | 186          | 2      | GradeAssessed   Grade Assessed  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This is the grade level at the time the student started the first test for the Initial ELPAC. If the student did not test, the grade level assessed is the grade level at which the student was eligible to test.  Note: For students who were assigned domain exemptions, the grade level assessed is the grade recorded at the time the score was received | Alphanumeric  KN = Kindergarten  01 = First grade  02 = Second grade  03 = Third grade  04 = Fourth grade  05 = Fifth grade  06 = Sixth grade  07 = Seventh grade  08 = Eighth grade  09 = Ninth grade  10 = Tenth grade  11 = Eleventh grade  12 = Twelfth grade | TOMS: Grade<br>Assessed       |



# **Enrollment Information (Fields 14–18)**

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element                 |
|---------|----------------|--------------|--------|--|-------------------------------|---|
| 14      | 187            | 189          | 3      | TKIndicator   TK Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students will be taken daily until the end of the Initial ELPAC and Initial Alt ELPAC testing window.  | Alphanumeric<br>Yes or No     | CALPADS  <br>TransitionalKinderg<br>arten     |
| 15      | 190            | 203          | 14     | CALPADSDistrictCode   CALPADS District Code This is the latest district code received from CALPADS  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric                  | CALPADS   2.06 ResponsibleDistrict Identifier |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element                  |
|---------|----------------|--------------|--------|---|-------------------------------|--|
| 16      | 204            | 217          | 14     | CALPADSSchoolCode   CALPADS School Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  Latest school code received from CALPADS  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric                  | CALPADS   2.07<br>ResponsibleSchool Identifier |



Enrollment Information (continuation)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element          |
|---------|----------------|--------------|--------|---|---|--|
| 17      | 218            | 221          | 4      | CALPADSCharterCode   CALPADS Charter Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.                         | Alphanumeric or blank (Non-Charter schools)   | CALPADS   ResponsibleSchool Identifier |
| 18      | 222            | 223          | 2      | CALPADSCharterSchoolIn dicator   CALPADS Charter School Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alpha or blank  DF = Direct funded charter school  LF = Locally funded charter school | CALPADS   CharterSchoolIndic ator      |



# **Program Participation (Fields 19–23)**

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element           |
|---------|----------------|--------------|--------|--|-------------------------------|---|
| 19      | 224            | 230          | 7      | SPEDACCTDist   Special Education District of Accountability  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field is a two-digit county and five-digit district code.  It is used for aggregating nonpublic, nonsectarian school (NPS) students to their home LEA. All other students are aggregated to the county-district-school or direct funded charter school in which the students tested. If the NPS School Flag is "Y," then the Special Education District of Accountability where the student is enrolled is used for aggregating. The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric (0–9) or blank   | CALPADS  3.22 EsilDSpecEduAcct bltyDist |



Program Participation (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type                | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 20      | 231            | 231          | 1      | CALPADSNPSSchoolFlag   NPS School Flag  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Y, N, or blank  Y = Yes  N = No | CALPADS <br>1.06              |
| 21      | 232            | 234          | 3      | Section504Status   Section 504 Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.  | Alphanumeric Yes or No                       | CALPADS  <br>Section504Status |



Program Participation (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element    |
|---------|----------------|--------------|--------|---|---|----------------------------------|
| 22      | 235            | 237          | 3      | CALPADSIDEAIndicator   IDEA Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.                   | Alphanumeric<br>Yes or No   | CALPADS  <br>IDEAIndicator       |
| 23      | 238            | 240          | 3      | PrimaryDisabilityType   CALPADS Primary Disability Type  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric or blank Codes are listed in the Primary Disability Codes reference table. | CALPADS   PrimaryDisabilityTy pe |



# **Language Proficiency Information (Fields 24–29)**

|         | Field | Field |        | FieldName   Field  |                                    | Data Source   Data                        |
|---------|-------|-------|--------|--|------------------------------------|---|
| Field # | Start | End   | Length | Description  | Acceptable Values   Data Type      | Element                                   |
| 24      | 241   | 243   | 3      | MigrantStatus   Migrant Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window  | Alphanumeric<br>Yes or No          | CALPADS <br>3.20 MigrantStatus            |
| 25      | 244   | 253   | 10     | ELEntryDate   EL Entry Date  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This is the date the student was assigned as an English learner (EL). It is the year, month, and day the student was classified as an EL and entered the English language development program. | Alphanumeric (YYYY-MM-DD) or blank | CALPADS EnglishLearnerIden tificationDate |



Language Proficiency Information (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element              |
|---------|----------------|--------------|--------|--|---|--|
| 26      | 254            | 263          | 10     | FirstEntryDateInUSSchool   First Entry Date in US School  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric (YYYY-MM-DD) or blank  | CALPADS   2.45 FirstEntryDateInto USSchool |
| 27      | 264            | 267          | 4      | CalculatedELAS   Calculated English Language Acquisition Status  This is applicable to Initial ELPAC (online and paper) and Initial Alternate ELPAC.   | Alphanumeric or blank  IFEP = Initial fluent English proficient  EL = English learner | Scoring (derived)                          |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element      |
|---------|----------------|--------------|--------|---|--|------------------------------------|
| 28      | 268            | 277          | 10     | EnrollmentEffectiveDate   Enrollment Effective Date  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric (YYYY-MM-DD)  This is the California school entry date. | CALPADS   EnrollmentEffective Date |



Language Proficiency Information (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element                     |
|---------|----------------|--------------|--------|--|-------------------------------|---|
| 29      | 278            | 280          | 3      | ELASforTesting   English Language Acquisition Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The English Language Acquisition Status (ELAS) demographic snapshot for a tested student was taken at the time the student starts the first test for the Initial or Initial Alt ELPAC and not-tested students is taken daily until at the end of the Initial ELPAC testing window.  Note: For students who are assigned domain exemption for the Initial ELPAC, ELAS demographic snapshot is taken at the test completion event | TBD (To be determined) .      | CALPADS   12.13 EnglishLanguageA cquisitionStatus |



# **Background Information (Fields 30–35)**

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 30      | 281            | 283          | 3      | PrimaryLanguageforTestin g   Primary Language  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This is the primary language demographic snapshot for tested students was taken at the time TOMS received the first test event for the Initial and Initial Alt ELPAC.  For students who were assigned domain exemption for the Initial ELPAC, the demographic snapshot was taken at the test completion event.  If a student did not test, the student's registered primary language value is reported. | Alphanumeric or blank  Codes are listed in the CALPADS  Primary Language Codes reference table. | CALPADS LanguageCodeCA LPADS  |



Background Information (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element              |
|---------|----------------|--------------|--------|---|-------------------------------|--|
| 31      | 284            | 286          | 3      | CEDSLanguageCode   Language Code (CEDS)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.  Codes are listed in the CEDS Language Codes reference table. | Alphanumeric or blank         | CALPADS  <br>12.15<br>LanguageCodeCE<br>DS |
| 32      | 287            | 289          | 3      | MilitaryStatus   Military Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until at the end of the Initial and Initial Alt ELPAC testing window.   | Alphanumeric<br>Yes or No     | CALPADS<br>MilitaryStatus                  |



#### Background Information (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 33      | 290            | 292          | 3      | FosterStatus   Foster Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Yes, No or blank  Note: This field is used as a filler field of three spaces for the 2021–2022 administration. | CALPADS<br>FosterStatus       |



Background Information (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element               |
|---------|----------------|--------------|--------|--|-------------------------------|---|
| 34      | 293            | 295          | 3      | Homeless Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.  | Alphanumeric<br>Yes or No     | CALPADS 3.23 HomelessStatus                 |
| 35      | 296            | 298          | 3      | EconomicDisadvantageStat us   CALPADS Economic Disadvantage Status  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Yes or No        | CALPADS  <br>EconomicDisadvan<br>tageStatus |



### Ethnicity/Race (Fields 36–44)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element                      |
|---------|----------------|--------------|--------|--|-------------------------------|--|
| 36      | 299            | 301          | 3      | HispanicorLatino   Hispanic or Latino  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.                            | Alphanumeric Yes or No .      | CALPADS  <br>2.23<br>HispanicOrLatinoEt<br>hnicity |
| 37      | 302            | 304          | 3      | AmericanIndianorAlaskaNa tive   American Indian or Alaska Native  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Yes or No        | CALPADS  <br>AmericanIndianOr<br>AlaskaNative      |



Ethnicity/Race (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element           |
|---------|----------------|--------------|--------|--|-------------------------------|---|
| 38      | 305            | 307          | 3      | Asian  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.  | Alphanumeric Yes or No        | CALPADS  <br>Asian                      |
| 39      | 308            | 310          | 3      | BlackorAfricanAmerican   Black or African American  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Yes or No        | CALPADS  <br>BlackOrAfricanAm<br>erican |



Ethnicity/Race (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element                             |
|---------|----------------|--------------|--------|---|-------------------------------|---|
| 40      | 311            | 313          | 3      | White  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.   | Alphanumeric Yes or No        | CALPADS  <br>White  |
| 41      | 314            | 316          | 3      | HawaiianorOtherPacificIsla nder   Native Hawaiian or Other Pacific Islander  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Yes or No        | CALPADS  <br>NativeHawaiianOr<br>OtherPacificIslande<br>r |



Ethnicity/Race (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element                                 |
|---------|----------------|--------------|--------|--|-------------------------------|---|
| 42      | 317            | 319          | 3      | Filipino  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window.   | Alphanumeric Yes or No        | CALPADS  <br>Filipino   |
| 43      | 320            | 322          | 3      | TwoorMoreRaces   Two or More Races  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This field represents the ethnicity "Two or More Races" or if no ethnicity was reported.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Yes or No        | Sourced from<br>CALPADS <br>DemographicRace<br>TwoOrMoreRaces |



Ethnicity/Race (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element                             |
|---------|----------------|--------------|--------|---|--|---|
| 44      | 323            | 325          | 3      | ReportingEthnicity   Reporting Ethnicity  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  Students who do not have ethnicity (blank) value received from CALPADS by TOMS is grouped in reporting ethnicity '800' | Alphanumeric Blank is not an acceptable value  100 = American Indian or Alaska Native  200 = Asian 300 = Native Hawaiian or Pacific Islander  400 = Filipino 500 = Hispanic or Latino 600 = Black or African American 700 = White 800 = Two or More Races or blank | Derived field based<br>on "Yes" values in<br>fields 33–40 |



### Other Information (Field 45–52)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element               |
|---------|----------------|--------------|--------|---|--|---|
| 45      | 326            | 327          | 2      | ParentEducationLevel   Parent Education Level  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  The demographic snapshot for tested and not-tested students is taken daily until the end of the Initial and Initial Alt ELPAC testing window. | <ul> <li>Numeric or blank</li> <li>10 = Graduate Degree or Higher</li> <li>11 = College Graduate</li> <li>12 = Some College or Associate</li> <li>13 = High School Graduate</li> <li>14 = Not a high school graduate</li> <li>15 = Decline to State</li> </ul> | CALPADS   2.50 ParentHighestEduc ationLevel |
| 46      | 328            | 387          | 60     | StudentAddressLine1   Student Address Line 1  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   | Alphanumeric or blank.  Blank = If address is not received from CALPADS.   | CALPADS  <br>ResidentialAddress<br>Line1    |
| 47      | 388            | 447          | 60     | StudentAddressLine2   Student Address Line 2  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   | Alphanumeric or blank.  Blank = If address is not received from CALPADS.   | CALPADS  <br>ResidentialAddress<br>Line2    |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element                        |
|---------|----------------|--------------|--------|---|--|--|
| 48      | 448            | 507          | 60     | StudentAddressCityName   Student Address City  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.                                    | Alphanumeric or blank.  Blank = If address is not received from CALPADS.                             | CALPADS  <br>ResidentialAddress<br>CityName          |
| 49      | 508            | 513          | 6      | StudentAddressStateName   Student State Name  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.                                     | Alphanumeric or blank.  Blank = If address is not received from CALPADS.                             | CALPADS  <br>ResidentialAddress<br>StateProvinceCode |
| 50      | 514            | 525          | 12     | StudentAddressZipCode   Student Zip Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   | Alphanumeric or blank.  Blank = If address is not received from CALPADS.                             | CALPADS  <br>ResidentialAddress<br>ZipCode           |
| 51      | 526            | 535          | 10     | SSRApprovedDate   SSR Approved Date  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This date is the SSR approved date in TOMS. | Alphanumeric (YYYY-MM-DD) or blank.  Blank = The student did not test or the SSR Eligible Flag = 'N' | TOMS   |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 52      | 536            | 536          | 1      | TestedStatus   Tested Status  This field is applicable to both the Initial ELPAC and | Alphanumeric  Y = Tested  N = Not tested   | TOMS                          |
|         |                |              |        | Initial Alternate ELPAC.   | Y = Tested when the attemptedness of the student score is "P" or "Y."  N = Not tested when the student did not test or has a condition code of "NT." |                               |



## Test Details (Fields 53–110)

## Testing Locations and Testing Dates (Fields 53–96)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 53      | 537            | 636          | 100    | Tested LEA Name 1— Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the LEA name where the test was submitted by the student, regardless of whether the student moved or not. If the student did not test this domain, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial and Initial Alt ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered LEA name. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation one)

|               |      |                               |   |        |       | i     |         |
|---------------|------|-------------------------------|---|--------|-------|-------|---------|
| Source   Data |      |                               | FieldName   Field   |        | Field | Field |         |
| Element       | Ele  | Acceptable Values   Data Type | Description   | Length | End   | Start | Field # |
|               | TOMS | Alphanumeric                  | Tested District Code 1   Tested County-District Code 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC  This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test this domain, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial and Initial Alt ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered county-district code. This is | 14     | 650   | 637   | 54      |
|               |      |                               | both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC  This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test this domain, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial and Initial Alt ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered county-   |        |       |       |         |



Testing Locations and Testing Dates (continuation two)

| Field | Field |           | FieldName   Field   |  | Data Source   Data   |
|-------|-------|-----------|---|--|--|
| Start | End   | Length    | Description   | Acceptable Values   Data Type  | Element  |
| 651   | 750   | 100       | Tested School Name 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the school name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test this domain, this field is populated with the school name of the last enrollment with valid registration at the end of the Initial and Initial Alt ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered school | Acceptable Values   Data Type Alphanumeric   | TOMS   |
|       |       |           | all grades.   |  |  |
|       | Start | Start End | Start End Length  | Tested School Name 1   This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.    This field shows the school name where the test was submitted by the student, regardless of whether the student moved.    If the student did not test this domain, this field is populated with the school name of the last enrollment with valid registration at the end of the Initial and Initial Alt ELPAC testing window.    If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered school name. This is applicable for | Start   End   Length   Description   Acceptable Values   Data Type |



Testing Locations and Testing Dates (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 56      | 751            | 764          | 14     | Tested School Code 1— Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the school code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test this domain, this field is populated with the school code of the last enrollment with a valid registration at the end of the Initial and Initial Alt ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, they will be reported under the registered school code. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 57      | 765            | 766          | 2      | Tested Charter School Indicator 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end Initial ELPAC of the testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered charter school indicator. This is applicable for all grades. | Alphanumeric or blank  DF = Direct funded charter school  LF = Locally funded charter school | TOMS                          |



Testing Locations and Testing Dates (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 58      | 767            | 770          | 4      | Tested Charter School Code 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the tested charter code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter code of the last enrollment with valid registration at the end of the Initial and Initial Alt ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered charter code. This is applicable for all grades. | Alphanumeric or blank         | TOMS                          |



Testing Locations and Testing Dates (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 59      | 771            | 771          | 1      | Tested School NPS Flag 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the NPS flag of the last enrollment with a valid registration at the end of the Initial and Initial Alt ELPAC testing window. | Alphanumeric Y, N, or blank   | TOMS                          |
|         |                |              |        | If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the enrolled school NPS flag. This is applicable for all grades   |                               |                               |



Testing Locations and Testing Dates (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type      | Data Source   Data<br>Element                          |
|---------|----------------|--------------|--------|---|------------------------------------|--|
| 60      | 772            | 781          | 10     | TestStartDate1   Test Start Date 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This is the date when the test started for the listening domain.  A blank value is acceptable only for students who did not test or were assigned a domain exemption. | Alphanumeric (YYYY-MM-DD) or blank | Test delivery system (TDS), Data Entry Interface (DEI) |



Testing Locations and Testing Dates (continuation eight)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|------------------------------------|-------------------------------|
| 61      | 782            | 791          | 10     | TestCompletedDate1   Testing Completed Date 1—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field shows the testing completed date when the test was submitted in the TDS or DEI.  In the case of an expired test, the test completion date is populated using the expiration date. An expired test opportunity was expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial and Initial Alt ELPAC testing window.  A blank value is acceptable only for students who did not test or were assigned a domain exemption. | Alphanumeric (YYYY-MM-DD) or blank | TDS, DEI                      |



Testing Locations and Testing Dates (continuation nine)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source  <br>Data Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 62      | 792            | 891          | 100    | Tested LEA Name 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the district name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered LEA name. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 10)

| F: . I . I . II | Field                 | Field               | 1 0          | FieldName   Field  | Associate Value I Bate Toron               | Data Source   Data               |
|-----------------|-----------------------|---------------------|--------------|--|--|----------------------------------|
| Field #         | Field<br>Start<br>892 | Field<br>End<br>905 | Length<br>14 | FieldName   Field Description  TestedDistrictCode2   Tested County-District Code 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the county-district code where the test was submitted by the student, regardless of whether the student  | Acceptable Values   Data Type Alphanumeric | Data Source   Data Element  TOMS |
|                 |                       |                     |              | moved.  If the student did not test, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered county-district code. This is applicable for all grades. |  |                                  |



Testing Locations and Testing Dates (continuation 11)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 64      | 906            | 1005         | 100    | Tested School Name 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the school name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the school name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, they will be reported under the registered school name. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 12)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |  |  |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|--|--|
| 65      | 1006           | 1019         | 14     | Tested School Code 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the school code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, the student is reported under the registered school code. This is applicable for all grades. | Alphanumeric                  | TOMS                          |  |  |



Testing Locations and Testing Dates (continuation 13)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 66      | 1020           | 1021         | 2      | TestedCharterSchoolIndica tor2   Tested Charter School Indicator 2— Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the Charter School Indicator of the school where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, the student is reported under the registered charter school indicator. This is applicable for all grades. | Alphanumeric or blank  • DF = Direct funded charter school  • LF = Locally funded charter school | TOMS                          |



Testing Locations and Testing Dates (continuation 14)

|         |                |              |        |   |                                | ·                             |
|---------|----------------|--------------|--------|---|--------------------------------|-------------------------------|
| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
| 67      | 1022           | 1025         | 4      | Tested Charter School Code 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the tested charter code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter code of the last enrollment with valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered charter code. This is applicable for all grades. | Alphanumeric 4 digits or blank | TOMS                          |



Testing Locations and Testing Dates (continuation 15)

| <b>-</b> | Field | Field |        | FieldName   Field  |                               | Data Source   Data |
|----------|-------|-------|--------|--|-------------------------------|--------------------|
| Field #  | Start | End   | Length | Description  | Acceptable Values   Data Type | Element            |
| 68       | 1026  | 1026  | 1      | TestedSchoolSchoolNPSFI  | Alphanumeric                  | TOMS               |
|          |       |       |        | ag2   Tested School NPS<br>Flag 2—Speaking   | Y, N, or blank                |                    |
|          |       |       |        | This field is applicable to the Initial ELPAC (Speaking domain).   |                               |                    |
|          |       |       |        | This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved.   |                               |                    |
|          |       |       |        | If the student did not test, this field is populated with the school NPS flag of the last enrollment with a valid registration at the end of the Initial ELPAC testing window. |                               |                    |
|          |       |       |        | If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered school NPS flag. This is applicable for all grades.   |                               |                    |



Testing Locations and Testing Dates (continuation 16)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|------------------------------------|-------------------------------|
| 69      | 1027           | 1036         | 10     | TestStartDate2   Test Start Date 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This is the date when the test started for the speaking domain  A blank value is acceptable only for students who did | Alphanumeric (YYYY–MM–DD) or blank | DEI                           |
|         |                |              |        | not test or were assigned a domain exemption.  |                                    |                               |



Testing Locations and Testing Dates (continuation 17)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|------------------------------------|-------------------------------|
| 70      | 1037           | 1046         | 10     | TestCompletedDate2   Testing Completed Date 2—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field shows the testing completed date when the test was submitted in the TDS or DEI.  In case of an expired test, the test completion date is populated using the expiration date. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial ELPAC testing window.  A blank value is acceptable only for students who did not test or were assigned a domain exemption. | Alphanumeric (YYYY-MM-DD) or blank | DEI                           |



Testing Locations and Testing Dates (continuation 18)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 71      | 1047           | 1146         | 100    | TestedDistrictName3   Tested LEA Name 3— Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the LEA name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered district name. This is applicable for all grades. | Alphanumeric Alphanumeric     | TOMS                          |



Testing Locations and Testing Dates (continuation 19)

| Field # | Field<br>Start | Field<br>End | Length  | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|---|--|-------------------------------|-------------------------------|
| 72      | 1147           | 1160         | 14  | Tested District Code 3   Tested County-District Code 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for | Alphanumeric                  | TOMS                          |
|         |                |              |   | both domains for the Initial ELPAC, this field displays the registered county-   |                               |                               |
|         |                |              | district code. This is applicable for all grades. |  |                               |                               |



Testing Locations and Testing Dates (continuation 20)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 73      | 1161           | 1260         | 100    | Tested School Name 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the school name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the school name of the last enrollment with valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, the student is reported under the registered school name. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 21)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 74      | 1261           | 1274         | 14     | Tested School Code 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the school code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field would be populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, the student is reported under the registered school code. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 22)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 75      | 1275           | 1276         | 2      | TestedCharterSchoolIndica tor3   Tested Charter School Indicator 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end of the testing Initial ELPAC window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered charter school indicator. This is applicable for all grades. | Alphanumeric or blank  • DF = Direct funded charter school  • LF = Locally funded charter school | TOMS                          |



Testing Locations and Testing Dates (continuation 23)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 76      | 1277           | 1280         | 4      | Tested Charter School Code 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the tested charter code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter code of the last enrollment with valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field will display the registered charter code. This is applicable for all grades. | Alphanumeric or blank         | TOMS                          |



Testing Locations and Testing Dates (continuation 24)

| 77 1281 1281 1 TestedSchoolNPSFlag3   Alphan  | Data Source   Data Ceptable Values   Data Type |
|---|--|
|   | numeric TOMS                                   |
| Tested School NPS Flag 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the school NPS flag where the test was submitted by the student, regardless of whether the student moved or not.  If the student did not test, this field would be populated with the school NPS flag of the last enrollment with a valid registration at the end of Initial ELPAC the testing window.  If the student is assigned domain exemptions for both domains for the Initial ELPAC, this field will display the registered school NPS flag. This is applicable for all grades. | or blank                                       |



Testing Locations and Testing Dates (continuation 25)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|------------------------------------|-------------------------------|
| 78      | 1282           | 1291         | 10     | TestStartDate3   Test Start Date 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This is the date when the test started for the reading domain  A blank value is acceptable only for students who did not test or were assigned a domain exemption. | Alphanumeric (YYYY-MM-DD) or blank | TDS, DEI                      |



Testing Locations and Testing Dates (continuation 26)

| <b>-</b> :" | Field                  | Field                |           | FieldName   Field   |  | Data Source   Data                   |
|-------------|------------------------|----------------------|-----------|---|--|--------------------------------------|
| Field # 79  | Field<br>Start<br>1292 | Field<br>End<br>1301 | Length 10 | TestCompletedDate3   Testing Completed Date 3—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field shows the testing completed date when the test was submitted in the TDS or DEI.  In case of an expired test, the test completion date is populated using the expiration date. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial ELPAC testing window. | Acceptable Values   Data Type Alphanumeric (YYYY-MM-DD) or blank | Data Source   Data Element  TDS, DEI |
|             |                        |                      |           | A blank value is acceptable only for students who did not test or were assigned a domain exemption.   |  |                                      |



Testing Locations and Testing Dates (continuation 27)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 80      | 1302           | 1401         | 100    | Tested LEA Name 4— Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the district name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the district name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered district name. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 28)

|       |                        | ,         | ·  |                                    |  |
|-------|------------------------|-----------|--|------------------------------------|--|
|       | Field                  |           |  |                                    | Data Source   Data   |
| Start | End                    | Length    | Description  | Acceptable Values   Data Type      | Element  |
| 1402  | 1415                   | 14        | TestedDistrictCode4   Tested County-District Code 4—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the county-district code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered county-district code. This is | Alphanumeric                       | TOMS   |
|       | Field<br>Start<br>1402 | Start End | Start End Length   | Start   End   Length   Description | Start   End   Length   Description   Acceptable Values   Data Type |



Testing Locations and Testing Dates (continuation 29)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 82      | 1416           | 1515         | 100    | Tested School Name 4—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the school name where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the school name of the last enrollment with valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, the student is reported under the registered school name. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 30)

|         |                |              |        | · · · · · · · · · · · · · · · · · · ·  |                               |                               |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
| 83      | 1516           | 1529         | 14     | Tested School Code 4— Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the school code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, the student is reported under the registered school code. This is applicable for all grades. | Alphanumeric                  | TOMS                          |



Testing Locations and Testing Dates (continuation 31)

|         | Field | Field |        | FieldName   Field   |  | Data Source   Data |
|---------|-------|-------|--------|---|--|--------------------|
| Field # | Start | End   | Length | Description   | Acceptable Values   Data Type  | Element            |
| 84      | 1530  | 1531  | 2      | TestedCharterSchoolIndica tor4   Tested Charter School Indicator 4—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the tested charter school indicator where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.  If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered charter school indicator. This is applicable for all grades. | Alphanumeric or blank  • DF = Direct funded charter school  • LF = Locally funded charter school | TOMS               |



Testing Locations and Testing Dates (continuation 32)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 85      | 1532           | 1535         | 4      | Tested Charter School Code 4—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the tested charter code where the test was submitted by the student, regardless of whether the student moved.  If the student did not test, this field is populated with the charter code of the last enrollment with valid registration at the end of the Initial ELPAC testing window.  If the student was assigned | Alphanumeric or blank         | TOMS                          |
|         |                |              |        | domain exemptions for both domains for the Initial ELPAC, this field displays the registered charter code.  |                               |                               |
|         |                |              |        | This is applicable for all grades.  |                               |                               |



Testing Locations and Testing Dates (continuation 33)

|            |                        |                      | ,           | ,<br>  | <u>-</u>  |                                  |
|------------|------------------------|----------------------|-------------|--|---|----------------------------------|
|            |                        |                      |             |  |   |                                  |
| Field #    | Start                  | End                  | Length      | Description  | Acceptable Values   Data Type                             | Element                          |
| Field # 86 | Field<br>Start<br>1536 | Field<br>End<br>1536 | Length<br>1 | FieldName   Field Description  TestedSchoolNPSFlag4   Tested School NPS Flag 4—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the tested school NPS flag where the test was submitted by the student, regardless of whether the student moved. | Acceptable Values   Data Type Alphanumeric Y, N, or blank | Data Source   Data Element  TOMS |
|            |                        |                      |             | If the student did not test, this field is populated with the school NPS flag of the last enrollment with a valid registration at the end of Initial ELPAC the testing window.   |   |                                  |
|            |                        |                      |             | If the student was assigned domain exemptions for both domains for the Initial ELPAC, this field displays the registered school NPS flag. This is applicable for all grades.   |   |                                  |



Testing Locations and Testing Dates (continuation 34)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 87      | 1537           | 1546         | 10     | TestStartDate4   Test Start<br>Date 4—Writing   | Alphanumeric (YYYY–MM–DD) or blank   | TDS, DEI                      |
|         |                |              |        | This field is applicable to the Initial ELPAC (Writing domain).                                     | The date when the test started for Writing domain. A blank value is only acceptable for students who did not test for this domain. |                               |
|         |                |              |        | This is the date when the test started for the writing domain                                       |  |                               |
|         |                |              |        | A blank value is acceptable only for students who did not test or were assigned a domain exemption. |  |                               |



Testing Locations and Testing Dates (continuation 35)

|         | Field | Field |        | FieldName   Field  |                                    | Data Source   Data |
|---------|-------|-------|--------|--|------------------------------------|--------------------|
| Field # | Start | End   | Length | Description  | Acceptable Values   Data Type      | Element            |
| 88      | 1547  | 1557  | 11     | TestCompletedDate4   Testing Completed Date 4—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field shows the testing completed date when the test was submitted in the TDS or DEI.  In case of an expired test, the test completion date is populated using the expiration date. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial ELPAC testing window.  A blank value is acceptable only for students who did not test or were assigned a domain exemption. | Alphanumeric (YYYY-MM-DD) or blank | TDS, DEI           |



Testing Locations and Testing Dates (continuation 36)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 89      | 1558           | 1657         | 100    | FinalTestedDistrictName   Final Tested LEA Name This field is applicable to   | Alphanumeric                  | TOMS                          |
|         |                |              |        | both the Initial ELPAC and Initial Alternate ELPAC.   |                               |                               |
|         |                |              |        | This field displays the LEA name of the final tested LEA for the individual test for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting. |                               |                               |
|         |                |              |        | If the student did not test, then this field is populated with the student's last registered location in TOMS.  |                               |                               |



Testing Locations and Testing Dates (continuation 37)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 90      | 1658           | 1671         | 14     | FinalTestedDistrictCode   Final Tested County- District Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This field displays the County, or District code of the final tested LEA for the individual test for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting.  If the student did not test, then this field is populated with the student's last registered location in TOMS. | Alphanumeric                  | TOMS                          |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 91      | 1672           | 1771         | 100    | FinalTestedSchoolName  <br>Final Tested School Name   | Alphanumeric                  | TOMS                          |
|         |                |              |        | This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   |                               |                               |
|         |                |              |        | This field displays the school name of the final tested school for the individual test for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting. |                               |                               |
|         |                |              |        | If the student did not test,<br>then this field is populated<br>with the student's last<br>TOMS registered location.  |                               |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 92      | 1772           | 1785         | 14     | FinalTestedSchoolCode  <br>Final Tested School Code  | Alphanumeric                  | TOMS                          |
|         |                |              |        | This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  |                               |                               |
|         |                |              |        | This field displays the school code of the final tested LEA for the individual test for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting. |                               |                               |
|         |                |              |        | If the student did not test,<br>then this field is populated<br>with the student's last<br>registered location in<br>TOMS.   |                               |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 93      | 1786           | 1787         | 2      | FinalTestedCharterSchooll ndicator   Final Tested Charter School Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This field displays the charter school Indicator of the final tested school for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting. | Alphanumeric or blank  DF = Direct funded charter school  LF = Locally funded charter school | TOMS                          |
|         |                |              |        | If the student did not test, then this field is populated with the student's last TOMS registered location.   |  |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 94      | 1788           | 1791         | 4      | FinalTestedCharterCode   Final Tested Charter Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This field displays the final Tested Charter Code of the final tested school for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for tested LEA student data files and | Alphanumeric                  | TOMS                          |
|         |                |              |        | If the student did not test, then this field is populated with the student's last TOMS registered location.   |                               |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type                            | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 95      | 1792           | 1792         | 1      | FinalTestedSchoolNPSFlag   Final Tested School NPS Flag  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This field displays the NPS Flag of the final tested school for Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for tested LEA student data files and aggregate reporting. | Alphanumeric or blank  Y=NPS school  N=not an NPS school | TOMS                          |
|         |                |              |        | If the student did not test, then this field is populated with the student's last TOMS registered location.  |  |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 96      | 1793           | 1802         | 10     | FinalTestCompletedDate   Final Test Completed Date  This field is applicable to both the Initial ELPAC and   | Alphanumeric (YYYY–MM–DD)     | TOMS                          |
|         |                |              |        | Initial Alternate ELPAC.  The final testing completed date for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC will be used to     |                               |                               |
|         |                |              |        | identify the final tested LEA and School and the date is printed on the Student Score Report (SSR).  If the student did not test, then this field will be blank. |                               |                               |



## Test Identification (Fields 97–104)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 97      | 1803           | 1818         | 16     | OpportunityID1   Opportunity ID—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and the Initial Alternate ELPAC. | Alphanumeric or blank         | TDS, DEI                      |
|         |                |              |        | This is a unique testing opportunity identifier that allows linkage to a testing session and students responses.  A blank value is the            |                               |                               |
|         |                |              |        | accepted only for students who did not test or were assigned a domain exemption.  |                               |                               |



Test Identification (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type                             | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 98      | 1819           | 1819         | 1      | Opportunity Testing Status—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and the Initial Alternate ELPAC. This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.  A completed test opportunity is one that is submitted. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial and Initial Alt ELPAC testing window.  A blank value is the accepted only for students who did not test or were assigned a domain exemption. | Alphanumeric or blank    • C = Completed    • E = Expired | TDS, DEI                      |



Test Identification (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 99      | 1820           | 1835         | 16     | OpportunityID2   Opportunity ID—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This is a unique testing opportunity identifier that allows linkage to a testing session and a student's responses.  A blank value is the accepted only for students who did not test or were assigned a domain exemption. | Alphanumeric or blank         | TDS, DEI                      |



Test Identification (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type                             | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 100     | 1836           | 1836         | 1      | Opportunity Testing Status—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This is the latest testing opportunity status code received from the DEI for the corresponding opportunity ID.  A completed test opportunity is one that is submitted. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial ELPAC testing window.  A blank value is the accepted only for students who did not test or were assigned a domain exemption. | Alphanumeric or blank    • C = Completed    • E = Expired | DEI                           |



Test Identification (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 101     | 1837           | 1852         | 16     | OpportunityID3   Opportunity ID—Reading This field is applicable to the Initial ELPAC (Reading domain). This is a unique testing opportunity identifier that allows linkage to a testing session and a student's responses.  A blank value is the accepted only for students who did not test or were assigned a domain exemption. | Alphanumeric or blank         | TDS, DEI                      |



Test Identification (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type                             | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 102     | 1853           | 1853         | 1      | OpportunityTestingStatus3   Opportunity Testing Status—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.  A blank value is the accepted only for students who did not test or were assigned a domain exemption. | Alphanumeric or blank    • C = Completed    • E = Expired | TDS, DEI                      |



Test Identification (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|-------------------------------|-------------------------------|
| 103     | 1854           | 1869         | 16     | OpportunityID4   Opportunity ID—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This is a unique testing opportunity identifier that allows linkage to a testing session and students responses.  A blank value is the accepted only for students who did not test or were assigned a domain exemption. | Alphanumeric or blank         | TDS, DEI                      |



Test Identification (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type                      | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 104     | 1870           | 1870         | 1      | Opportunity Testing Status—Writing This field is applicable to the Initial ELPAC (Writing domain).  This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.  A completed test opportunity is one that is submitted. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program, or automatically expired at the end of the Initial ELPAC testing window.  A blank value is acceptable only for students who did not test, partially completed the test, or were assigned a domain exemption. | Alpha or blank    • C = Completed    • E = Expired | TDS, DEI                      |



## Testing Special Conditions (Fields 105–110)

|         | · •            |              |        |  |                                    |                               |
|---------|----------------|--------------|--------|--|------------------------------------|-------------------------------|
| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type      | Data Source   Data<br>Element |
| 105     | 1871           | 1874         | 4      | StudentExitCode   Student Exit Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This is populated with an exit code received from CALPADS.   | Alphanumeric or blank              | CALPADS  <br>StuExitCatgKey   |
| 106     | 1875           | 1884         | 10     | StudentExitWithdrawalDate   Student Exit Withdrawal Date  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This is populated with the student exit withdrawal date that the LEA enters into CALPADS. | Alphanumeric (YYYY-MM-DD) or blank | CALPADS  <br>WithdrlDate      |



Testing Special Conditions (continuation one)

|         | Field | Field |        | FieldName   Field  |   | Data Source   Data |
|---------|-------|-------|--------|--|---|--------------------|
| Field # | Start | End   | Length | Description  | Acceptable Values   Data Type   | Element            |
| 107     | 1885  | 1894  | 10     | StudentRemovedCALPAD SFileDate   Student Removed from CALPADS File Date  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  This date is used to determine whether a student's test enrollment should be changed from valid to invalid status. | Alphanumeric (YYYY-MM-DD) or blank  | TOMS (derived)     |
| 108     | 1895  | 1895  | 1      | ELASCorrectionCode   ELAS Correction Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   | Alphanumeric or blank  1 = Evidence of Non-English Primary Language 2 = Rotating Score Validation Process Error 3 = Home Language Survey Error 4 = Ineligible Student Tested 5 = Evidence for EL or IFEP  This field will be blank if the value is not received from CALPADS. |                    |



### Testing Special Conditions (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type                                   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 109     | 1896           | 1898         | 3      | ConditionCode   Condition Code  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  A blank value represents the student tested and no domain exemption was assigned in TOMS for the student. | Alphanumeric or blank  • NT = Not tested  • EXD = Exempt domain | TOMS                          |
| 110     | 1899           | 1899         | 1      | Attemptedness  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  Blank is the accepted value only if the student did not test.  | Alphanumeric  P = Partial-completion Y = Completion Blank       | Scoring (derived)             |



# Test Modes (Fields 111–130)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 111     | 1900           | 1900         | 1      | IncludeIndicator   Include Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  These indicators are used to determine which students and scores are included in the Aggregate files. | <ul> <li>Alphanumeric</li> <li>N = The student did not test.</li> <li>T = The student tested and did not meet the participation rule or received an attemptedness value of "P."</li> <li>Y = The student tested, received a valid score, and met the participation rule or received an attemptedness value of "Y." This can include the ALT or EXD condition codes.</li> </ul> | TOMS (derived)                |



Test Modes (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 112     | 1901           | 1901         | 1      | UnlistedResource1   Unlisted Resources— Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC. | <ul> <li>Alphanumeric</li> <li>Y, N, or blank</li> <li>Y—The approved unlisted resource changes the construct.</li> <li>N—The approved unlisted resource does not change the construct.</li> <li>Blank —No approved unlisted resource was requested or other unapproved unlisted resource was requested.</li> </ul> | TOMS                          |
| 113     | 1902           | 1902         | 1      | UnlistedResource2   Unlisted Resources— Speaking  This field is applicable to the Initial ELPAC (Speaking domain).                                    | <ul> <li>Alphanumeric</li> <li>Y, N, or blank</li> <li>Y—The approved unlisted resource changes the construct.</li> <li>N—The approved unlisted resource does not change the construct.</li> <li>Blank —No approved unlisted resource was requested or other unapproved unlisted resource was requested.</li> </ul> | TOMS                          |



Test Modes (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 114     | 1903           | 1903         | 1      | UnlistedResource3   Unlisted Resources— Reading  This field is applicable to the Initial ELPAC (Reading domain.  | <ul> <li>Alphanumeric</li> <li>Y, N, or blank</li> <li>Y—The approved unlisted resource changes the construct.</li> <li>N—The approved unlisted resource does not change the construct.</li> <li>Blank —No approved unlisted resource was requested or other unapproved unlisted resource was requested.</li> </ul>  | TOMS                          |
| 115     | 1904           | 1904         | 1      | UnlistedResource4   Unlisted Resources— Writing  This field is applicable to the Initial ELPAC (Writing domain). | <ul> <li>Alphanumeric</li> <li>Y, N, or blank</li> <li>Y—The approved unlisted resource changes the construct.</li> <li>N—The approved unlisted resource does not change the construct.</li> <li>Blank —No approved unlisted resource was requested, or other unapproved unlisted resource was requested.</li> </ul> | TOMS                          |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 116     | 1905           | 1905         | 1      | SSREligible   SSR Eligible  | Alphanumeric or blank  | TOMS                          |
|         |                |              |        | This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Y = The value for this field will be "Y" if<br>the student met the minimum<br>requirements to receive a score<br>report. |                               |
|         |                |              |        |   | N = The value for this field will be "N" if no SSR was created.  |                               |
|         |                |              |        |   | Blank = Student did not test.  |                               |
| 117     | 1906           | 1906         | 1      | RemoteTester1   Remote<br>Tester 1—Listening                                    | Alphanumeric or blank  | TDS                           |
|         |                |              |        |   | Y = Remote   |                               |
|         |                |              |        |   | N = In-person  |                               |
|         |                |              |        |   | M = Mixed  |                               |
|         |                |              |        |   | Blank = The student did not test or took a paper–pencil test.  |                               |
| 118     | 1907           | 1907         | 1      | RemoteTester2   Remote<br>Tester 2—Speaking                                     | Alphanumeric or blank  | TDS                           |
|         |                |              |        | , ,   | Y = Remote   |                               |
|         |                |              |        |   | N = In-person  |                               |
|         |                |              |        |   | M = Mixed  |                               |
|         |                |              |        |   | Blank = The student did not test or  |                               |
|         |                |              |        |   | took a paper–pencil test.  |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 119     | 1908           | 1908         | 1      | RemoteTester3   Remote<br>Tester 3—Reading  | Alphanumeric or blank  Y = Remote N = In-person M = Mixed  Blank = The student did not test or took a paper–pencil test.   | TDS                           |
| 120     | 1909           | 1909         | 1      | RemoteTester4   Remote<br>Tester 4—Writing  | Alphanumeric or blank  Y = Remote N = In-person M = Mixed  Blank = The student did not test or took a paper–pencil test.   | TDS                           |
| 121     | 1910           | 1910         | 1      | ForceComplete   Force Complete  The student did not test in one or more domains and the domain(s) were force-completed at the end of the testing window or the student has domain exemptions. | Alphanumeric or blank  Y = The student record was force- completed. The student did not test in one or more domains and the domain(s) were force-completed at the end of the testing window or the student has domain exemptions.  N = The student record was not force- completed. The student tested in all the domains or no domain exemption.  Blank = The student did not test. | TOMS                          |



Test Modes (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type               | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 122     | 1911           | 1911         | 1      | TestMode1   Test Mode—Listening  This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.  This field identifies whether the student tested online or used a paper—pencil test form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form.  Blank is an acceptable value only for students who did not test or were assigned a domain exemption for this domain. | Alphanumeric or blank  O = Online P = Paper | TOMS                          |



Test Modes (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type               | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 123     | 1912           | 1912         | 1      | TestMode2   Test Mode—Speaking  This field is applicable to the Initial ELPAC (Speaking domain).  This field identifies whether the student tested online or used a paper—pencil test form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form. | Alphanumeric or blank  O = Online P = Paper | TOMS                          |
|         |                |              |        | Blank is an acceptable value only for students who did not test or were assigned a domain exemption for this domain.   |   |                               |



Test Modes (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type               | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 124     | 1913           | 1913         | 1      | TestMode3   Test Mode—Reading  This field is applicable to the Initial ELPAC (Reading domain).  This field identifies whether the student tested online or used a paper—pencil test form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form.  Blank is an acceptable | Alphanumeric or blank  O = Online P = Paper | TOMS                          |
|         |                |              |        | value only for students who did not test or were assigned a domain exemption for this domain.  |   |                               |



Test Modes (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 125     | 1914           | 1914         | 1      | TestMode4   Test Mode—Writing  This field is applicable to the Initial ELPAC (Writing domain).  This field identifies whether the student tested online or used a paper—pencil test form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form. | Alphanumeric or blank         | TOMS                          |
|         |                |              |        | Blank is an acceptable value only for students who did not test or were assigned a domain exemption for this domain.   |                               |                               |



Test Modes (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 126     | 1915           | 1917         | 3      | Blank  | Blank  | Blank                         |
| 127     | 1918           | 1919         | 2      | RawScore1   Raw<br>Score1—Listening  This field is applicable to<br>both the Initial ELPAC<br>(Listening domain) and<br>Initial Alternate ELPAC. | <ul> <li>Alphanumeric or blank</li> <li>## = Raw score1 (MIN = 00, MAX = 99)</li> <li>NS = No score; this is an acceptable value because of a domain exemption or because the domain was not tested.</li> <li>Blank = The student did not test.</li> </ul> | Scoring                       |
| 128     | 1920           | 1921         | 2      | RawScore2   Raw<br>Score2—Speaking<br>This field is applicable to<br>the Initial ELPAC<br>(Speaking domain).                                     | <ul> <li>Alphanumeric or blank</li> <li>## = Raw score2 (MIN = 00, MAX = 99)</li> <li>NS = No score; this is an acceptable value because of a domain exemption or because the domain was not tested.</li> <li>Blank = The student did not test.</li> </ul> | Scoring                       |



Test Modes (continuation eight)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 129     | 1922           | 1923         | 2      | RawScore3   Raw<br>Score3—Reading<br>This field is applicable to<br>the Initial ELPAC (Reading<br>domain). | <ul> <li>Alphanumeric or blank</li> <li>## = Raw score3 (MIN = 00, MAX = 99)</li> <li>NS = No score; this is an acceptable value because of a domain exemption or because the domain was not tested.</li> <li>Blank = The student did not test.</li> </ul> | Scoring                       |
| 130     | 1924           | 1925         | 2      | RawScore4   Raw<br>Score4—Writing<br>This field is applicable to<br>the Initial ELPAC (Writing<br>domain). | <ul> <li>Alphanumeric or blank</li> <li>## = Raw score4 (MIN = 00, MAX = 99)</li> <li>NS = No score; this is an acceptable value because of a domain exemption or because the domain was not tested.</li> <li>Blank = The student did not test.</li> </ul> | Scoring                       |



# Test Results (Fields 131–142)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 131     | 1926           | 1929         | 4      | OverallScaleScore   Overall Scale Score  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank 0000–MAX  Overall Scale Score for Initial ELPAC: ### = Overall Scale Score (MIN = 150 and MAX= 600)  Overall Scale Score for Initial Alternate ELPAC: ### = Overall Scale Score (MIN = 101 and MAX= 199)  • NS = No score is assigned if the student received an attemptedness value of "P."  • Blank = The student did not test. | Scoring                       |
| 132     | 1930           | 1969         | 40     | OverallPL   Overall Performance Level  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   | <ul> <li>Alphanumeric or blank</li> <li>Novice English learner</li> <li>Intermediate English learner</li> <li>Initial fluent English proficient (IFEP)</li> <li>NS = No score is assigned if the student received an attemptedness value of "P."</li> <li>Blank = The student did not test.</li> </ul>  | Scoring                       |



Test Results (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 133     | 1970           | 2001         | 32     | OralLanguagePL   Oral Language Performance Level  This field is applicable to the Initial ELPAC.      | <ul> <li>Alphanumeric or blank</li> <li>Beginning to develop</li> <li>Somewhat to moderately developed</li> <li>Well developed</li> <li>NS = No Score is assigned if the student logs onto less than the applicable domains, regardless of whether a domain is present.</li> <li>Blank = The student did not test.</li> </ul> | Scoring                       |
| 134     | 2002           | 2033         | 32     | WrittenLanguagePL   Written Language Performance Level This field is applicable to the Initial ELPAC. | <ul> <li>Alphanumeric or blank</li> <li>Beginning to develop</li> <li>Somewhat to moderately developed</li> <li>Well developed</li> <li>NS = No Score is assigned if the student logs onto less than the applicable domains, regardless of whether a domain is present.</li> <li>Blank = The student did not test.</li> </ul> | Scoring                       |



Test Results (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 135     | 2034           | 2034         | 1      | DomainEx1   Domain<br>Exemption 1   | Alphanumeric  | TOMS                          |
|         |                |              |        | This field is applicable to the Initial ELPAC (Listening domain).  This is a flag indicating that | Y= Student is assigned a domain exemption for Listening.  N= Student did not test, or a domain exemption for Listening is not assigned. |                               |
|         |                |              |        | the Listening domain is exempted.   |   |                               |



Test Results (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description                                 | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 136     | 2035           | 2035         | 1      | DomainEx2   Domain<br>Exemption 2                                | Alphanumeric   | TOMS                          |
|         |                |              |        | This field is applicable to the Initial ELPAC (Speaking domain). | Y= Student is assigned a domain exemption for Speaking.                      |                               |
|         |                |              |        | This is a flag indicating that the Speaking domain is exempted.  | N= Student did not test, or a domain exemption for Speaking is not assigned. |                               |
| 137     | 2036           | 2036         | 1      | DomainEx3   Domain<br>Exemption 3                                | Alphanumeric   | TOMS                          |
|         |                |              |        | This field is applicable to the Initial ELPAC (Reading domain).  | Y= Student is assigned a domain exemption for Reading.                       |                               |
|         |                |              |        | This is a flag indicating that the Reading domain is exempted.   | N= Student did not test, or a domain exemption for Reading is not assigned.  |                               |
| 138     | 2037           | 2037         | 1      | DomainEx4   Domain<br>Exemption 4                                | Alphanumeric   | TOMS                          |
|         |                |              |        | This field is applicable to the Initial ELPAC (Writing domain).  | Y= Student is assigned a domain exemption for Writing.                       |                               |
|         |                |              |        | This is a flag indicating that the Writing domain is exempted.   | N= Student did not test, or a domain exemption for Writing is not assigned.  |                               |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 139     | 2038           | 2039         | 2      | ItemsAttempted1   Number of Items Attempted 1  This is the number of items attempted for the Listening domain for the Initial ELPAC or number of items attempted for the Initial Alternate ELPAC. | Alphanumeric or blank  ## = Number of items attempted (MIN = 00, MAX = 99)  Blank = The student did not test for either Initial ELPAC or Initial Alternate ELPAC or is assigned a domain exemption for Initial ELPAC. | Scoring                       |
| 140     | 2040           | 2041         | 2      | ItemsAttempted2   Number of Items Attempted 2  This is the number of items attempted for the Speaking domain.   | Alphanumeric or blank  ## = Number of items attempted (MIN = 00, MAX = 99)  Blank = The student did not test or is assigned a domain exemption for Initial ELPAC.   | Scoring                       |
| 141     | 2042           | 2043         | 2      | ItemsAttempted3   Number of Items Attempted 3  This is the number of items attempted for the Reading domain.  | Alphanumeric or blank  ## = Number of items attempted (MIN = 00, MAX = 99)  Blank = The student did not test or is assigned a domain exemption for Initial ELPAC.   | Scoring                       |



| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description                      | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 142     | 2044           | 2045         | 2      | ItemsAttempted4   Number of Items Attempted 4         | Alphanumeric or blank   | Scoring                       |
|         |                |              |        | This is the number of items attempted for the Writing | ## = Number of items attempted (MIN = 00, MAX = 99)                                   |                               |
|         |                |              |        | domain.   | Blank = The student did not test or is assigned a domain exemption for Initial ELPAC. |                               |



# **Accommodations and Designated Supports (Fields 143–286)**

### Availability Indicators (Fields 143–144)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---------------------------------|-------------------------------|
| 143     | 2046           | 2048         | 3      | AccommodationsIndicator   Accommodations Available Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.   | Alphanumeric or blank Yes or No | Derived                       |
|         |                |              |        | If embedded accommodations or non-embedded accommodations fields are populated, then a value is set to "Yes" for online or paper—pencil tests.  Blank is an acceptable value for students who did not test. |                                 |                               |



Accommodations and Designated Supports (continuation)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---------------------------------|-------------------------------|
| 144     | 2049           | 2051         | 3      | DesignatedSupportIndicato r   Designated Support Available Indicator  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  If embedded designated support or non-embedded designated support fields | Alphanumeric or blank Yes or No | Derived                       |
|         |                |              |        | are populated, then a value is set to "Yes" for online or paper–pencil tests.  Blank is an acceptable value for students who did not test.  |                                 |                               |



# **Embedded Accommodations for Online Testing (Fields 145–165)**

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 145     | 2052           | 2059         | 8      | EAAmericanSignLanguage 1   Embedded Accommodations— American Sign Language (Online) (Listening)  This field is applicable to                                       | Alphanumeric or blank TDS_ASL1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.         | CALPADS, TOMS,<br>TDS         |
| 146     | 2060           | 2067         | 8      | the Initial ELPAC.  EAAmericanSignLanguage 2   Embedded Accommodations— American Sign Language (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_ASL1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.         | CALPADS, TOMS,<br>TDS         |
| 147     | 2068           | 2083         | 16     | EAAudioScript1   Embedded Accommodations—Audio Transcript (Online) (Listening)  This field is applicable to the Initial ELPAC.                                     | Alphanumeric or blank TDS_AudioScript1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Accommodations for Online Testing (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 148     | 2084           | 2099         | 16     | EAAudioScript2   Embedded Accommodations—Audio Transcript (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_AudioScript1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 149     | 2100           | 2115         | 16     | EAAudioScript3   Embedded Accommodations—Audio Transcript (Online) (Reading)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_AudioScript1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 150     | 2116           | 2131         | 16     | EAAudioScript4   Embedded Accommodations—Audio Transcript (Online) (Writing)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_AudioScript1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Accommodations for Online Testing (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 151     | 151 2132 2142  | 2142         | 11     | EABraille1   Embedded Accommodations—Braille (Online) (Listening)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank ENU-Braille  | CALPADS, TOMS,<br>TDS         |
|         |                |              |        |   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.              |                               |
|         |                |              |        |   | This field also will be blank for a student in kindergarten through grade two or for grade three through twelve whose responses and scores are entered into the DEI. |                               |



Embedded Accommodations for Online Testing (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 152     | 2143           | 2153         | 11     | EABraille2   Embedded Accommodations—Braille (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank ENU-Braille This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  This field also will be blank for a student in kindergarten through grade two or for grade three through twelve whose responses and scores are entered into the DEI. | CALPADS, TOMS,<br>TDS         |
| 153     | 2154           | 2164         | 11     | EABraille3   Embedded Accommodations—Braille (Online) (Reading)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank ENU-Braille This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  This field also will be blank for a student in kindergarten through grade two or for grade three through twelve whose responses and scores are entered into the DEI. | CALPADS, TOMS,<br>TDS         |



Embedded Accommodations for Online Testing (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 154     | 2165           | 2175         | 11     | EABraille4   Embedded Accommodations—Braille (Online) (Writing)  This field is applicable to the Initial ELPAC.                      | Alphanumeric or blank ENU-Braille This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  This field also will be blank for a student in kindergarten through grade two or for grade three through twelve whose responses and scores are entered into the DEI. | CALPADS, TOMS,<br>TDS         |
| 155     | 2176           | 2189         | 14     | EAClosedCaptioning1   Embedded Accommodations—Closed Captioning (Online) (Listening)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_ClosedCap1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS         |
| 156     | 2190           | 2203         | 14     | EAClosedCaptioning2   Embedded Accommodations—Closed Captioning (Online) (Speaking)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_ClosedCap1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS         |



Embedded Accommodations for Online Testing (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 157     | 2204           | 2217         | 14     | EAClosedCaptioning3   Embedded Accommodations—Closed Captioning (Online) (Reading)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_ClosedCap1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 158     | 2218           | 2231         | 14     | EAClosedCaptioning4   Embedded Accommodations—Closed Captioning (Online) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_ClosedCap1 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 159     | 2232           | 2256         | 25     | EATexttoSpeech1  <br>Embedded<br>Accommodations—Text-to-<br>Speech (Online) (Listening)  | Alphanumeric or blank TDS_TTS_Item TDS_TTS_Stim TDS_TTS_Stim&TDS_TTS_Item  | CALPADS, TOMS,<br>TDS         |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.                                      |                               |



Embedded Accommodations for Online Testing (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |  |  |
|---------|----------------|--------------|--------|--|--|-------------------------------|--|--|
| 160     | 2257           | 2281         | 25     | EATexttoSpeech2   Embedded Accommodations—Text-to- Speech (Online) (Speaking)  | Alphanumeric or blank TDS_TTS_Item TDS_TTS_Stim TDS_TTS_Stim&TDS_TTS_Item  | CALPADS, TOMS,<br>TDS         |  |  |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  |                               |  |  |
| 161     | 2282           | 2306         | 25     | EATexttoSpeech4   Embedded Accommodations—Text-to- Speech (Online) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_TTS_Item TDS_TTS_Stim TDS_TTS_Stim&TDS_TTS_Item  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |  |  |
| 162     | 2307           | 2321         | 15     | EASpeechtoText1   Embedded Accommodations 1— Speech-to-Text (Online) This field is applicable to the Initial ELPAC.          | Alphanumeric or blank TDS_Dictation_1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.                                     | CALPADS, TOMS,<br>TDS, DEI    |  |  |



Embedded Accommodations for Online Testing (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |  |  |
|---------|----------------|--------------|--------|--|--|-------------------------------|--|--|
| 163     | 2322           | 2336         | 15     | EASpeechtoText1   Embedded Accommodations 2— Speech-to-Text (Online)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_Dictation_1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |  |  |
| 164     | 2337           | 2351         | 15     | EASpeechtoText1   Embedded Accommodations 3— Speech-to-Text (Online)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_Dictation_1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |  |  |
| 165     | 2352           | 2366         | 15     | EASpeechtoText1   Embedded Accommodations 4— Speech-to-Text (Online) This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_Dictation_1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |  |  |



## Non-Embedded Accommodations for Online and Paper–Pencil Testing (Fields 166–204)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 166     | 2367           | 2379         | 13     | NEAAdditionalInstructional Supports1   Non- Embedded Accommodations 1— Additional Instructional Supports and Resources for Alternate Assessments (Online)  This field is applicable to the Initial Alternate ELPAC. | Alphanumeric or blank NEA_AddAltRSC  This field is blank for a student who did not test or for whom this test setting is not selected.   | CALPADS, TOMS,<br>TDS, DEI    |
| 167     | 2380           | 2385         | 6      | NEAAlternateResponseOpt ions1   Non-Embedded Accommodations— Alternate Response Options (Online or Paper) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.              | Alphanumeric or blank NEA_AR This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 168     | 2386           | 2391         | 6      | NEAAlternateResponseOpt ions2   Non-Embedded Accommodations— Alternate Response Options (Online or Paper) (Speaking)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEA_AR This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 169     | 2392           | 2397         | 6      | NEAAlternateResponseOpt ions3   Non-Embedded Accommodations— Alternate Response Options (Online or Paper) (Reading)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEA_AR This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 170     | 2398           | 2403         | 6      | NEAAlternateResponseOpt ions4   Non-Embedded Accommodations— Alternate Response Options (Online or Paper) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEA_AR This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 171     | 2404           | 2427         | 24     | NEAManuallyCodedEnglish 1   Non-Embedded Accommodations—ASL or Manually Coded English (Online or Paper) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEA_ManuallyCodedEnglish NEA_ASLP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 172     | 2428           | 2451         | 24     | NEAManuallyCodedEnglish 2   Non-Embedded Accommodations—ASL or Manually Coded English (Online or Paper) (Speaking)  This field is applicable to the Initial ELPAC.                                   | Alphanumeric or blank NEA_ManuallyCodedEnglish NEA_ASLP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 173     | 173 2452 2467  | 2467         | 16     | NEAAudioScript1   Non-<br>Embedded<br>Accommodations—Audio  | Alphanumeric or blank NEA_AudioScriptP This field is blank for a student who   | CALPADS, TOMS,<br>DEI         |
|         |                |              |        | Transcript (Paper) (Listening)  This field is applicable to the Initial ELPAC.  | did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  |                               |
| 174     | 2468           | 2483         | 16     | NEAAudioScript2   Non-<br>Embedded<br>Accommodations—Audio<br>Transcript (Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEA_AudioScriptP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 175     | 2484           | 2499         | 16     | NEAAudioScript3   Non-<br>Embedded<br>Accommodations—Audio<br>Transcript (Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC.                                  | Alphanumeric or blank NEA_AudioScriptP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |
| 176     | 2500           | 2515         | 16     | NEAAudioScript4   Non-<br>Embedded<br>Accommodations—Audio<br>Transcript (Paper) (Writing)<br>This field is applicable to<br>the Initial ELPAC.                                   | Alphanumeric or blank NEA_AudioScriptP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>DEI         |
| 177     | 2516           | 2525         | 10     | NEABreaks1   Non-<br>Embedded<br>Accommodations—Breaks<br>(Online or Paper)<br>(Listening)  This field is applicable to<br>both the Initial ELPAC and<br>Initial Alternate ELPAC. | Alphanumeric or blank NEA_Breaks This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.        | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation five)

| Field # | Field<br>Start | Field<br>End | Length   | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--|---|---|-------------------------------|
| 178     | 2526           | 2535         | 2535 10  | ·   | Alphanumeric or blank NEA_Breaks  | CALPADS, TOMS,<br>TDS, DEI    |
|         |                |              |  | (Online or Paper) (Speaking)  | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student  |                               |
|         |                |              | This field is applicable to the Initial ELPAC. | who was assigned a domain exemption.  |   |                               |
| 179     | 2536           | 2545         | 10   | NEABreaks3   Non-<br>Embedded<br>Accommodations—Breaks<br>(Online or Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEA_Breaks  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 180     | 2546           | 2555         | 10   | NEABreaks4   Non-<br>Embedded<br>Accommodations—Breaks<br>(Online or Paper) (Writing)<br>This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEA_Breaks  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 181     | 2556           | 2566         | 11     | NEABraille1   Non-<br>Embedded<br>Accommodations—Braille<br>(Online or Paper)<br>(Listening)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEA_Braille  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 182     | 2567           | 2577         | 11     | NEABraille2   Non-<br>Embedded<br>Accommodations—Braille<br>(Online or Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEA_Braille  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 183     | 2578           | 2588         | 11     | NEABraille3   Non-<br>Embedded<br>Accommodations—Braille<br>(Online or Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC.   | Alphanumeric or blank NEA_Braille  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 184     | 2589           | 2599         | 11     | NEABraille4   Non-<br>Embedded<br>Accommodations—Braille<br>(Online or Paper) (Writing)<br>This field is applicable to<br>the Initial ELPAC.             | Alphanumeric or blank NEA_Braille  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.     | CALPADS, TOMS,<br>TDS, DEI    |
| 185     | 2600           | 2615         | 16     | NEAScribe1   Non-<br>Embedded<br>Accommodations—Scribe<br>Items (Online or Paper)<br>(Listening)  This field is applicable to<br>both the Initial ELPAC. | Alphanumeric or blank NEA_SC_WritItems This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 186     | 2616           | 2631         | 16     | NEAScribe2   Non-<br>Embedded<br>Accommodations—Scribe<br>Items (Online or Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC.       | Alphanumeric or blank NEA_SC_WritItems This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation eight)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 187     | 2632           | 2647         | 16     | NEAScribe3   Non-<br>Embedded<br>Accommodations—Scribe<br>Items (Online or Paper)<br>(Reading)   | Alphanumeric or blank NEA_SC_WritItems This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain            | CALPADS, TOMS,<br>TDS, DEI    |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | exemption.   |                               |
| 188     | 2648           | 2663         | 16     | NEAScribe4   Non-<br>Embedded<br>Accommodations—Scribe<br>Items (Online or Paper)<br>(Writing)  This field is applicable to<br>the Initial ELPAC.            | Alphanumeric or blank NEA_SC_WritItems This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 189     | 2664           | 2670         | 7      | NEASpeechtoText1   Non-<br>Embedded<br>Accommodations—<br>Speech-to-text (Online or<br>Paper) (Listening)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEA_STT  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.         | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation nine)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 190     | 2671           | 2677         | 7      | NEASpeechtoText2   Non-<br>Embedded<br>Accommodations—<br>Speech-to-text (Online or<br>Paper) (Speaking)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEA_STT  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 191     | 2678           | 2684         | 7      | NEASpeechtoText3   Non-<br>Embedded<br>Accommodations—<br>Speech-to-text (Online or<br>Paper) (Reading)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEA_STT  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 192     | 2685           | 2691         | 7      | NEASpeechtoText4   Non-<br>Embedded<br>Accommodations—<br>Speech-to-text (Online or<br>Paper) (Writing)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEA_STT This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation 10)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 193     | 2692           | 2697         | 6      | NEALargeVersionsofPaper 1   Non-Embedded Accommodations—Large Versions of a Paper-Pencil Test (Paper) (Listening)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEA_LP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |
| 194     | 2698           | 2703         | 6      | NEALargeVersionsofPaper 2   Non-Embedded Accommodations—Large Versions of a Paper-Pencil Test (Paper) (Speaking)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEA_LP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |
| 195     | 2704           | 2709         | 6      | NEALargeVersionsofPaper 3   Non-Embedded Accommodations—Large Versions of a Paper-Pencil Test (Paper) (Reading)  This field is applicable to the Initial ELPAC.   | Alphanumeric or blank NEA_LP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation 11)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 196     | 2710           | 2715         | 6      | NEALargeVersionsofPaper 4   Non-Embedded Accommodations—Large Versions of a Paper-Pencil Test (Paper) (Writing)  This field is applicable to the Initial ELPAC.                      | Alphanumeric or blank NEA_LP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.             | CALPADS, TOMS,<br>DEI         |
| 197     | 2716           | 2733         | 18     | NEAUnlistedResources1   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEA_IndividualAids  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 198     | 2734           | 2751         | 18     | NEAUnlistedResources2   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Speaking)  This field is applicable to the Initial ELPAC.                                   | Alphanumeric or blank NEA_IndividualAids  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation 12)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 199     | 2752           | 2769         | 18     | NEAUnlistedResources3   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Reading)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEA_IndividualAids This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 200     | 2770           | 2787         | 18     | NEAUnlistedResources4   Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEA_IndividualAids This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 201     | 2788           | 2793         | 6      | NEAWordProcessor1   Non-Embedded Accommodations—Word Processor (Paper) (Listening)  This field is applicable to the Initial ELPAC.                | Alphanumeric or blank NEA_WP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.             | CALPADS, TOMS,<br>DEI         |



Non-Embedded Accommodations for Online and Paper–Pencil Testing (continuation 13)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 202     | 2794           | 2799         | 6      | NEAWordProcessor2  <br>Non-Embedded  | Alphanumeric or blank NEA WP  | CALPADS, TOMS,<br>DEI         |
|         |                |              |        | Accommodations—Word<br>Processor (Paper)<br>(Speaking)                                       | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student                                      |                               |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | who was assigned a domain exemption.  |                               |
| 203     | 2800           | 2805         | 6      | NEAWordProcessor3  <br>Non-Embedded<br>Accommodations—Word<br>Processor (Paper)<br>(Reading) | Alphanumeric or blank NEA_WP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student        | CALPADS, TOMS,<br>DEI         |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | who was assigned a domain exemption.  |                               |
| 204     | 2806           | 2811         | 6      | NEAWordProcessor4  <br>Non-Embedded<br>Accommodations—Word                                   | Alphanumeric or blank NEA_WP  | CALPADS, TOMS,<br>DEI         |
|         |                |              |        | Processor (Paper) (Writing)  This field is applicable to the Initial ELPAC.                  | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. |                               |



## Embedded Designated Supports for Online Testing (Fields 205–234)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 205     | 2812           | 2830         | 19     | EDSColorContrast1   Embedded Designated Supports—Color Contrast (Online) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCGray TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation one)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 206     | 2831           | 2849         | 19     | EDSColorContrast2   Embedded Designated Supports—Color Contrast (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCGray TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 207     | 2850           | 2868         | 19     | EDSColorContrast3   Embedded Designated Supports—Color Contrast (Online) (Reading)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 208     | 2869           | 2887         | 19     | EDSColorContrast4   Embedded Designated Supports—Color Contrast (Online) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 209     | 2888           | 2903         | 16     | EDSMousePointer1   Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_L TDS_MP_Yellow_L TDS_MP_Yellow_XL  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS, TDS            |



Embedded Designated Supports for Online Testing (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 210     | 2904           | 2919         | 16     | EDSMousePointer2   Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_L TDS_MP_Yellow_L TDS_MP_Yellow_XL  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 211     | 2920           | 2935         | 16     | EDSMousePointer3   Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Reading)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_L TDS_MP_Yellow_L TDS_MP_Yellow_XL  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 212     | 2936           | 2951         | 16     | EDSMousePointer4   Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Writing)  This field is applicable to the Initial ELPAC.         | Alphanumeric or blank TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_L TDS_MP_Yellow_L TDS_MP_Yellow_XL  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 213     | 2952           | 2963         | 12     | EDSMasking1   Embedded Designated Supports— Masking (Online) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank TDS_Masking1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.   | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation eight)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 214     | 2964           | 2975         | 12     | EDSMasking2   Embedded Designated Supports— Masking (Online) (Speaking)  This field is applicable to the Initial ELPAC.           | Alphanumeric or blank TDS_Masking1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 215     | 2976           | 2987         | 12     | EDSMasking3   Embedded<br>Designated Supports—<br>Masking (Online) (Reading)<br>This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank TDS_Masking1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 216     | 2988           | 2999         | 12     | EDSMasking4   Embedded Designated Supports— Masking (Online) (Writing)  This field is applicable to the Initial ELPAC.            | Alphanumeric or blank TDS_Masking1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation nine)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 217     | 3000           | 3008         | 9      | EDSPauseorReplayAudio1<br>  Embedded Designated<br>Supports—Pause or<br>Replay Audio - Listening<br>Domain (Online)<br>This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank TDS_UAV_1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 218     | 3009           | 3017         | 9      | EDSPauseorReplayAudio2<br>  Embedded Designated<br>Supports—Pause or<br>Replay Audio - Speaking<br>Domain (Online)<br>This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank TDS_UAV_1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 219     | 3018           | 3024         | 7      | EDSPermissiveMode1   Embedded Designated Supports—Permissive Mode (Online) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.  | Alphanumeric or blank TDS_PM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.   | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation 10)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 220     | 3025           | 3031         | 7      | EDSPermissiveMode2   Embedded Designated Supports—Permissive Mode (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_PM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 221     | 3032           | 3038         | 7      | EDSPermissiveMode3   Embedded Designated Supports—Permissive Mode (Online) (Reading)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_PM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 222     | 3039           | 3045         | 7      | EDSPermissiveMode4   Embedded Designated Supports—Permissive Mode (Online) (Writing)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_PM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation 11)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 223     | 3046           | 3054         | 9      | EDSPrintSize1   Embedded Designated Supports— Print Size (Online) (Listening)  Note: "print size" is "onscreen font size" for online testing  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 224     | 3055           | 3063         | 9      | EDSPrintSize2   Embedded Designated Supports— Print Size (Online) (Speaking)  Note: "print size" is "onscreen font size" for online testing  This field is applicable to the Initial ELPAC.                                   | Alphanumeric or blank TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation 12)

|         | •              |              |        | ,  |   |                               |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
| 225     | 3064           | 3072         | 9      | EDSPrintSize3   Embedded Designated Supports— Print Size (Online) (Reading)  Note: "print size" is "onscreen font size" for online testing  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 226     | 3073           | 3081         | 9      | EDSPrintSize4   Embedded Designated Supports— Print Size (Online) (Writing)  Note: "print size" is "onscreen font size" for online testing  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation 13)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 227     | 3082           | 3089         | 8      | EDSStreamline1   Embedded Designated Supports—Streamline (Online) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank TDS_SLM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 228     | 3090           | 3097         | 8      | EDSStreamline2   Embedded Designated Supports—Streamline (Online) (Speaking)  This field is applicable to the Initial ELPAC.                                   | Alphanumeric or blank TDS_SLM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 229     | 3098           | 3105         | 8      | EDSStreamline3   Embedded Designated Supports—Streamline (Online) (Reading)  This field is applicable to the Initial ELPAC.                                    | Alphanumeric or blank TDS_SLM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation 14)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 230     | 3106           | 3113         | 8      | EDSStreamline4   Embedded Designated Supports—Streamline (Online) (Writing)  This field is applicable to the Initial ELPAC.   | Alphanumeric or blank TDS_SLM1  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 231     | 3114           | 3120         | 7      | EDSTurnOffAnyUniversalT<br>ool1   Embedded<br>Designated Supports—<br>Turn Off Any Universal<br>Tool(s) (Online) (Listening)<br>This field is applicable to<br>both the Initial ELPAC and<br>Initial Alternate ELPAC. | Alphanumeric or blank TDS_REM  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS         |
| 232     | 3121           | 3127         | 7      | EDSTurnOffAnyUniversalT ool2   Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Speaking) This field is applicable to the Initial ELPAC.   | Alphanumeric or blank TDS_REM  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS         |



Embedded Designated Supports for Online Testing (continuation 15)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 233     | 3128           | 3134         | 7      | EDSTurnOffAnyUniversalT ool3   Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Reading) This field is applicable to the Initial ELPAC.  | Alphanumeric or blank TDS_REM  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 234     | 3135           | 3141         | 7      | EDSTurnOffAnyUniversalT ool4   Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank TDS_REM  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



#### Non-Embedded Designated Supports for Online and Paper–Pencil Testing (Fields 235—286)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 235     | 3142           | 3153         | 12     | NEDSAmplification1   Non-<br>Embedded Designated<br>Supports — Amplification<br>(Online or Paper)<br>(Listening)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEDS_Amplify  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 236     | 3154           | 3165         | 12     | NEDSAmplification2   Non-<br>Embedded Designated<br>Supports — Amplification<br>(Online or Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEDS_Amplify  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 237     | 3166           | 3177         | 12     | NEDSAmplification3   Non-<br>Embedded Designated<br>Supports — Amplification<br>(Online or Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC.   | Alphanumeric or blank NEDS_Amplify  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation one)

| Field # | Field<br>Start | Field<br>End | Length   | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--|---|--|-------------------------------|
| 238     | 3178           | 3189         | 12   | NEDSAmplification4   Non-<br>Embedded Designated<br>Supports — Amplification  | Alphanumeric or blank NEDS_Amplify   | CALPADS, TOMS,<br>TDS, DEI    |
|         |                |              |  | (Online or Paper) (Writing)   | This field is blank for a student who did not test or for whom this test   |                               |
|         |                |              |  | This field is applicable to the Initial ELPAC.  | setting is not selected, or for a student who was assigned a domain exemption.                                     |                               |
| 239     | 3190           | 3196         | 7  | NEDSColorContrast1  <br>Non-Embedded  | Alphanumeric or blank NEDS_CC  | CALPADS, TOMS,<br>TDS, DEI    |
|         |                |              | Designated Supports— Color Contrast (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. |  |                               |
| 240     | 3197           | 3203         | 7  | NEDSColorContrast2  <br>Non-Embedded  | Alphanumeric or blank NEDS_CC  | CALPADS, TOMS,<br>TDS, DEI    |
|         |                |              |  | Designated Supports— Color Contrast (Online) (Speaking)   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student |                               |
|         |                |              |  | This field is applicable to the Initial ELPAC.  | who was assigned a domain exemption.   |                               |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation two)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 241     | 3204           | 3210         | 7      | NEDSColorContrast3   Non-Embedded Designated Supports— Color Contrast (Online) (Reading)  This field is applicable to the Initial ELPAC.   | Alphanumeric or blank NEDS_CC This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS, DEI    |
| 242     | 3211           | 3217         | 7      | NEDSColorContrast4   Non-Embedded Designated Supports— Color Contrast (Online) (Writing)  This field is applicable to the Initial ELPAC.   | Alphanumeric or blank NEDS_CC  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 243     | 3218           | 3224         | 7      | NEDSColorOverlay1   Non-<br>Embedded Designated<br>Supports—Color Overlay<br>(Online or Paper)<br>(Listening)<br>This field is applicable to<br>both the Initial ELPAC and<br>Initial Alternate ELPAC. | Alphanumeric or blank NEDS_CO  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation three)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 244     | 3225           | 3231         | 7      | NEDSColorOverlay2   Non-<br>Embedded Designated<br>Supports—Color Overlay<br>(Online or Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEDS_CO  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 245     | 3232           | 3238         | 7      | NEDSColorOverlay3   Non-<br>Embedded Designated<br>Supports—Color Overlay<br>(Online or Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEDS_CO This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS, DEI    |
| 246     | 3239           | 3245         | 7      | NEDSColorOverlay4   Non-<br>Embedded Designated<br>Supports—Color Overlay<br>(Online or Paper) (Writing)<br>This field is applicable to<br>the Initial ELPAC.   | Alphanumeric or blank NEDS_CO This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation four)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 247     | 3246           | 3253         | 8      | NEDSInterfaceAssistant1   Non-Embedded Designated Supports— Designated Interface Assistant (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEDS_DIA This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 248     | 3254           | 3261         | 8      | NEDSInterfaceAssistant2   Non-Embedded Designated Supports— Designated Interface Assistant (Online) (Speaking)  This field is applicable to the Initial ELPAC.                                  | Alphanumeric or blank NEDS_DIA This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation five)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 249     | 3262           | 3269         | 8      | NEDSInterfaceAssistant3   Non-Embedded Designated Supports— Designated Interface Assistant (Online) (Reading)  This field is applicable to the Initial ELPAC.   | Alphanumeric or blank NEDS_DIA  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 250     | 3270           | 3277         | 8      | NEDSInterfaceAssistant4   Non-Embedded Designated Supports— Designated Interface Assistant (Online) (Writing)  This field is applicable to the Initial ELPAC.   | Alphanumeric or blank NEDS_DIA  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 251     | 3278           | 3285         | 8      | NEDSMagnification1   Non-<br>Embedded Designated<br>Supports—Magnification<br>(Online or Paper)<br>(Listening)<br>This field is applicable to<br>both the Initial ELPAC and<br>Initial Alternate ELPAC. | Alphanumeric or blank NEDS_Mag  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation six)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 252     | 3286           | 3293         | 8      | NEDSMagnification2   Non-<br>Embedded Designated<br>Supports—Magnification<br>(Online or Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEDS_Mag This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 253     | 3294           | 3301         | 8      | NEDSMagnification3   Non-<br>Embedded Designated<br>Supports—Magnification<br>(Online or Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEDS_Mag This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 254     | 3302           | 3309         | 8      | NEDSMagnification4   Non-<br>Embedded Designated<br>Supports—Magnification<br>(Online or Paper) (Writing)<br>This field is applicable to<br>the Initial ELPAC.   | Alphanumeric or blank NEDS_Mag This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation seven)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 255     | 3310           | 3322         | 13     | NEDSMasking1   Non-<br>Embedded Designated<br>Supports—Masking<br>(Paper) (Listening)  This field is applicable to<br>both the Initial ELPAC and<br>Initial Alternate ELPAC. | Alphanumeric or blank NEDS_Masking NEDS_MaskingP This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>DEI         |
| 256     | 3323           | 3335         | 13     | NEDSMasking2   Non-<br>Embedded Designated<br>Supports—Masking<br>(Paper) (Speaking)<br>This field is applicable to<br>the Initial ELPAC.                                    | Alphanumeric or blank NEDS_Masking NEDS_MaskingP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |
| 257     | 3336           | 3348         | 13     | NEDSMasking3   Non-<br>Embedded Designated<br>Supports—Masking<br>(Paper) (Reading)<br>This field is applicable to<br>the Initial ELPAC.                                     | Alphanumeric or blank NEDS_Masking NEDS_MaskingP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation eight)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 258     | 3349           | 3361         | 13     | NEDSMasking4   Non-<br>Embedded Designated<br>Supports—Masking<br>(Paper) (Writing)  | Alphanumeric or blank NEDS_Masking NEDS_MaskingP   | CALPADS, TOMS,<br>DEI         |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.                                    |                               |
| 259     | 3362           | 3372         | 11     | NEDSMedicalSupports1   Non-Embedded Designated Supports— Medical Supports (Online or Paper) (Listening)  This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEDS_MedDev  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 260     | 3373           | 3383         | 11     | NEDSMedicalSupports2   Non-Embedded Designated Supports— Medical Supports (Online or Paper) (Speaking)  This field is applicable to the Initial ELPAC.                                   | Alphanumeric or blank NEDS_MedDev  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation nine)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 261     | 3384           | 3394         | 11     | NEDSMedicalSupports3   Non-Embedded Designated Supports— Medical Supports (Online or Paper) (Reading)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEDS_MedDev  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.   | CALPADS, TOMS,<br>TDS, DEI    |
| 262     | 3395           | 3405         | 11     | NEDSMedicalSupports4   Non-Embedded Designated Supports— Medical Supports (Online or Paper) (Writing)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEDS_MedDev  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.   | CALPADS, TOMS,<br>TDS, DEI    |
| 263     | 3406           | 3418         | 13     | NEDSNoiseBuffers1   Non-<br>Embedded Designated<br>Supports—Noise Buffers<br>(Online or Paper)<br>(Listening)<br>This field is applicable to<br>both the Initial ELPAC and<br>Initial Alternate ELPAC. | Alphanumeric or blank NEDS_NoiseBuf  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 10)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 264     | 3419           | 3431         | 13     | NEDSNoiseBuffers2   Non-<br>Embedded Designated<br>Supports—Noise Buffers<br>(Online or Paper)<br>(Speaking)  This field is applicable to<br>the Initial ELPAC. | Alphanumeric or blank NEDS_NoiseBuf  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 265     | 3432           | 3444         | 13     | NEDSNoiseBuffers3   Non-<br>Embedded Designated<br>Supports—Noise Buffers<br>(Online or Paper)<br>(Reading)  This field is applicable to<br>the Initial ELPAC.  | Alphanumeric or blank NEDS_NoiseBuf  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 266     | 3445           | 3457         | 13     | NEDSNoiseBuffers4   Non-<br>Embedded Designated<br>Supports—Noise Buffers<br>(Online or Paper) (Writing)<br>This field is applicable to<br>the Initial ELPAC.   | Alphanumeric or blank NEDS_NoiseBuf  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 11)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 267     | 3458           | 3482         | 25     | NEDSPrintonDemand1  <br>Non-Embedded<br>Designated Supports—<br>Print on demand (Online)<br>(Listening) | Alphanumeric or blank TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item   | CALPADS, TOMS,<br>TDS         |
|         |                |              |        | This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.                         | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. |                               |
| 268     | 3483           | 3507         | 25     | NEDSPrintonDemand2  <br>Non-Embedded<br>Designated Supports—<br>Print on demand (Online)<br>(Speaking)  | Alphanumeric or blank TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item   | CALPADS, TOMS,<br>TDS         |
|         |                |              |        | This field is applicable to the Initial ELPAC.  | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. |                               |
| 269     | 3508           | 3532         | 25     | NEDSPrintonDemand3  <br>Non-Embedded<br>Designated Supports—<br>Print on demand (Online)<br>(Reading)   | Alphanumeric or blank TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item   | CALPADS, TOMS,<br>TDS         |
|         |                |              |        |   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. |                               |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 12)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 270     | 3533           | 3557         | 25     | NEDSPrintonDemand4  <br>Non-Embedded<br>Designated Supports—<br>Print on demand (Online)<br>(Writing)  | Alphanumeric or blank TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_Item  | CALPADS, TOMS,<br>TDS         |
|         |                |              |        | This field is applicable to the Initial ELPAC.   | This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.                                  |                               |
| 271     | 3558           | 3566         | 9      | NEDSPauseorReplayAudio 1   Non-Embedded Designated Supports— Pause or Replay Audio (Paper) (Listening)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEDS_UAVP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |
| 272     | 3567           | 3575         | 9      | NEDSPauseorReplayAudio 2   Non-Embedded Designated Supports— Pause or Replay Audio (Paper) (Speaking)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEDS_UAVP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>DEI         |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 13)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|--|-------------------------------|
| 273     | 3576           | 3588         | 13     | NEDSReadAloudItems1   Non-Embedded Designated Supports 1— Read-Aloud Items (Online)  This field is applicable to the Initial Alternate ELPAC.                                  | Alphanumeric or blank NEDS_RA_Items  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 274     | 3589           | 3601         | 13     | NEDSReadAloudItems4   Non-Embedded Designated Supports— Read-Aloud Items (Online or Paper) (Writing)  This field is applicable to the Initial ELPAC.                           | Alphanumeric or blank NEDS_RA_Items  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 275     | 3602           | 3608         | 7      | NEDSSeparateSetting1   Non-Embedded Designated Supports— Separate Setting (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEDS_SS  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.       | CALPADS, TOMS,<br>TDS         |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 14)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 276     | 3609           | 3615         | 7      | NEDSSeparateSetting2   Non-Embedded Designated Supports— Separate Setting (Online) (Speaking)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEDS_SS  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 277     | 3616           | 3622         | 7      | NEDSSeparateSetting3   Non-Embedded Designated Supports— Separate Setting (Online) (Reading)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEDS_SS  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |
| 278     | 3623           | 3629         | 7      | NEDSSeparateSetting4   Non-Embedded Designated Supports— Separate Setting (Online) (Writing)  This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEDS_SS  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS         |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 15)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type  | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|--|-------------------------------|
| 279     | 3630           | 3642         | 13     | NEDSSimplifiedTestDirections1   Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEDS_SimpDirs  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 280     | 3643           | 3655         | 13     | NEDSSimplifiedTestDirections2   Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Speaking) This field is applicable to the Initial ELPAC.                                   | Alphanumeric or blank NEDS_SimpDirs This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS, DEI    |
| 281     | 3656           | 3668         | 13     | NEDSSimplifiedTestDirections3   Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Reading) This field is applicable to the Initial ELPAC.                                    | Alphanumeric or blank NEDS_SimpDirs This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.  | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 16)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description  | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|---|---|-------------------------------|
| 282     | 3669           | 3681         | 13     | NEDSSimplifiedTestDirections4   Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Writing) This field is applicable to the Initial ELPAC.  | Alphanumeric or blank NEDS_SimpDirs This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.                   | CALPADS, TOMS,<br>TDS, DEI    |
| 283     | 3682           | 3696         | 15     | NEDSTranslatedTestDirections1   Non-Embedded Designated Supports—Translated Test Directions (including ASL) (Online or Paper) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. | Alphanumeric or blank NEDS_TransDirs NEDS_TransDirsP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 284     | 3697           | 3711         | 15     | NEDSTranslatedTestDirections2   Non-Embedded Designated Supports— Translated Test Directions (including ASL) (Online or Paper) (Speaking)  This field is applicable to the Initial ELPAC.                                 | Alphanumeric or blank NEDS_TransDirs NEDS_TransDirsP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



Non-Embedded Designated Supports for Online and Paper–Pencil Testing (continuation 17)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description   | Acceptable Values   Data Type   | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|---|-------------------------------|
| 285     | 3712           | 3726         | 15     | NEDSTranslatedTestDirections3   Non-Embedded Designated Supports— Translated Test Directions (including ASL) (Online or Paper) (Reading)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEDS_TransDirs NEDS_TransDirsP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |
| 286     | 3727           | 3741         | 15     | NEDSTranslatedTestDirections4   Non-Embedded Designated Supports— Translated Test Directions (including ASL) (Online or Paper) (Writing)  This field is applicable to the Initial ELPAC. | Alphanumeric or blank NEDS_TransDirs NEDS_TransDirsP  This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption. | CALPADS, TOMS,<br>TDS, DEI    |



### Other Score Information (Fields 287–288)

| Field # | Field<br>Start | Field<br>End | Length | FieldName   Field<br>Description           | Acceptable Values   Data Type | Data Source   Data<br>Element |
|---------|----------------|--------------|--------|--|-------------------------------|-------------------------------|
| 287     | 3742           | 3751         | 10     | ReportCreatedDate  <br>Report Created Date | Alphanumeric (YYYY-MM-DD)     | TOMS                          |
| 288     | 3752           | 3753         | 2      | EndofRecord   End of Record                | Alphanumeric ZZ               | Derived                       |



#### **Reference Tables**

## **CALPADS Primary Language Codes (Field # 30)**

| Code | Language Name                             |
|------|---|
| ABK  | Abkhazian                                 |
| ACE  | Achinese                                  |
| ACH  | Acoli                                     |
| ADA  | Adangme                                   |
| ADY  | Adyghe; Adygei                            |
| AAR  | Afar                                      |
| AFR  | Afrikaans                                 |
| AFA  | Afro-Asiatic languages                    |
| AIN  | Ainu                                      |
| AKA  | Akan                                      |
| ALB  | Albanian                                  |
| ALE  | Aleut                                     |
| ALG  | Algonquian languages                      |
| TUT  | Altaic languages                          |
| AMH  | Amharic                                   |
| ANP  | Angika                                    |
| APA  | Apache languages                          |
| ARA  | Arabic                                    |
| ARG  | Aragonese                                 |
| ARP  | Arapaho                                   |
| ARW  | Arawak                                    |
| ARM  | Armenian                                  |
| RUP  | Aromanian; Arumanian; Macedo-<br>Romanian |
| ASM  | Assamese                                  |
| AST  | Asturian; Bable; Leonese;<br>Asturleonese |
| ATH  | Athapascan languages                      |
| AUS  | Australian languages                      |
| MAP  | Austronesian languages                    |
| AVA  | Avaric                                    |
| AWA  | Awadhi                                    |
| AYM  | Aymara                                    |
| AZE  | Azerbaijani                               |
| BAN  | Balinese                                  |
| BAT  | Other Baltic languages                    |
| BAL  | Baluchi                                   |

| ,    |  |
|------|--|
| Code | Language Name                          |
| BAM  | Bambara                                |
| BAI  | Bamileke languages                     |
| BAD  | Banda languages                        |
| BNT  | Bantu languages                        |
| BAS  | Basa                                   |
| BAK  | Bashkir                                |
| BAQ  | Basque                                 |
| BTK  | Batak languages                        |
| BEJ  | Beja; Bedawiyet                        |
| BEL  | Belarusian                             |
| BEM  | Bemba                                  |
| BEN  | Bengali                                |
| BER  | Berber languages                       |
| вно  | Bhojpuri                               |
| BIH  | Bihari languages                       |
| BIK  | Bikol                                  |
| BIN  | Bini; Edo                              |
| BIS  | Bislama                                |
| BYN  | Blin; Bilin                            |
| ZBL  | Blissymbols; Blissymbolics; Bliss      |
| NOB  | Bokmål, Norwegian; Norwegian<br>Bokmål |
| BOS  | Bosnian                                |
| BRA  | Braj                                   |
| BRE  | Breton                                 |
| BUG  | Buginese                               |
| BUL  | Bulgarian                              |
| BUA  | Buriat                                 |
| BUR  | Burmese                                |
| CAD  | Caddo                                  |
| YUE  | Cantonese                              |
| CAT  | Catalan; Valencian                     |
| CAU  | Caucasian languages                    |
| CEB  | Cebuano (Bisayan, Visayan)             |
| CEL  | Celtic languages                       |
| CAI  | Central American Indian languages      |



| Code | Language Name                             |
|------|---|
| KHM  | Central Khmer                             |
| CLD  | Chaldean Neo-Aramaic                      |
|      | (Chaldean)                                |
| CMC  | Chamic languages                          |
| CHA  | Chamorro (Guamanian)                      |
| CHE  | Chechen                                   |
| CHR  | Cherokee                                  |
| CHY  | Cheyenne                                  |
| NYA  | Chichewa; Chewa; Nyanja                   |
| СНІ  | Chinese (Other Chinese languages)         |
| CHN  | Chinook jargon                            |
| CHP  | Chipewyan; Dene Suline                    |
| CHO  | Choctaw                                   |
| CHK  | Chuukese                                  |
| CHV  | Chuvash                                   |
| SYC  | Classical Syriac                          |
| COR  | Cornish                                   |
| COS  | Corsican                                  |
| CRE  | Cree                                      |
| MUS  | Creek                                     |
| CRP  | Creoles and pidgins                       |
| CPE  | Creoles and pidgins, English based        |
| CPF  | Creoles and pidgins, French-<br>based     |
| CPP  | Creoles and pidgins, Portuguese-<br>based |
| CRH  | Crimean Tatar; Crimean Turkish            |
| HRV  | Croatian                                  |
| CUS  | Cushitic languages                        |
| CZE  | Czech                                     |
| DAK  | Dakota                                    |
| DAN  | Danish                                    |
| DAR  | Dargwa                                    |
| DEL  | Delaware                                  |
| DIN  | Dinka                                     |
| DIV  | Divehi; Dhivehi; Maldivian                |
| DOI  | Dogri                                     |
| DGR  | Dogrib                                    |
| DRA  | Dravidian languages                       |

| Code | Language Name           |
|------|-------------------------|
| DUA  | Duala                   |
| DUT  | Dutch; Flemish          |
| DYU  | Dyula                   |
| DZO  | Dzongkha                |
| FRS  | Eastern Frisian         |
| EFI  | Efik                    |
| EKA  | Ekajuk                  |
| ENG  | English                 |
| MYV  | Erzya                   |
| EPO  | Esperanto               |
| EST  | Estonian                |
| EWE  | Ewe                     |
| EWO  | Ewondo                  |
| FAN  | Fang                    |
| FAT  | Fanti                   |
| FAO  | Faroese                 |
| FIJ  | Fijian                  |
| FIL  | Filipino; Pilipino      |
| FIN  | Finnish                 |
| FIU  | Finno-Ugrian languages  |
| FON  | Fon                     |
| FRE  | French                  |
| FUR  | Friulian                |
| FUL  | Fulah                   |
| GAA  | Ga                      |
| GLA  | Gaelic; Scottish Gaelic |
| CAR  | Galibi Carib            |
| GLG  | Galician                |
| LUG  | Ganda                   |
| GAY  | Gayo                    |
| GBA  | Gbaya                   |
| GEO  | Georgian                |
| GER  | German                  |
| GEM  | Germanic languages      |
| GIL  | Gilbertese              |
| GON  | Gondi                   |
| GOR  | Gorontalo               |
| GRB  | Grebo                   |
| GRE  | Greek, Modern (1453-)   |
| GRN  | Guarani                 |



| Code | Language Name                                    |
|------|--|
| GUJ  | Gujarati   |
| GWI  | Gwich'in   |
| HAI  | Haida  |
| HAT  | Haitian; Haitian Creole                          |
| HAU  | Hausa  |
| HAW  | Hawaiian   |
| HEB  | Hebrew   |
| HER  | Herero   |
| HIL  | Hiligaynon                                       |
| HIM  | Himachali languages; Western<br>Pahari languages |
| HIN  | Hindi  |
| НМО  | Hiri Motu  |
| HIT  | Hittite  |
| HMN  | Hmong; Mong                                      |
| HUN  | Hungarian  |
| HUP  | Hupa   |
| IBA  | Iban   |
| ICE  | Icelandic  |
| IBO  | Igbo   |
| IJO  | Ijo languages                                    |
| ILO  | lloko (llocano)                                  |
| SMN  | Inari Sami                                       |
| INC  | Indic languages                                  |
| INE  | Indo-European languages                          |
| IND  | Indonesian                                       |
| INH  | Ingush   |
| IKU  | Inuktitut  |
| IPK  | Inupiaq  |
| IRA  | Iranian languages                                |
| GLE  | Irish  |
| IRO  | Iroquoian languages                              |
| ITA  | Italian  |
| JPN  | Japanese   |
| JAV  | Javanese   |
| JRB  | Judeo-Arabic                                     |
| JPR  | Judeo-Persian                                    |
| KBD  | Kabardian  |
| KAB  | Kabyle   |
| KAC  | Kachin; Jingpho                                  |

| Code | Language Name             |
|------|---------------------------|
| KAL  | Kalaallisut; Greenlandic  |
| XAL  | Kalmyk; Oirat             |
| KAM  | Kamba                     |
| KAN  | Kannada                   |
| KAU  | Kanuri                    |
| KRC  | Karachay-Balkar           |
| KAA  | Kara-Kalpak               |
| KRL  | Karelian                  |
| KAR  | Karen languages           |
| KAS  | Kashmiri                  |
| CSB  | Kashubian                 |
| KAZ  | Kazakh                    |
| KHA  | Khasi                     |
| KHI  | Khoisan languages         |
| KHO  | Khotanese; Sakan          |
| KJG  | Khmu                      |
| KIK  | Kikuyu; Gikuyu            |
| KMB  | Kimbundu                  |
| KIN  | Kinyarwanda               |
| KIR  | Kirghiz; Kyrgyz           |
| KOM  | Komi                      |
| KON  | Kongo                     |
| KOK  | Konkani                   |
| KOR  | Korean                    |
| KOS  | Kosraean                  |
| KPE  | Kpelle                    |
| KRO  | Kru languages             |
| KUA  | Kuanyama; Kwanyama        |
| KUM  | Kumyk                     |
| KUR  | Kurdish (Kurdi, Kurmanji) |
| KRU  | Kurukh                    |
| KUT  | Kutenai                   |
| LAD  | Ladino                    |
| LAH  | Lahnda                    |
| LHU  | Lahu                      |
| LAM  | Lamba                     |
| DAY  | Land Dayak languages      |
| LAO  | Lao                       |
| LAV  | Latvian                   |
| LEZ  | Lezghian                  |



| Code | Language Name                    |
|------|----------------------------------|
| LIM  | Limburgan; Limburger; Limburgish |
| LIN  | Lingala                          |
| LIT  | Lithuanian                       |
| NDS  | Low German; Low Saxon;           |
|      | German, Low; Saxon, Low          |
| DSB  | Lower Sorbian                    |
| LOZ  | Lozi                             |
| LUB  | Luba-Katanga                     |
| LUA  | Luba-Lulua                       |
| LUI  | Luiseno                          |
| SMJ  | Lule Sami                        |
| LUN  | Lunda                            |
| LUO  | Luo (Kenya and Tanzania)         |
| LUS  | Lushai                           |
| LTZ  | Luxembourgish; Letzeburgesch     |
| MAC  | Macedonian                       |
| MAD  | Madurese                         |
| MAG  | Magahi                           |
| MAI  | Maithili                         |
| MAK  | Makasar                          |
| MLG  | Malagasy                         |
| MAY  | Malay                            |
| MAL  | Malayalam                        |
| MLT  | Maltese                          |
| MDR  | Mandar                           |
| CMN  | Mandarin (Putonghua, Guoyu)      |
| MAN  | Mandingo                         |
| MNI  | Manipuri                         |
| MNO  | Manobo languages                 |
| GLV  | Manx                             |
| MAO  | Maori                            |
| ARN  | Mapudungun; Mapuche              |
| MAR  | Marathi                          |
| CHM  | Mari                             |
| MAH  | Marshallese                      |
| MWR  | Marwari                          |
| MAS  | Masai                            |
| MYN  | Mayan languages                  |
| MEN  | Mende                            |
| MIC  | Mi'kmaq; Micmac                  |

| Code | Language Name   |
|------|---|
| MIN  | Minangkabau   |
| MWL  | Mirandese   |
| MOH  | Mohawk  |
| MDF  | Moksha  |
| LOL  | Mongo   |
| MON  | Mongolian   |
| MKH  | Mon-Khmer languages<br>(Cambodian)                                |
| MOS  | Mossi   |
| MUL  | Multiple languages  |
| MUN  | Munda languages   |
| NAH  | Nahuatl languages   |
| NAU  | Nauru   |
| NAV  | Navajo; Navaho  |
| NDE  | Ndebele, North; North Ndebele                                     |
| NBL  | Ndebele, South; South Ndebele                                     |
| NDO  | Ndonga  |
| NAP  | Neapolitan  |
| NEW  | Nepal Bhasa; Newari   |
| NEP  | Nepali  |
| NIA  | Nias  |
| NIC  | Niger-Kordofanian languages                                       |
| SSA  | Nilo-Saharan languages  |
| NIU  | Niuean  |
| NQO  | N'Ko  |
| NOG  | Nogai   |
| NAI  | North American Indian languages                                   |
| FRR  | Northern Frisian  |
| SME  | Northern Sami   |
| NOR  | Norwegian   |
| NNO  | Norwegian Nynorsk; Nynorsk,<br>Norwegian                          |
| NUB  | Nubian languages  |
| NYM  | Nyamwezi  |
| NYN  | Nyankole  |
| NYO  | Nyoro   |
| NZI  | Nzima   |
| OCI  | Occitan (post 1500)   |
| ARC  | Official Aramaic (700-300 BCE);<br>Imperial Aramaic (700-300 BCE) |
| OJI  | Ojibwa  |



| Code | Language Name                             |
|------|---|
| ORI  | Oriya                                     |
| ORM  | Oromo                                     |
| OSS  | Ossetian; Ossetic                         |
| QAB  | Chaozhou (Teochew/Chiuchow)               |
| SIT  | Other Sino-Tibetan languages (Taishanese) |
| ОТО  | Otomian languages (Mixteco)               |
| PAU  | Palauan                                   |
| PAM  | Pampanga; Kapampangan                     |
| PAG  | Pangasinan                                |
| PAN  | Panjabi; Punjabi                          |
| PAP  | Papiamento                                |
| PAA  | Papuan languages                          |
| NSO  | Pedi; Sepedi; Northern Sotho              |
| PER  | Persian (Farsi)                           |
| PHI  | Philippine languages                      |
| PON  | Pohnpeian                                 |
| POL  | Polish                                    |
| POR  | Portuguese                                |
| PRA  | Prakrit languages                         |
| PUS  | Pushto; Pashto                            |
| QUE  | Quechua                                   |
| RAJ  | Rajasthani                                |
| RAP  | Rapanui                                   |
| RAR  | Rarotongan; Cook Islands Maori            |
| ROA  | Romance languages                         |
| RUM  | Romanian (Rumanian)                       |
| ROH  | Romansh                                   |
| ROM  | Romany                                    |
| RUN  | Rundi                                     |
| RUS  | Russian                                   |
| SAL  | Salishan languages                        |
| SMI  | Sami languages                            |
| SMO  | Samoan                                    |
| SAD  | Sandawe                                   |
| SAG  | Sango                                     |
| SAN  | Sanskrit                                  |
| SAT  | Santali                                   |
| SRD  | Sardinian                                 |
| SAS  | Sasak                                     |

| Code | Language Name                        |
|------|--------------------------------------|
| SCO  | Scots                                |
| SEL  | Selkup                               |
| SEM  | Semitic languages                    |
| SRP  | Serbian                              |
| SRR  | Serer                                |
| SHN  | Shan                                 |
| SNA  | Shona                                |
| III  | Sichuan Yi; Nuosu                    |
| SCN  | Sicilian                             |
| SID  | Sidamo                               |
| SGN  | Sign Languages                       |
| BLA  | Siksika                              |
| SND  | Sindhi                               |
| SIN  | Sinhala; Sinhalese                   |
| SIO  | Siouan languages                     |
| SMS  | Skolt Sami                           |
| DEN  | Slave (Athapascan)                   |
| SLA  | Slavic languages                     |
| SLO  | Slovak                               |
| SLV  | Slovenian                            |
| SOG  | Sogdian                              |
| SOM  | Somali                               |
| SON  | Songhai languages                    |
| SNK  | Soninke                              |
| WEN  | Sorbian languages                    |
| SOT  | Sotho, Southern                      |
| SAI  | South American Indian languages      |
| ALT  | Southern Altai                       |
| SMA  | Southern Sami                        |
| SPA  | Spanish; Castilian                   |
| SRN  | Sranan Tongo                         |
| ZGH  | Standard Moroccan Tamazight          |
| SUK  | Sukuma                               |
| SUN  | Sundanese                            |
| SUS  | Susu                                 |
| SWA  | Swahili                              |
| SSW  | Swati                                |
| SWE  | Swedish                              |
| GSW  | Swiss German; Alemannic;<br>Alsatian |



| Code | Language Name                                       |
|------|---|
| SYR  | Syriac (Assyrian)                                   |
| TGL  | Tagalog   |
| TAH  | Tahitian  |
| TAI  | Tai languages                                       |
| QAA  | Taiwanese   |
| TGK  | Tajik   |
| TMH  | Tamashek  |
| TAM  | Tamil   |
| TAT  | Tatar   |
| TEL  | Telugu  |
| TER  | Tereno  |
| TET  | Tetum   |
| THA  | Thai  |
| TIB  | Tibetan   |
| TIG  | Tigre   |
| TIR  | Tigrinya  |
| TEM  | Time  |
| TIV  | Tiv   |
| TLI  | Tlingit   |
| TPI  | Tok Pisin   |
| TKL  | Tokelau   |
| TOG  | Tonga (Nyasa)                                       |
| TON  | Tonga (Tonga Islands)                               |
| TSI  | Tsimshian   |
| TSO  | Tsonga  |
| TSN  | Tswana  |
| TUM  | Tumbuka   |
| TUP  | Tupi languages                                      |
| TUR  | Turkish   |
| OTA  | Turkish, Ottoman (1500-1928)                        |
| TUK  | Turkmen   |
| TVL  | Tuvalu  |
| TYV  | Tuvinian  |
| TWI  | Twi   |
| UDM  | Udmurt  |
| UIG  | Uighur; Uyghur                                      |
| UKR  | Ukrainian   |
| UMB  | Umbundu   |
| MIS  | Uncoded languages (Other non-<br>English languages) |

| Code | Language Name                                     |
|------|---|
| UND  | Undetermined                                      |
| HSB  | Upper Sorbian                                     |
| URD  | Urdu  |
| UZB  | Uzbek   |
| VAI  | Vai   |
| VEN  | Venda   |
| VIE  | Vietnamese  |
| VOT  | Votic   |
| WAK  | Wakashan languages                                |
| WLN  | Walloon   |
| WAR  | Waray   |
| WAS  | Washo   |
| WEL  | Welsh   |
| FRY  | Western Frisian                                   |
| WAL  | Wolaitta; Wolaytta                                |
| WOL  | Wolof   |
| XHO  | Xhosa   |
| SAH  | Yakut   |
| YAO  | Yao (Mien)  |
| YAP  | Yapese  |
| YID  | Yiddish   |
| YOR  | Yoruba  |
| YPK  | Yupik languages                                   |
| ZND  | Zande languages                                   |
| ZAP  | Zapotec   |
| ZZA  | Zaza; Dimili; Dimli; Kirdki;<br>Kirmanjki; Zazaki |
| ZEN  | Zenaga  |
| ZHA  | Zhuang; Chuang                                    |
| ZUL  | Zulu  |
| ZUN  | Zuni  |



# Common Education Data Standards Language Codes (Field # 31)

| Code | Language Name                             |
|------|---|
| ABK  | Abkhazian                                 |
| ACE  | Achinese                                  |
| ACH  | Acoli                                     |
| ADA  | Adangme                                   |
| ADY  | Adyghe; Adygei                            |
| AAR  | Afar                                      |
| AFR  | Afrikaans                                 |
| AFA  | Afro-Asiatic languages                    |
| AIN  | Ainu                                      |
| AKA  | Akan                                      |
| ALB  | Albanian                                  |
| ALE  | Aleut                                     |
| ALG  | Algonquian languages                      |
| TUT  | Altaic languages                          |
| AMH  | Amharic                                   |
| ANP  | Angika                                    |
| APA  | Apache languages                          |
| ARA  | Arabic                                    |
| ARG  | Aragonese                                 |
| ARP  | Arapaho                                   |
| ARW  | Arawak                                    |
| ARM  | Armenian                                  |
| RUP  | Aromanian; Arumanian; Macedo-Romanian     |
| ASM  | Assamese                                  |
| AST  | Asturian; Bable; Leonese;<br>Asturleonese |
| ATH  | Athapascan languages                      |
| AUS  | Australian languages                      |
| MAP  | Austronesian languages                    |
| AVA  | Avaric                                    |
| AWA  | Awadhi                                    |
| AYM  | Aymara                                    |
| AZE  | Azerbaijani                               |
| BAN  | Balinese                                  |
| BAL  | Baluchi                                   |
| BAM  | Bambara                                   |

| Code | Language Name                |
|------|------------------------------|
| BAI  | Bamileke languages           |
| BAD  | Banda languages              |
| BNT  | Bantu languages              |
| BAS  | Basa                         |
| BAK  | Bashkir                      |
| BAQ  | Basque                       |
| BTK  | Batak languages              |
| BEJ  | Beja; Bedawiyet              |
| BEL  | Belarusian                   |
| BEM  | Bemba                        |
| BEN  | Bengali                      |
| BER  | Berber languages             |
| ВНО  | Bhojpuri                     |
| BIH  | Bihari languages             |
| BIK  | Bikol                        |
| BIN  | Bini; Edo                    |
| BIS  | Bislama                      |
| BYN  | Blin; Bilin                  |
| ZBL  | Blissymbols; Blissymbolics;  |
| ZDL  | Bliss                        |
| NOB  | Bokmål, Norwegian; Norwegian |
|      | Bokmål                       |
| BOS  | Bosnian                      |
| BRA  | Braj                         |
| BRE  | Breton                       |
| BUG  | Buginese                     |
| BUL  | Bulgarian                    |
| BUA  | Buriat                       |
| BUR  | Burmese                      |
| CAD  | Caddo                        |
| CHI  | Chinese                      |
| CAT  | Catalan; Valencian           |
| CAU  | Caucasian languages          |
| CEB  | Cebuano                      |
| CEL  | Celtic languages             |
| CAI  | Central American Indian      |
| υΛι  | languages                    |



| KHM |                                       |
|-----|---------------------------------------|
|     | Central Khmer                         |
| CMC | Chamic languages                      |
| CHA | Chamorro                              |
| CHE | Chechen                               |
| CHR | Cherokee                              |
| CHY | Cheyenne                              |
| NYA | Chichewa; Chewa; Nyanja               |
| CHN | Chinook jargon                        |
| CHP | Chipewyan; Dene Suline                |
| CHO | Choctaw                               |
| CHK | Chuukese                              |
| CHV | Chuvash                               |
| SYR | Syriac                                |
| COR | Cornish                               |
| COS | Corsican                              |
| CRE | Cree                                  |
| MUS | Creek                                 |
| CRP | Creoles and pidgins                   |
| CPE | Creoles and pidgins, English based    |
| CPF | Creoles and pidgins, French-<br>based |
| CPP | Creoles and pidgins, Portuguese-based |
| CRH | Crimean Tatar; Crimean<br>Turkish     |
| HRV | Croatian                              |
| CUS | Cushitic languages                    |
| CZE | Czech                                 |
| DAK | Dakota                                |
| DAN | Danish                                |
| DAR | Dargwa                                |
| DEL | Delaware                              |
| DIN | Dinka                                 |
| DIV | Divehi; Dhivehi; Maldivian            |
| DOI | Dogri                                 |
| DGR | Dogrib                                |
| DRA | Dravidian languages                   |
| DUA | Duala                                 |
| DUT | Dutch; Flemish                        |
| DYU | Dyula                                 |

| Code | Language Name           |
|------|-------------------------|
| DZO  | Dzongkha                |
| FRS  | Eastern Frisian         |
| EFI  | Efik                    |
| EKA  | Ekajuk                  |
| ENG  | English                 |
| MYV  | Erzya                   |
| INE  | Indo-European languages |
| EST  | Estonian                |
| EWE  | Ewe                     |
| EWO  | Ewondo                  |
| FAN  | Fang                    |
| FAT  | Fanti                   |
| FAO  | Faroese                 |
| FIJ  | Fijian                  |
| FIL  | Filipino; Pilipino      |
| FIN  | Finnish                 |
| FIU  | Finno-Ugrian languages  |
| FON  | Fon                     |
| FRE  | French                  |
| FUR  | Friulian                |
| FUL  | Fulah                   |
| GAA  | Ga                      |
| GLA  | Gaelic; Scottish Gaelic |
| CAR  | Galibi Carib            |
| GLG  | Galician                |
| LUG  | Ganda                   |
| GAY  | Gayo                    |
| GBA  | Gbaya                   |
| GEO  | Georgian                |
| GER  | German                  |
| GEM  | Germanic languages      |
| GIL  | Gilbertese              |
| GON  | Gondi                   |
| GOR  | Gorontalo               |
| GRB  | Grebo                   |
| GRE  | Greek, Modern (1453-)   |
| GRN  | Guarani                 |
| GUJ  | Gujarati                |
| GWI  | Gwich'in                |
| HAI  | Haida                   |



| Code | Language Name                                    |
|------|--|
| HAT  | Haitian; Haitian Creole                          |
| HAU  | Hausa  |
| HAW  | Hawaiian   |
| HEB  | Hebrew   |
| HER  | Herero   |
| HIL  | Hiligaynon                                       |
| HIM  | Himachali languages; Western<br>Pahari languages |
| HIN  | Hindi  |
| НМО  | Hiri Motu  |
| HIT  | Hittite  |
| HMN  | Hmong; Mong                                      |
| HUN  | Hungarian  |
| HUP  | Hupa   |
| IBA  | Iban   |
| ICE  | Icelandic  |
| IBO  | Igbo   |
| IJO  | ljo languages                                    |
| ILO  | lloko  |
| SMN  | Inari Sami                                       |
| INC  | Indic languages                                  |
| IND  | Indonesian                                       |
| INH  | Ingush   |
| IKU  | Inuktitut  |
| IPK  | Inupiaq  |
| IRA  | Iranian languages                                |
| GLE  | Irish  |
| IRO  | Iroquoian languages                              |
| ITA  | Italian  |
| JPN  | Japanese   |
| JAV  | Javanese   |
| JRB  | Judeo-Arabic                                     |
| JPR  | Judeo-Persian                                    |
| KBD  | Kabardian  |
| KAB  | Kabyle   |
| KAC  | Kachin; Jingpho                                  |
| KAL  | Kalaallisut; Greenlandic                         |
| XAL  | Kalmyk; Oirat                                    |
| KAM  | Kamba  |
| KAN  | Kannada  |

| CodeLanguage NameKAUKanuriKRCKarachay-BalkarKAAKara-KalpakKRLKarelianKARKaren languages |
|---|
| KRC Karachay-Balkar KAA Kara-Kalpak KRL Karelian  |
| KAA Kara-Kalpak<br>KRL Karelian   |
| KRL Karelian  |
|   |
| KAR Karen languages   |
|   |
| KAS Kashmiri  |
| CSB Kashubian   |
| KAZ Kazakh  |
| KHA Khasi   |
| MKH Mon-Khmer languages   |
| KHI Khoisan languages   |
| KHO Khotanese; Sakan  |
| KIK Kikuyu; Gikuyu  |
| KMB Kimbundu  |
| KIN Kinyarwanda   |
| KIR Kirghiz; Kyrgyz   |
| KOM Komi  |
| KON Kongo   |
| KOK Konkani   |
| KOR Korean  |
| KOS Kosraean  |
| KPE Kpelle  |
| KRO Kru languages   |
| KUA Kuanyama; Kwanyama  |
| KUM Kumyk   |
| KUR Kurdish   |
| KRU Kurukh  |
| KUT Kutenai   |
| LAD Ladino  |
| LAH Lahnda  |
| SIT Sino-Tibetan languages  |
| LAM Lamba   |
| DAY Land Dayak languages  |
| LAO Lao   |
| LAV Latvian   |
| LEZ Lezghian  |
| Limburgan: Limburger:   |
| LIM Limburgish  |
| LIN Lingala   |
| LIT Lithuanian  |



| Code | Language Name                |
|------|------------------------------|
| NDS  | Low German; Low Saxon;       |
|      | German, Low; Saxon, Low      |
| DSB  | Lower Sorbian                |
| LOZ  | Lozi                         |
| LUB  | Luba-Katanga                 |
| LUA  | Luba-Lulua                   |
| LUI  | Luiseno                      |
| SMJ  | Lule Sami                    |
| LUN  | Lunda                        |
| LUO  | Luo (Kenya and Tanzania)     |
| LUS  | Lushai                       |
| LTZ  | Luxembourgish; Letzeburgesch |
| MAC  | Macedonian                   |
| MAD  | Madurese                     |
| MAG  | Magahi                       |
| MAI  | Maithili                     |
| MAK  | Makasar                      |
| MLG  | Malagasy                     |
| MAY  | Malay                        |
| MAL  | Malayalam                    |
| MLT  | Maltese                      |
| MDR  | Mandar                       |
| MAN  | Mandingo                     |
| MNI  | Manipuri                     |
| MNO  | Manobo languages             |
| GLV  | Manx                         |
| MAO  | Maori                        |
| ARN  | Mapudungun; Mapuche          |
| MAR  | Marathi                      |
| CHM  | Mari                         |
| MAH  | Marshallese                  |
| MWR  | Marwari                      |
| MAS  | Masai                        |
| MYN  | Mayan languages              |
| MEN  | Mende                        |
| MIC  | Mi'kmaq; Micmac              |
| MIN  | Minangkabau                  |
| MWL  | Mirandese                    |
| МОН  | Mohawk                       |
| MDF  | Moksha                       |

| Code | Language Name                            |
|------|--|
| LOL  | Mongo                                    |
| MON  | Mongolian                                |
| MOS  | Mossi                                    |
| MUL  | Multiple languages                       |
| MUN  | Munda languages                          |
| NAH  | Nahuati languages                        |
| NAU  | Nauru                                    |
| NAV  | Navajo; Navaho                           |
| NDE  | Ndebele, North; North Ndebele            |
| NBL  | Ndebele, South; South Ndebele            |
| NDO  | Ndonga                                   |
| NAP  | Neapolitan                               |
| NEW  | Nepal Bhasa; Newari                      |
| NEP  | Nepali                                   |
| NIA  | Nias                                     |
| NIC  | Niger-Kordofanian languages              |
| SSA  | Nilo-Saharan languages                   |
| NIU  | Niuean                                   |
| NQO  | N'Ko                                     |
| NOG  | Nogai                                    |
|      | North American Indian                    |
| NAI  | languages                                |
| FRR  | Northern Frisian                         |
| SME  | Northern Sami                            |
| NOR  | Norwegian                                |
| NNO  | Norwegian Nynorsk; Nynorsk,<br>Norwegian |
| NUB  | Nubian languages                         |
| NYM  | Nyamwezi                                 |
| NYN  | Nyankole                                 |
| NYO  | Nyoro                                    |
| NZI  | Nzima                                    |
| OCI  | Occitan (post 1500)                      |
| OJI  | Ojibwa                                   |
| ORI  | Oriya                                    |
| ORM  | Oromo                                    |
| OSS  | Ossetian; Ossetic                        |
| BAT  | Baltic languages                         |
| ОТО  | Otomian languages                        |
| PAU  | Palauan                                  |



| Code | Language Name                     |
|------|-----------------------------------|
| PAM  | Pampanga; Kapampangan             |
| PAG  | Pangasinan                        |
| PAN  | Panjabi; Punjabi                  |
| PAP  | Papiamento                        |
| PAA  | Papuan languages                  |
| NSO  | Pedi; Sepedi; Northern Sotho      |
| PER  | Persian                           |
| PHI  | Philippine languages              |
| PON  | Pohnpeian                         |
| POL  | Polish                            |
| POR  | Portuguese                        |
| PRA  | Prakrit languages                 |
| PUS  | Pushto; Pashto                    |
| QUE  | Quechua                           |
| RAJ  | Rajasthani                        |
| RAP  | Rapanui                           |
| RAR  | Rarotongan; Cook Islands<br>Maori |
| ROA  | Romance languages                 |
| RUM  | Romanian; Moldavian;<br>Moldovan  |
| ROH  | Romansh                           |
| ROM  | Romany                            |
| RUN  | Rundi                             |
| RUS  | Russian                           |
| SAL  | Salishan languages                |
| SMI  | Sami languages                    |
| SMO  | Samoan                            |
| SAD  | Sandawe                           |
| SAG  | Sango                             |
| SAT  | Santali                           |
| SRD  | Sardinian                         |
| SAS  | Sasak                             |
| SCO  | Scots                             |
| SEL  | Selkup                            |
| SEM  | Semitic languages                 |
| SRP  | Serbian                           |
| SRR  | Serer                             |
| SHN  | Shan                              |
| SNA  | Shona                             |

| Code | Language Name               |
|------|-----------------------------|
| III  | Sichuan Yi; Nuosu           |
| SCN  | Sicilian                    |
| SID  | Sidamo                      |
| SGN  | Sign Languages              |
| BLA  | Siksika                     |
| SND  | Sindhi                      |
| SIN  | Sinhala; Sinhalese          |
| SIO  | Siouan languages            |
| SMS  | Skolt Sami                  |
| DEN  | Slave (Athapascan)          |
| SLA  | Slavic languages            |
| SLO  | Slovak                      |
| SLV  | Slovenian                   |
| SOG  | Sogdian                     |
| SOM  | Somali                      |
| SON  | Songhai languages           |
| SNK  | Soninke                     |
| WEN  | Sorbian languages           |
| SOT  | Sotho, Southern             |
| SAI  | South American Indian       |
| SAI  | languages                   |
| ALT  | Southern Altai              |
| SMA  | Southern Sami               |
| SPA  | Spanish; Castilian          |
| SRN  | Sranan Tongo                |
| ZGH  | Standard Moroccan Tamazight |
| SUK  | Sukuma                      |
| SUN  | Sundanese                   |
| SUS  | Susu                        |
| SWA  | Swahili                     |
| SSW  | Swati                       |
| SWE  | Swedish                     |
| GSW  | Swiss German; Alemannic;    |
| GSW  | Alsatian                    |
| TGL  | Tagalog                     |
| TAH  | Tahitian                    |
| TAI  | Tai languages               |
| TGK  | Tajik                       |
| TMH  | Tamashek                    |
| TAM  | Tamil                       |



| Code | Language Name                |
|------|------------------------------|
| TAT  | Tatar                        |
| TEL  | Telugu                       |
| TER  | Tereno                       |
| TET  | Tetum                        |
| THA  | Thai                         |
| TIB  | Tibetan                      |
| TIG  | Tigre                        |
| TIR  | Tigrinya                     |
| TEM  | Timne                        |
| TIV  | Tiv                          |
| TLI  | Tlingit                      |
| TPI  | Tok Pisin                    |
| TKL  | Tokelau                      |
| TOG  | Tonga (Nyasa)                |
| TON  | Tonga (Tonga Islands)        |
| TSI  | Tsimshian                    |
| TSO  | Tsonga                       |
| TSN  | Tswana                       |
| TUM  | Tumbuka                      |
| TUP  | Tupi languages               |
| TUR  | Turkish                      |
| ОТА  | Turkish, Ottoman (1500-1928) |
| TUK  | Turkmen                      |
| TVL  | Tuvalu                       |
| TYV  | Tuvinian                     |
| TWI  | Twi                          |
| UDM  | Udmurt                       |
| UIG  | Uighur; Uyghur               |
| UKR  | Ukrainian                    |
| UMB  | Umbundu                      |
| MIS  | Uncoded languages            |
| UND  | Undetermined                 |
| HSB  | Upper Sorbian                |
| URD  | Urdu                         |
| UZB  | Uzbek                        |
| VAI  | Vai                          |
| VEN  | Venda                        |
| VIE  | Vietnamese                   |
| VOT  | Votic                        |
| WAK  | Wakashan languages           |

| Code | Language Name                                     |
|------|---|
| WLN  | Walloon   |
| WAR  | Waray   |
| WAS  | Washo   |
| WEL  | Welsh   |
| FRY  | Western Frisian                                   |
| WAL  | Wolaitta; Wolaytta                                |
| WOL  | Wolof   |
| XHO  | Xhosa   |
| SAH  | Yakut   |
| YAO  | Yao   |
| YAP  | Yapese  |
| YID  | Yiddish   |
| YOR  | Yoruba  |
| YPK  | Yupik languages                                   |
| ZND  | Zande languages                                   |
| ZAP  | Zapotec   |
| ZZA  | Zaza; Dimili; Dimli; Kirdki;<br>Kirmanjki; Zazaki |
| ZEN  | Zenaga  |
| ZHA  | Zhuang; Chuang                                    |
| ZUL  | Zulu  |
| ZUN  | Zuni  |



# **Primary Disability Codes (Field # 23)**

| Code | Туре                          |
|------|-------------------------------|
| AUT  | Autism                        |
| DB   | Deaf-blindness                |
| EMN  | Emotional disturbance         |
| HI   | Hearing impairment            |
| ID   | Intellectual disability       |
| MD   | Multiple disabilities         |
| OI   | Orthopedic impairment         |
| OHI  | Other health impairment       |
| SLD  | Specific learning disability  |
| SLI  | Speech or language impairment |
| TBI  | Traumatic brain injury        |
| VI   | Visual impairment             |



#### **Tested LEA Reporting Rules**

The following sections describe the tested local educational agency (LEA) reporting rules for student data files and aggregate reporting to the Test Results for California's Assessments website.

- 1. For the computer-based or emergency forms Data Entry Interface test (all grades), students will be reported under the last tested LEA received for the computer-based domains.
- For the computer-based or emergency forms Data Entry Interface test (all grades), students
  who are assigned domain exemptions and tested in a non-exempted domain(s) will be
  reported under the last non-assigned domain tested LEA.
- 3. Students who have not tested are reported under the enrolled LEA at the end of the testing window.
- 4. A student record is present in only one tested LEA student data file per the rules mentioned previously if the student tested in multiple LEAs.
- 5. The aforementioned tested LEA will be used for aggregations for purposes of reporting to the Test Results for California's Assessments website at <a href="https://caaspp-elpac.cde.ca.gov/elpac/Default">https://caaspp-elpac.cde.ca.gov/elpac/Default</a>.



# **LEA Reporting Rule Examples**

## Initial ELPAC

| Test        | 0     | 1:-4:     | 0        | Dandin  | <b>VA</b> /:4: | 0                          |
|-------------|-------|-----------|----------|---------|----------------|----------------------------|
| Mode        | Grade | Listening | Speaking | Reading | Writing        | Comments                   |
| Computer-   | K-12  | Day 1     | Day 1    | Day 2   | Day 3          | The tested LEA and         |
| based and   |       |           |          |         |                | school for the Writing     |
| Paper-      |       |           |          |         |                | domain will be reported as |
| pencil test |       |           |          |         |                | the final tested LEA and   |
| -           |       |           |          |         |                | school.                    |
| Computer-   | K-12  | Not       | Exempt   | Not     | Exempt         | The student will be        |
| based and   |       | tested    | -        | tested  | -              | reported under the         |
| Paper-      |       |           |          |         |                | enrolled LEA.              |
| pencil test |       |           |          |         |                |                            |
| Computer-   | K-12  | Day 1     | Day 2    | Exempt  | Not            | The tested LEA and         |
| based and   |       | J         | J        |         | tested         | school for the Speaking    |
| Paper-      |       |           |          |         |                | domain will be reported as |
| pencil test |       |           |          |         |                | the final tested LEA and   |
| •           |       |           |          |         |                | school.                    |
| Computer-   | K-12  | Not       | Not      | Not     | Not            | The student will be        |
| based and   |       | tested    | tested   | tested  | tested         | reported under the last    |
| Paper-      |       |           |          |         |                | enrolled LEA.              |
| pencil test |       |           |          |         |                |                            |
| Computer-   | K-12  | Not       | Exempt   | Not     | Not            | The student will be        |
| based and   |       | tested    |          | tested  | tested         | reported under the last    |
| Paper-      |       |           |          |         |                | enrolled LEA.              |
| pencil test |       |           |          |         |                |                            |



#### Initial Alternate ELPAC

| Reporting LEA  | Test<br>Mode       | Grades | Testing<br>Start<br>Date | Testing<br>Completed<br>or Expired | Final Test<br>Completed<br>Date | SSR<br>Test<br>Date |
|--|--------------------|--------|--------------------------|------------------------------------|---------------------------------|---------------------|
| The tested LEA and school are determined from the date the test was completed or expired, and reported as the final tested LEA and school. | Computer-<br>based | K-12   | Day 1                    | Day 2                              | Day 2                           | Day 2               |
| Not tested students are reported under the last enrolled LEA.  | Computer-<br>based | K–12   | N/A                      | N/A                                | N/A                             | No SSR              |



#### **Condition Code Rules**

Condition codes are used by LEAs and the TOMS team to identify a special condition in a student's test record for reporting, such as setting Include Indicators. Condition codes are derived by TOMS. All condition codes are visible in the TOMS user interface. Condition codes also appear in the LEA's student data files.

#### Initial ELPAC

- 1. The exempt domain (EXD) condition code is derived based on one or two domain (one in each composite) exemption(s) assigned to the student's domain in TOMS.
  - a. Exemption results in a no score with an "NS" value assigned by the scoring system. The EXD condition code is reported in the student data files.

#### Both Initial ELPAC and Initial Alternate ELPAC

- 2. The not tested (NT) condition code is assigned when a student who is eligible to test with the Initial ELPAC or Initial Alternate ELPAC did not test and the student's English Language Acquisition Status (ELAS) did not change from TBD to non-TBD.
- 3. Only one condition code can be applied per student.



# **Condition Codes (Field # 109)**

| Tests                         | Code | Description      | Derived From  | Resulting Score   | Comment  |
|-------------------------------|------|------------------|---|---|--|
| Initial<br>ELPAC              | EXD  | Exempt<br>domain | This code is used when one of the two domains within a composite is assigned an exemption. Two domains cannot be exempted in a single composite.                                    | Exemption results in a no score with 'NS' value for the domain.   | A calculated score is assigned to the composite using the non-exempt domain for that composite; the resulting composite score is used to derive the overall score.   |
| Initial<br>ELPAC              | NT   | Not tested       | This code is used when valid eligibility is present but the student did not test and the student's ELAS status did not change from TBD to non-TBD by the end of the testing window. | The student is present in the student data file with no score; no Student Score Report (SSR) will be generated. | The NT condition code is applied to the Initial ELPAC testing eligible students as a closing event, at the end of the Initial ELPAC testing window and after all eligible student scores have been imported into TOMS.                   |
| Initial<br>Alternate<br>ELPAC | NT   | Not tested       | This code is used when valid eligibility is present, the student did not test, and the student's ELAS status did not change from TBD to non-TBD by the end of the testing window.   | The student is present in the student data file with no score; no SSR will be generated                         | The NT condition code is applied to Initial Alternate ELPAC eligible students as a closing event, at the end of the statewide Initial Alternate ELPAC testing window and after all eligible student scores have been imported into TOMS. |



# **Attemptedness and Participation Rules (Field # 110)**

| Tests                         | Attemptedness/<br>Completion<br>Status | Description and Rules   |
|-------------------------------|--|---|
| Initial<br>ELPAC              | Y                                      | For the Initial ELPAC, completion is assigned to a student who met the participation rule by having logged on to both domains, or if the student has domain exemption(s), logged on to all non-exempt domains. An SSR will be created for students who received an attemptedness value of "Y." The student record will be included in the student data file as tested with a numeric overall scale score.   |
| Initial<br>Alternate<br>ELPAC | Y                                      | For the Initial Alternate ELPAC, completion is assigned to a student who met the participation rules. The test examiner logged on for the student and a response was provided for at least one receptive and one expressive item. Each of the item responses can be either the selection of the "Mark as No Response" option in the TDS contextual menu or an item response. An SSR will be created for students who received an attemptedness value of "Y." The student record will be included in the student data file as tested with a numeric overall scale score.   |
| Initial<br>ELPAC              | P                                      | For the Initial ELPAC, partial-completion is assigned to a student who did not meet the participation rule. The student logged on to one domain but did not log on to both domains. The student will be reported as tested without a valid overall score (denoted as "NS" for No Score). No SSR will be created for students who received an attemptedness value of "P." The student record will be included in the student data file as tested with an "NS" overall scale score, and a "T" include indicator. Partially completed student records will be force completed at the end of the Initial ELPAC testing window. Force completed domains will be treated as not tested. |
| Initial<br>Alternate<br>ELPAC | P                                      | For the Initial Alternate ELPAC, partial-completion is assigned to a student who did not meet the participation rule. The test examiner logged on for the student, but a response was not provided to at least one receptive and one expressive item with the selection of the "Mark as No Response" option in the TDS contextual menu or an item response. No SSR will be created for students who received an attemptedness value of "P." The student record will be included in the student data file as tested with an "NS" overall scale score, and a "T" include indicator.   |



#### **Include Indicator Rules for Reporting**

*Include Indicator* allowable values are "N", "T", and "Y." To determine the *Include Indicator* for Initial ELPAC and Initial Alternate ELPAC, follow the logic steps provided:

- 1. If the condition code is NT (not tested), then output a value of "N" and STOP; if this condition is not met, proceed to step 2.
- 2. If the attemptedness is "P," then output a value of "T" and STOP; if this condition is not met, proceed to step 3.
- 3. If the overall attemptedness value is "Y," then output a value of "Y" and STOP.

Include Indicators are used to determine which students and scores are included in the aggregated formulas. Include Indicators are set for each test.



# **Include Indicators (Field # 111)**

| Code | Meaning   |
|------|---|
| N    | The student did not test.   |
| Т    | The student tested and did not meet the participation rule or received an attemptedness value of "P" from the scoring system. |
| Υ    | The student tested and received a valid score or received an attemptedness value of "Y" from the scoring system.              |



# **Scale Score Ranges**

## Initial ELPAC

| Grade<br>Level or<br>Grade<br>Span | Score   | Novice<br>Minimum | Novice<br>Maximum | Intermediat<br>e Minimum | Intermediate<br>Maximum | Initial<br>Fluent<br>Minimum | Initial<br>Fluent<br>Maximum |
|------------------------------------|---------|-------------------|-------------------|--------------------------|-------------------------|------------------------------|------------------------------|
| K-12                               | Overall | 150               | 369               | 370                      | 449                     | 450                          | 600                          |



#### Initial Alternate ELPAC

| Grade<br>Level or<br>Grade<br>Span | Novice<br>Minimum | Novice<br>Maximum | Intermediate<br>Minimum | Intermediate<br>Maximum | Initial<br>Fluent<br>Minimum | Initial<br>Fluent<br>Maximum |
|------------------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------------|------------------------------|
| K-12                               | 101               | 143               | 144                     | 159                     | 160                          | 199                          |



#### Student Move Reporting for Initial and Initial Alternate ELPAC

#### **Use Case Scenarios**

This table provides information on scenarios when a student tests and has moved between LEAs or has had a grade change. The scenarios are grouped together based on high-level use cases. While the rules indicate that the Student Score Report gets delivered to the latest enrollment location based on the CALPADS enrollment feed, the LEA downloadable file will contain all students tested and not tested in the LEA regardless of the latest enrollment.

| Use Case<br>Scenarios   | Enrolled LEA<br>Location | Tested LEA<br>Location | CALPADS LEA<br>Location | CALPADS Grade | TOMS Grade | LEA Student<br>Data Files by<br>Enrolled<br>Location | LEA Student<br>Data Files by<br>Tested Location | State Aggregate<br>File | State Student<br>File | Student Score<br>Report (SSR) in<br>TOMS |
|---|--------------------------|------------------------|-------------------------|---------------|------------|--|---|-------------------------|-----------------------|--|
| Student enrolled<br>throughout the<br>year in LEA A, no<br>grade change | LEA A                    | LEA A                  | LEA A                   | 8             | 8          | LEA A  | LEA A   | LEA A                   | LEA A                 | LEA A                                    |
| Student enrolled<br>in LEA A, moves<br>to LEA B                         | LEA A                    | LEA A                  | LEA B                   | 8             | 8          | LEA A and<br>B                                       | LEA A   | LEA A                   | LEA A                 | LEA B                                    |
| Student enrolled<br>in LEA A, moves<br>to LEA B                         | LEA A                    | LEA B                  | LEA B                   | 8             | 8          | LEA B  | LEA B   | LEA B                   | LEA B                 | LEA B                                    |
| Student enrolled<br>in LEA A, moves<br>to LEA B                         | LEA A                    | Not<br>tested          | LEA B                   | 8             | 8          | LEA B  | LEA B   | LEA B                   | LEA B                 | No SSR                                   |



| Use Case<br>Scenarios  | Enrolled LEA<br>Location | Tested LEA<br>Location | CALPADS LEA<br>Location | CALPADS Grade | TOMS Grade | LEA Student<br>Data Files by<br>Enrolled<br>Location | LEA Student<br>Data Files by<br>Tested Location | State Aggregate<br>File | State Student<br>File | Student Score<br>Report (SSR) in<br>TOMS |
|--|--------------------------|------------------------|-------------------------|---------------|------------|--|---|-------------------------|-----------------------|--|
| Student enrolled<br>in LEA A, tests in<br>only one domain,<br>moves to LEA B   | LEA A                    | LEA A                  | LEA B                   | 8             | 8          | LEA B  | LEA A   | LEA A                   | LEA A                 | No SSR                                   |
| Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window has closed, no grade change | LEA A                    | LEA A                  | N/A                     | 8             | 8          | LEA A  | LEA A   | LEA A                   | LEA A                 | LEA A                                    |
| Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window is closed, no grade change  | LEA A                    | Not<br>tested          | N/A                     | 8             | 8          | LEA A  | LEA A   | LEA A                   | LEA A                 | No SSR                                   |
| Student enrolled in LEA A, grade change occurs before the student tested   | LEA A                    | LEA A                  | LEA A                   | 9             | 9          | LEA A  | LEA A   | LEA A                   | LEA A                 | LEA A<br>Grade 9<br>SSR<br>reported      |



#### Use Case Scenarios (continuation one)

| Use Case<br>Scenarios  | Enrolled LEA<br>Location | Tested LEA<br>Location | CALPADS<br>LEA Location | CALPADS<br>Grade | TOMS Grade | LEA Student<br>Data Files by<br>Enrolled<br>Location | LEA Student<br>Data Files by<br>Tested<br>Location | State<br>Aggregate<br>File | State Student<br>File | Student Score<br>Report (SSR)<br>in TOMS |
|--|--------------------------|------------------------|-------------------------|------------------|------------|--|--|----------------------------|-----------------------|--|
| Student enrolled in LEA A, grade change occurs after the student tested    | LEA<br>A                 | LEA<br>A               | LEA A                   | 9                | 8          | LEA A  | LEA A  | LEA A                      | LEA A                 | LEA A Grade<br>8 SSR<br>reported         |
| Student moved before the administration year rollover and did not reenroll | LEA<br>A                 | LEA<br>A               | LEA A                   | 8                | 8          | LEA A  | LEA A  | LEA A                      | LEA A                 | LEA A current<br>year                    |
| Student moved<br>before the<br>administration<br>year rollover             | LEA<br>A                 | LEA<br>B               | LEA B                   | 8                | 8          | LEA B  | LEA B  | LEA B                      | LEA B                 | LEA A current<br>year                    |



| Use Case<br>Scenarios   | Enrolled LEA<br>Location | Tested LEA<br>Location | CALPADS<br>LEA Location | CALPADS<br>Grade | TOMS Grade | LEA Student<br>Data Files by<br>Enrolled<br>Location | LEA Student<br>Data Files by<br>Tested<br>Location | State<br>Aggregate<br>File | State Student<br>File | Student Score<br>Report (SSR)<br>in TOMS  |
|---|--------------------------|------------------------|-------------------------|------------------|------------|--|--|----------------------------|-----------------------|---|
| Student moved<br>after the<br>administration<br>year rollover | LEA<br>A                 | LEA<br>B               | LEA A                   | 8                | 8          | LEA B  | LEA B  | LEA B                      | LEA B                 | LEA A,<br>current and<br>previous<br>administration<br>year. LEA B,<br>previous<br>administration<br>year SSR<br>only |

#### **Test Eligibility and Registration Rules**

After TOMS receives student enrollment information from CALPADS, it creates test eligibility based on the predefined set of rules that take student grade, enrolled location, and demographic attributes into consideration. Student test eligibility determines if a student's record appears in the LEA Student Data (downloadable) files.

There is a test eligibility attribute called "validity." Eligibility is considered valid on the basis of the student's opportunity to test within the statewide testing window. All students with a Valid Indicator are included in the State and the LEA Student Data (downloadable) files, while Invalid Indicator student records are excluded, as they may have been exited from CALPADS prior to the start of the statewide testing window *or* enrolled in CALPADS after the end of the statewide testing window. Regarding the exited students, starting in 2022–23, the student effective exit date provided from CALPADS will be used and compared against the first and final testing window for which the student has eligibility, as well as whether a student has started testing, to determine whether a student can be exited.

Student CALPADS ELAS, primary language, and age < 22 years demographic fields determine student eligibility. Students with an ELAS of TBD, primary language designation—not English or Sign Language, and age < 22 years —



before the start of the testing are eligible to test. Note that students determined to be eligible for Initial Alternate ELPAC will automatically be registered for the California Alternate Assessments as well, and vice versa.

- 1. Eligibility changes after the start of testing the first domain for the Initial ELPAC will not invalidate the registration. Student can continue testing only for the domain(s) that were started. All other domains are blocked in the TDS where the student is yet to start testing.
  - a. For Initial ELPAC, all student records with CALPADS ELAS IS NOT TBD but logged on to both domains of the test or all non-exempt domains (met full attemptedness), registration will remain valid, and the student will be reported as tested in the reporting files.
  - b. For Initial ELPAC, all student records with CALPADS ELAS IS NOT TBD but did not logon or logged on to less than both domains or all non-exempt domains of the test (partial or not met), registration will be invalidated, and the student will not be reported in the LEA and CDE student data files.
- 2. Eligibility changes after the start of the Initial Alternate ELPAC will not invalidate the registration until the end of year from TOMS. At the end of the Initial Alternate ELPAC testing window,
  - a. Initial Alternate ELPAC student records with CALPADS ELAS IS NOT TBD, logged on, and met full attemptedness, the registration will remain valid, and the student will be reported as tested in the reporting files.
  - b. Initial Alternate ELPAC student records with CALPADS ELAS IS NOT TBD, logged on, and did not meet full attemptedness, the registration will not remain valid, and the student will not be reported as tested in the reporting files.
- 3. For all student records with CALPADS ELAS of TBD and logged onto the Initial Alternate ELPAC, or in the case of the Initial ELPAC, logged on to both domains of the test or all non-exempt domains, registration will remain valid, and the student will be reported as tested in the reporting files.
- 4. For all student records with CALPADS ELAS of TBD but did not logon to the test, or in the case of the Initial ELPAC, did not logon to both domains or all non-exempt domains of the test, registration will remain valid, and the student will be reported as not tested (NT) in the reporting files.
- 5. For students who exited after the test window started or submitted an exit effective date to CALPADS that is on or after the first ELPAC test window for which they had eligibility opened, and have not yet begun the Initial Alternate ELPAC, or in the case of the Initial ELPAC, the first domain test, registration will be kept valid and the student will be reported as not tested. For students who exited after start of the first testing event, registration will follow the rules in bullets # 1 and # 2.
- 6. Not Tested students will be included in the reporting files only if they have a CALPADS ELAS status of TBD on the last day of the Initial ELPAC or Initial Alternate ELPAC testing window. A weekly email is sent from TOMS to all LEAs with a list of students who did not complete testing within 30 days of enrollment.



## Table 1—Depiction of student enrollment changes and eligibility impacts

| Description   | Before Test<br>Window<br>Registration<br>Validity | During Test<br>Window<br>Registration<br>Validity | End of Test<br>Window<br>Registration<br>Validity | After Test<br>Window<br>Registration<br>Validity   |
|---|---|---|---|--|
| Eligibility met, new Student Enrollment from CALPADS (ELAS = TBD)   | Valid   | Valid   | Valid   | N/A  |
| Student lost eligibility, for Initial ELPAC and Initial Alternate ELPAC CALPADS ELAS changed from TBD to non-TBD (EO/RFEP), or primary language designation is English or Sign Language or age > 22 years student enrollment <b>before</b> start of testing or for Initial Alternate ELPAC the IDEA indicator or Primary Disability changed         | N/A   | Invalidate if prior registration is valid         | Invalidate if prior registration is valid         | N/A  |
| Student lost eligibility, for Initial ELPAC and Initial Alternate ELPAC CALPADS ELAS changed from TBD to non-TBD (EO/RFEP), or primary language designation is English or Sign Language or age > 22 years student enrollment <b>after</b> start of first test event or for Initial Alternate ELPAC the IDEA indicator or Primary Disability changed | N/A   | Registration<br>remains<br>valid                  | Registration<br>remains<br>valid                  | Invalidate or remove if prior registration is valid and participation rule not fully met |



Table 1—Depiction of student eligibility changes and enrollment impacts (continuation one)

| Description   | Before Test<br>Window<br>Registration<br>Validity | During Test<br>Window<br>Registration<br>Validity | End of Test<br>Window<br>Registration<br>Validity | After Test<br>Window<br>Registration<br>Validity |
|---|---|---|---|--|
| Student was eligible, tested and met participation rule. Student lost eligibility, for Initial ELPAC and Initial Alternate ELPAC CALPADS ELAS changed from TBD to non-TBD (EO/RFEP). Student is reported as tested.   | N/A   | Registration<br>remains<br>valid                  | Registration<br>remains<br>valid                  | Registration<br>remains<br>valid                 |
| Student was eligible, tested and did not meet participation rule Student lost eligibility, for Initial ELPAC and Initial Alternate ELPAC CALPADS ELAS changed from TBD to non-TBD (EO/RFEP). Student is not reported. | N/A   | Invalidate if prior registration is valid         | Invalidate if prior registration is valid         | Invalidate if prior registration is valid        |
| Student Exit from CALPADS file received by TOMS before start of testing and exit effective date is before the first ELPAC window for which the student has eligibility.   | N/A   | Invalidate if prior registration is valid         | Invalidate if prior registration is valid         | Invalidate if prior registration is valid        |
| Student Exit from CALPADS file received by TOMS after the start of testing.   | N/A   | Registration remains valid                        | Registration remains valid                        | Registration remains valid                       |

**Valid** = Existing eligibility is kept valid.

**Prior—Invalid – Previously existing registration is invalidated.** 



# Table 2—Student transfer scenarios that occur before, during, and after the statewide testing window

| Testing Window  | Prior LEA—<br>Create New<br>Eligibility | Prior LEA—Valid<br>Eligibility            | Prior LEA—Allow Grade Change   |
|-----------------|---|---|--|
| New LEA, Before | Yes                                     | Prior—Invalid                             | Yes  |
| New LEA, During | Yes                                     | New—Valid                                 | Allow grade change for all domains selected for domain exemption when: |
| New LEA, After  | No                                      | Prior—Invalid if the student did not test | No—If the student tested   |

**Yes** = Eligibility can be created.

**No** = Eligibility cannot be created.



#### Non-TBD CALPADS ELAS Status Tested Student(s) Reporting Rules

- Student's ELAS status changed from TBD to non-TBD before the start of the testing. Student's registration is changed to invalid, test block is placed in the TDS, and the student cannot test.
- Student's ELAS status changed from TBD to non-TBD after the start of the first tested domain for the Initial ELPAC. No test block is placed in the TDS. The student is allowed to continue testing only for the domain(s) that were started. All other domains are blocked in the TDS where the student is yet to start testing.
- Student's ELAS status changed from TBD to non-TBD after the start of the Initial Alternate ELPAC. No test block is placed in the TDS. The student is allowed to continue testing.
- If at the end of the testing window CALPADS ELAS = TBD, and tested, students will be reported if the <u>participation</u> rules are met.
- If at the end of the testing window CALPADS ELAS = non-TBD, student scores will be reported (SSRs, Student Data files, End of Year Reporting files) only if both domains are logged on for the Initial ELPAC. This may include domain exemption.
- If at the end of the testing window CALPADS ELAS = non-TBD, student scores will be reported (SSRs, Student Data files, End of Year Reporting files) only if the student responded to at least one expressive item and one responsive item by either using the "Mark as No Response" in the contextual menu option and/or item responses to meet test participation for the Initial Alternate ELPAC. The locked ELAS will be reported as TBD in the student data file.
- If at the end of testing window CALPADS ELAS = non-TBD, students will not be reported if both domains for the Initial ELPAC are not logged on or do not have domain exemptions assigned across the not logged into domains.
- If at the end of testing window CALPADS ELAS = non-TBD, students will not be reported if the students did not meet the Initial Alternate ELPAC participation rule.
- For students who will not be reported, Initial ELPAC or Initial Alternate ELPAC registration for the student will be removed to exclude the student from all reporting deliverables.



## **Initial and Initial Alternate ELPAC SSR Rules**

This table provides information of when a student will receive an Initial ELPAC or Initial Alternate ELPAC SSR.

| Assessment   | Description  | Current Year SSR   | Caution Text on<br>the Current Year<br>SSR         |
|--|--|--|--|
| Initial ELPAC<br>and Initial<br>Alternate<br>ELPAC | Student did not meet participation rule ( <u>Attemptedness</u> value of 'P') | No SSR will be created   | N/A  |
| Initial<br>ELPAC                                   | Student met participation rule ( <u>Attemptedness</u> value of 'Y')          | <ul> <li>SSR will be created</li> <li>Historical scores<br/>are not reported for<br/>Initial ELPAC</li> </ul>                        | Domain<br>Exemption                                |
| Initial ELPAC<br>and Initial<br>Alternate<br>ELPAC | Student met participation rule ( <u>Attemptedness</u> value of "Y")          | <ul> <li>SSR will be created</li> <li>Historical scores are not reported for the Initial ELPAC or Initial Alternate ELPAC</li> </ul> | Unlisted resource<br>that changes the<br>construct |
| Initial ELPAC<br>and Initial<br>Alternate<br>ELPAC | Student did not test   | No SSR will be created.  | N/A  |



## Calculated ELAS from TOMS to CALPADS for Initial and Initial Alternate ELPAC

| Attemptedness field value     | Calculate<br>ELAS | Send Calculated ELAS from TOMS to CALPADS | Description  |
|-------------------------------|-------------------|---|--|
| P (Partially tested students) | No                | No  | <ol> <li>Students with attemptedness value of 'P' receive an overall performance level value of 'NS.'</li> <li>Calculated ELAS cannot be derived using 'NS' overall</li> </ol>   |
|                               |                   |   | <ul> <li>performance level.</li> <li>3) As a result, <i>Calculated</i> ELAS from Initial ELPAC or Initial Alternate ELPAC testing will not be sent for from TOMS to CALPADS for students who received Attemptedness value of "P". These students' ELAS will remain in "TBD" status in CALPADS until the following administration year.</li> <li>4) The LEAs will need to re-enroll and re-administer the Initial Alternate ELPAC or both domains of Initial ELPAC the following administration year in the student's new grade level.</li> </ul> |
| Y (Participation met)         | Yes               | Yes                                       | <ol> <li>Calculated ELAS will be derived by TOMS for students who received Attemptedness value of "Y" using the overall performance level value.</li> <li>Student with overall performance level of 1 or 2 are</li> </ol>  |
|                               |                   |   | assigned an ELAS value of 'EL'  3) Student with overall performance level of 3 are assigned an ELAS value of 'IFEP'  |
|                               |                   |   | 4) Calculated ELAS derived by TOMS will be sent to CALPADS, daily until the end of Initial ELPAC testing window or all Initial ELPAC and Initial Alternate ELPAC results for the administration are posted.  |