

Local Educational Agency English Language Proficiency Assessments for California 2025–26 Initial ELPAC and Initial Alternate ELPAC Student Data File Layout

June 20, 2025

Contact Information

California District Outreach ● Contact: <u>Contact Us web page</u> Program: <u>CAASPP & ELPAC Website</u>

Copyright © 2025 by the California Department of Education



ELPAC System

Table of Contents

Introduction and Notes	1
What's New in 2025–26 for the Initial LEA Downloadable File	
New and Updated Fields	
Acronyms and Initialisms Used in the Student Data File Layout	
Demographics	
Score Data	
Test Administration Data	
Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation	
Fields of Note	
Additional Resources and Definitions	
Change Log	
Data Layout	
Start-of-Record Information (Fields 1–3)	
Student Information (Fields 4–13)	
Enrollment Information (Fields 14–17)	
Program Participation (Fields 18–22)	
Language Proficiency Information (Fields 23–28)	
Background Information (Fields 29–34)	
Ethnicity/Race (Fields 35–43)	20
Other Information (Field 44–51)	24
Test Details (Fields 52–109)	26
Testing Locations and Testing Dates (Fields 52–95)	26
Test Identification (Fields 96–103)	59
Testing Special Conditions (Fields 104–109)	64
Test Modes (Fields 110–129)	66
Test Results (Fields 130–141)	
Accommodations and Designated Supports (Fields 142–284)	80
Availability Indicators (Fields 142–143)	
Embedded Accommodations for Online Testing (Fields 144–163)	81
Non-Embedded Accommodations for Online and Paper–Pencil Testing	
(Fields 164–206)	
Embedded Designated Supports for Online Testing (Fields 207–236)	102
Non-Embedded Designated Supports for Online and Paper–Pencil Testing	
(Fields 237–284)	
Other Score Information (Fields 285–288)	
Reference Tables	
CALPADS Primary Language Codes (Field 29)	
Common Education Data Standards Language Codes (Field 30)	
Primary Disability Codes (Field 22)	
LEA Reporting Rules	
Tested LEA	
Examples	
Condition Codes	
Condition Code Rules	
Condition Code Values (Field 108)	
Attemptedness and Participation Rules (Field 109)	
Include Indicators	150

ELPAC System

Include Indicator Codes (Field 110)15
Scale Score Ranges
Initial ELPAC
Initial Alternate ELPAC15
Student Move Reporting for the Initial ELPAC and Initial Alternate ELPAC15
Use Case Scenarios
Test Eligibility and Registration Rules15
Table 1—Depiction of student enrollment changes and eligibility impacts
Table 2—Student transfer scenarios that occur before, during, and after the
statewide testing window15
Non-TBD CALPADS ELAS Tested Student(s) Reporting Rules
Initial ELPAC and Initial Alternate ELPAC SSR Rules
Calculated ELAS from TOMS to CALPADS for the Initial ELPAC and Initial
Alternate ELPAC

This page is intentionally left blank.



Introduction and Notes

This document contains the file layout and data definitions for the 2025–26 Initial English Language Proficiency Assessments for California (ELPAC) and Initial Alternate ELPAC administered by your local educational agency (LEA). The data includes student demographic information, test scores, and test administration information. In addition to the file layout, the following reference tables that define the code sets and rules for selected fields are provided in the Reference Tables section:

- California Longitudinal Pupil Achievement Data System (CALPADS) Primary Language Codes
- Common Education Data Standards (CEDS) Language Codes
- Primary Disability Codes
- LEA Reporting Rules
- Condition Codes
- Attemptedness and Participation Rules
- Include Indicators
- Scale Score Ranges
- Student Move Reporting for the Initial ELPAC and Initial Alternate ELPAC
- Test Eligibility and Registration Rules
- Non-To Be Determined (TBD) CALPADS English Language Acquisition Status (ELAS)
 Tested Student(s) Reporting Rules
- Initial ELPAC and Initial Alternate ELPAC Student Score Report (SSR) Rules
- Calculated ELAS from the Test Operations Management System (TOMS) for the Initial ELPAC and Initial Alternate ELPAC

The notes in this section provide important information concerning key elements of the file layout.

What's New in 2025–26 for the Initial LEA Downloadable File

New and Updated Fields

The following new fields have been added:

- Field 203—Non-Embedded Accommodations 1 Sensory Items (Online and Paper)
- Field 204—Non-Embedded Accommodations 2 Sensory Items (Online and Paper)
- Field 205—Non-Embedded Accommodations 3 Sensory Items (Online and Paper)
- Field 206—Non-Embedded Accommodations 4 Sensory Items (Online and Paper)

The following fields have been updated:

- Field 20—Section 504 Status → CALPADS Section 504 Status
- Field 22—Primary Disability Type → CALPADS Primary Disability Type

- Field 23—Migrant Status → CALPADS Migrant Status
- Field 29—Primary Language for Testing:
 - OTO Otomian languages (Mixteco) → QAD: Mixteco
 - o BAT: Other Baltic languages → HBS: Serbo-Croatian
 - SIT: Other Sino-Tibetan languages (Taishanese) → QAC: Toishanese (Taishanese)
 - o SYR: Syriac (Assyrian) → Syriac
 - o YUE: Cantonese → Yue Chinese (Cantonese)
 - MKH: Mon-Khmer languages (Cambodian) → Mon-Khmer languages
 - Kur: Kurdish (Kurdi, Kurmanji) → Kurdish
 - o CMN: Mandarin (Putonghua, Guoyu) → Mandarin Chinese (Putonghua, Guoyu)
- Field 31—Military Status → CALPADS Military Status, field length updated to 3
- Field 32—Foster Status → CALPADS Foster Status, field length updated to 3
- Field 33—Homeless Status → CALPADS Homeless Status, field length updated to 3
- Field 34—Economic Disadvantage Status → CALPADS Economic Disadvantage Status, field length updated to 3
- Field 48—Student State Name → Student State Code
- Field 233—Embedded Designated Supports 1—Turn Off Any Universal Tool(s) (Online)
 (Listening)—acceptable values and field length updated
- Field 234—Embedded Designated Supports 2—Turn Off Any Universal Tool(s) (Online) (Speaking)—acceptable values and field length updated
- Field 235—Embedded Designated Supports 3—Turn Off Any Universal Tool(s) (Online) (Reading)—acceptable values and field length updated
- Field 236—Embedded Designated Supports 4—Turn Off Any Universal Tool(s) (Online) (Writing)—acceptable values and field length updated
- Change of type for Primary Disability Type—EMN from "emotional disturbance" to "emotional disability" in Primary Disability Codes

The following fields have been removed:

- Field 14—TK Indicator
- Field 158—Embedded Accommodations 1—Text-to-Speech (Online)
- Field 241—Non-Embedded Designated Supports 1—Color Contrast (Online)
- Field 242—Non-Embedded Designated Supports 2—Color Contrast (Online)
- Field 243—Non-Embedded Designated Supports 3—Color Contrast (Online)
- Field 244—Non-Embedded Designated Supports 4—Color Contrast (Online)



Acronyms and Initialisms Used in the Student Data File Layout

Term	Definition
ASL	American Sign Language
CALPADS	California Longitudinal Pupil Achievement Data System
CDE	California Department of Education
CEDS	Common Education Data Standards
DEI	Data Entry Interface
DF	direct funded charter school
EA	embedded accommodations
EDS	embedded designated supports
EL	English learner
ELAS	English language acquisition status
ELPAC	English Language Proficiency Assessments for California
EO	English only
EXD	Exempt Domain
IDEA	Individuals with Disabilities Education Act
IFEP	initial fluent English proficient
K-12	kindergarten through grade twelve
LEA	local educational agency
LF	locally funded charter school
NEA	non-embedded accommodations
NEDS	non-embedded designated supports
NPS	nonpublic, nonsectarian school
NS	No Score
NT	Not Tested
PL	performance level
PPT	paper–pencil test
RFEP	reclassified as English proficient
SSID	Statewide Student Identifier
SSR	Student Score Report
TBD	To Be Determined
TDS	Test Delivery System
TOMS	Test Operations Management System
UIN	unique identification number

Demographics

Student demographic data is derived from CALPADS and reflects student demographics as captured in the demographic snapshot. Demographic snapshots for students who tested occur at the time the student starts testing or for alternate assessment students when scoring is complete, and the score becomes available for reporting in TOMS. For students who did not test, the demographic snapshot is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window for reporting in TOMS. Note that the source for each field is indicated in the file layout.

Data sources for the student data file are as follows:

- CALPADS—Extracted from CALPADS
- Derived—Created during generation of the student data file
- Scoring—Created as a result of scoring
- TOMS—Extracted from TOMS
- DEI—Extracted from the Data Entry Interface (DEI)

Score Data

Score data for the Initial ELPAC includes (1) the overall scale score and performance level, (2) oral language performance levels, and (3) written language performance levels. Score data for the Initial Alternate ELPAC includes the overall scale score and performance level.

Test Administration Data

Test administration data includes flags and condition codes describing specific elements of test administration. These include flags for attemptedness codes, Include Indicators, accommodations, and domain exemptions that occurred during the administration.

Treatment of Students in Nonpublic, Nonsectarian Schools for Data Aggregation

The school-level data for nonpublic, nonsectarian schools (NPSs) is removed from the aggregate data published on the <u>Test Results for California's Assessments website</u>; this data will not be searchable and will not appear in the aggregate reporting. The county, LEA, and direct funded charter school totals continue to include students attending NPSs in their aggregate data. If the *Special Education District of Accountability* field is populated in the student's data record, then the student record is aggregated to the county, district, and school entity levels or direct funded charter school code provided.



Fields of Note

The following fields are of particular importance:

Field #	Section	Additional Explanation
1	Record Type	Each record in the file will have a Record Type in field 1 that identifies the assessment taken. Only Initial ELPAC and Initial Alternate ELPAC records are included in this file.
2	UIN (Unique Identification Number)	The UIN, which is unique for every record in the file, may be used to join the records together so that all student information can be matched.
52-58, 61-67, 70-76, and 79-	Test Details— Testing Locations	This field shows the LEA name where the assessment was submitted by the student, or if partially completed, the LEA where the student last tested, regardless of whether the student moved.
85		2. If the student did not test, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the testing window.
59, 68, 77, and 86	Test Start Date	The Test Start Date field shows the date on which the student started testing online with the computer-based assessments in the Test Delivery System (TDS).
		2. A blank or null value is acceptable only for students who did not test, students who took the emergency paper–pencil test (PPT), or students who were assigned a domain exemption.
60, 69, 78, and	Testing Completed Date	This field shows the testing completed date when the assessment was submitted by the student in the TDS.
87		2. In the case of an expired assessment, the test completion date is populated using the expiration date. An expired test opportunity was expired by the system using the test expiration rules employed for the specific program, manually expired after the testing window has closed, or automatically expired at the end of the state testing window. Testing opportunities acquired through the DEI cannot be manually expired.
		3. A blank value is acceptable only for students who did not test or students who were assigned a domain exemption.
108	Condition Code	A special condition code indicates the presence of a particular circumstance during testing. Refer to the Condition Code Values (Field 108) reference table for a list of codes included in this field. Only one condition code can be applied per record type.



Field #	Section	Additional Explanation
109	Attemptedness	This flag designates students as either partial-completion or completion. Refer to the <u>Attemptedness and Participation Rules</u> (Field 109) reference table for definitions of the statuses.
110	Include Indicator	Include Indicators, when set, indicate how a test result will be treated for reporting the number of students tested, determining which students and scores are included in the aggregated data. Include Indicators also show whether a student has taken a required assessment. Refer to the Include Indicator Codes (Field 110) reference table for more information.

Additional Resources and Definitions

- CAASPP & ELPAC Website
- California Department of Education (CDE) <u>CALPADS</u> web page
- CDE Accountability web page

Change Log

If necessary, updates to the 2025–26 Initial ELPAC and Initial Alternate ELPAC Student Data File Layout will be outlined in this table.

Field #	Section(s)	Description of Change	Date Changed
N/A	N/A	N/A	N/A



Data Layout

Start-of-Record Information (Fields 1–3)

Field # (Column Header)	Field Start		Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
1 (A)	1	2	2	RecordType Record Type This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric 22 = Initial ELPAC 24 = Initial Alternate ELPAC	TOMS
2 (B)	3	18	16	UIN UIN (Unique Identification Number) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric	Internal ID from TOMS
3 (C)	19	34	16	Blank	Blank	Blank

Student Information (Fields 4–13)

Field # (Column Header)	Field Start		Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
4 (D)	35	44	10	SSID Statewide Student Identifier (SSID)	Alphanumeric (0–9)	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		1.08 SSID
5 (E)	45	64	20	LocalStudentID Student ID Number (Local ID)	Alphanumeric (0–9)	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	1.09 LocalStudent ID

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
6 (F)	65	114	50	StudentLastName Student Last Name	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		1.12 LastOrSurna me
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
7 (G)	115	144	30	StudentFirstName Student First Name	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		1.10 FirstName
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
8 (H)	145	174	30	StudentMiddleName Student Middle Name	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	1.11 MiddleName
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
9 (I)	175	176	2	Blank	Blank	Blank

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
10 (J)	177	186	10	DateofBirthforTesting Date of Birth	Alphanumeric	CALPADS 1.17
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	(YYYY-MM-DD)	DateofBirth
				The date of birth demographic snapshot for tested students was taken at the time TOMS receives the first test event for the Initial ELPAC and Initial Alternate ELPAC. For not-tested students, it is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
				Note: For students who were assigned domain exemptions, the date of birth demographic snapshot was taken at the test completion event.		
11 (K)	187	187	1	Gender This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and nottested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	Alphanumeric F = Female M = Male X = Nonbinary	CALPADS 1.18 Gender

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
12 (L)	188	189	2	CALPADSGrade CALPADS Grade This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This is the latest grade level received from CALPADS. If a student was exited from CALPADS for the current year and reregistered for the subsequent school year, next year's grade level is presented in this field. The demographic snapshot for tested and nottested students is taken daily until the end of the statewide Initial ELPAC and Initial Alternate ELPAC testing window.	Alphanumeric KN = Kindergarten 01 = First grade 02 = Second grade 03 = Third grade 04 = Fourth grade 05 = Fifth grade 06 = Sixth grade 07 = Seventh grade 08 = Eighth grade 09 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade	CALPADS 1.25 GradeLevel WhenAssess ed
13 (M)	190	191	2	GradeAssessed Grade Assessed This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This is the grade level at the time the student started the first assessment for the Initial ELPAC and Initial Alternate ELPAC. If the student did not test, the grade level assessed is the grade level at which the student was eligible to test. Note: For students who were assigned domain exemptions, the grade level assessed is the grade level recorded at the time the score was received.	Alphanumeric KN = Kindergarten 01 = First grade 02 = Second grade 03 = Third grade 04 = Fourth grade 05 = Fifth grade 06 = Sixth grade 07 = Seventh grade 08 = Eighth grade 09 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade	TOMS: Grade Assessed

Enrollment Information (Fields 14–17)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
14 (N)	192	205	14	CALPADSDistrictCode CALPADS District Code	Alphanumeric	CALPADS 2.06
				This is the latest district code received from CALPADS.		Responsible DistrictIdentif
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		ier
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
15 (O)	206	219	14	CALPADSSchoolCode CALPADS School Code	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		2.07 Responsible Schoolldentif
				This is the latest school code received from CALPADS.		ier
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
16 (P)	220	223	4	CALPADSCharterCode CALPADS Charter Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and not-	Alphanumeric Blank for noncharter schools	CALPADS Latest charter code received from	
				tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		CALPADS	
17 (Q)	224	224 225	24 225	225 2	CALPADSCharterSchoolIndicator CALPADS Charter School Indicator This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric DF = Direct funded charter school LF = Locally funded charter	CALPADS CharterScho olIndicator
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	school Blank		



Program Participation (Fields 18–22)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
18 (R)	226	232	7 SPEDACCTDist Special Education District of Accountability This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. Alphanumeric (0–9) Blank	Accountability This field is appl	Alphanumeric (0–9) Blank	CALPADS 3.22 EsilDSpecEd uAcctbltyDist
				This field is a two-digit county and five-digit district code.		
				It is used for aggregating NPS students to their home LEA. All other students are aggregated to the county-district-school or direct funded charter school in which the students tested.		
				If the NPS School Flag is "Y", then the Special Education District of Accountability where the student is enrolled is used for aggregating.		
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
19 (S)	233	233	1	CALPADSNPSSchoolFlag NPS School Flag	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Y = Yes N = No	1.06
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	Blank	

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element			
20 (T)	234	236	236 3	CALPADSSection504Status CALPADS Section 504 Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS Section504St atus			
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					
21 (U)	21 (U) 237 2	237	239 3	239	239	3	CALPADSSpecialEducation CALPADS Special Education This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS IDEAIndicato r
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					
22 (V)	240	243	4	CALPADSPrimaryDisabilityType CALPADS Primary Disability Type	Alphanumeric Blank	CALPADS PrimaryDisa			
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Biank	bilityType			
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					
				Codes are listed in the <u>Primary Disability Codes</u> reference table.					



Language Proficiency Information (Fields 23–28)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
23 (W)	244	246	3	CALPADSMigrantStatus CALPADS Migrant Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and nottested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing	Alphanumeric Yes No	CALPADS 3.20 MigrantStatu s
24 (X)	247	256	10	window. ELEntryDate EL Entry Date This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This is the date the student was assigned as an English learner (EL). It is the year, month, and day the student was classified as an EL and entered the English language development program.	Alphanumeric (YYYY-MM-DD) Blank	CALPADS EnglishLearn erIdentificatio nDate
25 (Y)	257	266	10	FirstEntryDateInUSSchool First Entry Date in US School This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and nottested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	Alphanumeric (YYYY-MM-DD) Blank	CALPADS 2.45 FirstEntryDat eIntoUSScho ol

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
26 (Z)	267	270	4	CalculatedELAS Calculated English Language Acquisition Status	Alphanumeric IFEP = Initial fluent English	Scoring (derived)	
				This is applicable to the Initial ELPAC (online and paper) and Initial Alternate ELPAC.	proficient EL = English learner		
					Blank		
27 (AA)	271	280	10	EnrollmentEffectiveDate Enrollment Effective Date	Alphanumeric (YYYY-MM-DD)	CALPADS EnrollmentEf	
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		fectiveDate	
			This is the California school entry date.				
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.			
28 (AB)	281	283	283	3	ELASforTesting English Language Acquisition Status	TBD	CALPADS 12.13
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		EnglishLang uageAcquisiti onStatus	
			stud first Alter stud	The ELAS demographic snapshot for a tested student is taken at the time the student starts the first assessment for the Initial ELPAC or Initial Alternate ELPAC and is taken daily for not-tested students until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		onStatus	
				Note: For students who are assigned a domain exemption for the Initial ELPAC, the ELAS demographic snapshot is taken at the test completion event.			



Background Information (Fields 29–34)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
29 (AC)	284	286	286 3	PrimaryLanguageforTesting Primary Language	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	LanguageCo deCALPADS
				This is the primary language demographic snapshot for tested students is taken at the time TOMS receives the first test event for the Initial ELPAC and Initial Alternate ELPAC.		
				For students who were assigned domain exemptions for the Initial ELPAC, the demographic snapshot is taken at the test completion event.		
				If a student did not test, the student's registered primary language value is reported.		
				Codes are listed in the <u>CALPADS Primary</u> <u>Language Codes</u> reference table.		
30 (AD)	287	289	3	CEDSLanguageCode Language Code (CEDS)	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	12.15 LanguageCo deCEDS
					The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	
				Codes are listed in the <u>CEDS Language Codes</u> reference table.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
31 (AE)	290	292	3	CALPADS MilitaryStatus CALPADS Military Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and nottested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing	Alphanumeric Yes No	CALPADS MilitaryStatu s
32 (AF)	293	295	3	window. CALPADS FosterStatus CALPADS Foster Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and nottested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	Alphanumeric Yes No Blank	CALPADS FosterStatus



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element		
33 (AG)	Homeles This field	CALPADS HomelessStatus CALPADS Homeless Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS 3.23 HomelessSta tus				
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.				
34 (AH)	299	99 301	299 301	301	301 3	CALPADS EconomicDisadvantageStatus CALPADS Economic Disadvantage Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS EconomicDis advantageSt atus
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.				

Ethnicity/Race (Fields 35–43)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
35 (AI)	302	304	3	HispanicorLatino Hispanic or Latino This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS 2.23 HispanicOrL atinoEthnicity
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		aunocumiony
36 (AJ)	305	307	3	AmericanIndianorAlaskaNative American Indian or Alaska Native This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS AmericanIndi anOrAlaskaN ative
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
37 (AK)	308	310	3	Asian This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS Asian
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element			
38 (AL)	311	313	3	BlackorAfricanAmerican Black or African American	Alphanumeric Yes	CALPADS BlackOrAfric			
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	No	anAmerican			
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					
39 (AM)	314	4 316	316	316	316	316 3	White	Alphanumeric	CALPADS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Yes No	White			
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					
40 (AN)	317	319	3	HawaiianorOtherPacificIslander Native Hawaiian or Other Pacific Islander	Alphanumeric Yes	CALPADS NativeHawaii			
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	No	anOrOtherPa cificIslander			
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
41 (AO)	320	322	3	Filipino This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	CALPADS Filipino
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
42 (AP)	323	325	3	TwoorMoreRaces Two or More Races This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field represents the ethnicity "Two or More Races" or if no ethnicity was reported.	Alphanumeric Yes No	Sourced from CALPADS Demographic RaceTwoOr MoreRaces
				The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
43 (AQ)	326	328	3	ReportingEthnicity Reporting Ethnicity This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. Students who do not have ethnicity (blank) value received from CALPADS by TOMS is grouped in reporting ethnicity "800."	Alphanumeric 100 = American Indian or Alaska Native 200 = Asian 300 = Native Hawaiian or Pacific Islander 400 = Filipino 500 = Hispanic or Latino 600 = Black or African American 700 = White 800 = Two or More Races or blank Blank is not an acceptable value.	Derived field based on "Yes" values in fields 35–42



Other Information (Field 44–51)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
44 (AR)	329	330	2	ParentEducationLevel Parent Education Level This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The demographic snapshot for tested and not- tested students is taken daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	Alphanumeric 10 = Graduate Degree or Higher 11 = College Graduate 12 = Some College or Associate 13 = High School Graduate 14 = Not a High School Graduate 15 = Decline to State	CALPADS 2.50 ParentHighe stEducationL evel
					Blank	
45 (AS)	331	390	60	StudentAddressLine1 Student Address Line 1 This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Blank = If address is not received from CALPADS	CALPADS ResidentialA ddressLine1
46 (AT)	391	450	60	StudentAddressLine2 Student Address Line 2 This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Blank = If address is not received from CALPADS	CALPADS ResidentialA ddressLine2
47 (AU)	451	510	60	StudentAddressCityName Student Address City This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Blank = If address is not received from CALPADS	CALPADS ResidentialA ddressCityN ame
48 (AV)	511	516	6	StudentStateCode Student State Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Blank = If address is not received from CALPADS	CALPADS ResidentialA ddressState ProvinceCod e

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
49 (AW)	517	528	12	StudentAddressZipCode Student Zip Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Blank = If address is not received from CALPADS	CALPADS ResidentialA ddressZipCo de
50 (AX)	529	538	10	SSRAvailableDate SSR Available Date This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This is the date on which SSRs are made available for download to the LEAs.	Alphanumeric (YYYY-MM-DD) Blank = The student did not test, or SSR Eligible = "N".	TOMS
51 (AY)	539	539	1	TestedStatus Tested Status This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Y = Tested N = Not tested Y = Tested when the attemptedness of the student score is "P" or "Y" N = Not tested when the student did not test or has a condition code of Not Tested (NT)	TOMS



Test Details (Fields 52–109)

Testing Locations and Testing Dates (Fields 52–95)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
52 (AZ)	540	639	100	TestedDistrictName1 Tested LEA Name 1— Listening	Alphanumeric	TOMS
				This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.		
				This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test or was assigned a domain exemption for this domain, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
53 (BA)	640	653	14	TestedDistrictCode1 Tested County-District Code 1—Listening	Alphanumeric	TOMS
				This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.		
				This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test or was assigned a domain exemption for this domain, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
54 (BB)	654	753	100	TestedSchoolName1 Tested School Name 1— Listening	Alphanumeric	TOMS
				This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.		
				This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test or was assigned a domain exemption for this domain, this field is populated with the school name of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element			
55 (BC)	754	767	767	767	767	767 14	TestedSchoolCode1 Tested School Code 1— Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC. This field shows the school code where the assessment was submitted by the student,	Alphanumeric	TOMS
				regardless of whether the student moved. If the student did not test or was assigned a domain exemption for this domain, this field is populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					
56 (BD)	768	769	2	TestedCharterSchoolIndicator1 Tested Charter School Indicator 1—Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC. This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test or was assigned a domain exemption for this domain, this field is	Alphanumeric DF = Direct funded charter school LF = Locally funded charter school Blank	TOMS			
				populated with the charter school indicator of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.					

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
57 (BE)	770	773	4	TestedCharterCode1 Tested Charter School Code 1—Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC. This field shows the tested charter code where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test or was assigned a domain exemption for this domain, this field is populated with the charter school code of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC	Alphanumeric Blank	TOMS
58 (BF)	774	774	1	TestedSchoolNPSFlag1 Tested School NPS Flag 1—Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC. This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test or was assigned a domain exemption for this domain, this field is populated with the NPS flag of the last enrollment with a valid registration at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.	Alphanumeric Y N Blank	TOMS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element									
59 (BG)	775	784	10	TestStartDate1 Test Start Date 1—Listening	Alphanumeric (YYYY-MM-DD)	TDS, DEI									
				This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.	Blank										
				This is the date when the assessment started for the Listening domain. For the Initial Alternate ELPAC this is the date when the test started.											
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.											
60 (BH)	785	794	794	794	794	794	794	794	794	794	794	10	TestCompletedDate1 Testing Completed Date 1—Listening	Alphanumeric TDS, (YYYY-MM-DD)	TDS, DEI
				This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.	Blank										
				This field shows the testing completed date when the assessment was submitted in the TDS or DEI.											
				In the case of an expired assessment, the test completion date is populated using the expiration date. An expired test opportunity was expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.											
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.											



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
61 (BI)	795	894	100	TestedDistrictName2 Tested LEA Name 2— Speaking	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Speaking domain).		
				This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered LEA name. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
62 (BJ)	895	908	14	TestedDistrictCode2 Tested County-District Code 2—Speaking	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Speaking domain).		
				This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered county-district code. This is applicable for all grade levels.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
63 (BK)	909	1008	100	TestedSchoolName2 Tested School Name 2— Speaking	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Speaking domain).		
				This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the school name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, they will be reported under the registered school name. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
64 (BL)	1009	1022	14	TestedSchoolCode2 Tested School Code 2— Speaking	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Speaking domain).		
				This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, the student is reported under the registered school code. This is applicable for all grade levels.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element		
65 (BM)	1023	1024	School Indicator 2—Sp This field is applicable (Speaking domain).	School Indicator 2—Speaking This field is applicable to the Initial E (Speaking domain).	This field is applicable to the Initial ELPAC (Speaking domain).	Alphanumeric DF = Direct funded charter school LF = Locally funded charter school	DF = Direct funded charter school LF = Locally funded charter school	TOMS
				This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved.	Blank			
				If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.				
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, the student is reported under the registered charter school indicator. This is applicable for all grade levels.				

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
66 (BN)	1025	1028	4	TestedCharterCode2 Tested Charter School Code 2—Speaking This field is applicable to the Initial ELPAC (Speaking domain). This field shows the tested charter code where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test, this field is populated with the charter code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window. If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered	Alphanumeric 4 digits Blank	TOMS
				for both domains in a single composite for the		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
67 (BO)	1029	9 1029	29 1	TestedSchoolNPSFlag2 Tested School NPS Flag 2—Speaking	Alphanumeric Y N	TOMS
				This field is applicable to the Initial ELPAC (Speaking domain).	Blank	
				This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the school NPS flag of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered school NPS flag. This is applicable for all grade levels.		
68 (BP)	1030	1039	10	TestStartDate2 Test Start Date 2—Speaking	Alphanumeric (YYYY-MM-DD)	DEI
				This field is applicable to the Initial ELPAC (Speaking domain).	Blank	
				This is the date when the assessment started for the Speaking domain.		
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
69 (BQ)	1040	1049	10	TestCompletedDate2 Testing Completed Date 2—Speaking	Alphanumeric (YYYY-MM-DD)	DEI
				This field is applicable to the Initial ELPAC (Speaking domain).	Blank	
				This field shows the testing completed date when the assessment was submitted in the TDS or DEI.		
				In case of an expired assessment, the test completion date is populated using the expiration date. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC testing window.		
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
70 (BR)	1050	1149	100	TestedDistrictName3 Tested LEA Name 3— Reading	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Reading domain).		
				This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered LEA name. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
71 (BS)	1150	1163	14	TestedDistrictCode3 Tested County-District Code 3—Reading	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Reading domain).		
				This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered county-district code. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
72 (BT)	1164	1263	100	TestedSchoolName3 Tested School Name 3— Reading	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Reading domain).		
				This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the school name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, the student is reported under the registered school name. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
73 (BU)	1264	1277	14	TestedSchoolCode3 Tested School Code 3—Reading	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Reading domain).		
				This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field would be populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, the student is reported under the registered school code. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
74 (BV)	1278	1279	2	TestedCharterSchoolIndicator3 Tested Charter School Indicator 3—Reading This field is applicable to the Initial ELPAC (Reading domain). This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end of the Initial ELPAC testing window. If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered charter school indicator. This is applicable for all grade levels.	Alphanumeric DF = Direct funded charter school LF = Locally funded charter school Blank	TOMS



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
75 (BW)	1280	1283	4	TestedCharterCode3 Tested Charter School Code 3—Reading This field is applicable to the Initial ELPAC (Reading domain).	Alphanumeric Blank	TOMS
				This field shows the tested charter code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the charter code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field will display the registered charter code. This is applicable for all grade levels.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
76 (BX)	1284	1284	1	TestedSchoolNPSFlag3 Tested School NPS Flag 3—Reading	Alphanumeric Y	TOMS
				This field is applicable to the Initial ELPAC (Reading domain).	N Blank	
				This field shows the school NPS flag where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field would be populated with the school NPS flag of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student is assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field will display the registered school NPS flag. This is applicable for all grade levels.		
77 (BY)	1285	1294	10	TestStartDate3 Test Start Date 3—Reading	Alphanumeric (YYYY-MM-DD)	TDS, DEI
				This field is applicable to the Initial ELPAC (Reading domain).	Blank	
				This is the date when the assessment started for the Reading domain.		
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
78 (BZ)	1295	1304	10	TestCompletedDate3 Testing Completed Date 3—Reading	Alphanumeric (YYYY-MM-DD)	TDS, DEI
				This field is applicable to the Initial ELPAC (Reading domain).	Blank	
				This field shows the testing completed date when the assessment was submitted in the TDS or DEI.		
				In case of an expired assessment, the test completion date is populated using the expiration date. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC testing window.		
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
79 (CA)	1305	1404	100	TestedDistrictName4 Tested LEA Name 4— Writing	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Writing domain).		
				This field shows the LEA name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the LEA name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered LEA name. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
80 (CB)	1405	1418	14	TestedDistrictCode4 Tested County-District Code 4—Writing	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Writing domain).		
				This field shows the county-district code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the county-district code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered county-district code. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
81 (CC)	1419	1518	100	TestedSchoolName4 Tested School Name 4— Writing	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Writing domain).		
				This field shows the school name where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the school name of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, the student is reported under the registered school name. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
82 (CD)	1519	1532	14	TestedSchoolCode4 Tested School Code 4— Writing	Alphanumeric	TOMS
				This field is applicable to the Initial ELPAC (Writing domain).		
				This field shows the school code where the assessment was submitted by the student, regardless of whether the student moved.		
				If the student did not test, this field is populated with the school code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, the student is reported under the registered school code. This is applicable for all grade levels.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
83 (CE)	1533	1534	2	TestedCharterSchoolIndicator4 Tested Charter School Indicator 4—Writing This field is applicable to the Initial ELPAC (Writing domain). This field shows the tested charter school indicator where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test, this field is populated with the charter school indicator of the last enrollment with a valid registration at the end of the Initial ELPAC testing window. If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered charter school indicator. This is applicable for all grade levels.	Alphanumeric DF = Direct funded charter school LF = Locally funded charter school Blank	TOMS



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
84 (CF)	1535	1538	4	TestedCharterCode4 Tested Charter School Code 4—Writing This field is applicable to the Initial ELPAC (Writing domain). This field shows the tested charter code where the assessment was submitted by the student,	Alphanumeric Blank	TOMS
				regardless of whether the student moved. If the student did not test, this field is populated with the charter code of the last enrollment with a valid registration at the end of the Initial ELPAC testing window.		
				If the student was assigned domain exemptions for both domains in a single composite for the Initial ELPAC, this field displays the registered charter code. This is applicable for all grade levels.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
85 (CG)	1539	1539	1	TestedSchoolNPSFlag4 Tested School NPS Flag 4—Writing This field is applicable to the Initial ELPAC (Writing domain). This field shows the tested school NPS flag where the assessment was submitted by the student, regardless of whether the student moved. If the student did not test, this field is populated with the school NPS flag of the last enrollment with a valid registration at the end of the Initial ELPAC testing window. If the student was assigned domain exemptions for both domains in a single composite for the	Alphanumeric Y N Blank	TOMS	
					Initial ELPAC, this field displays the registered school NPS flag. This is applicable for all grade levels.		
86 (CH)	1540	1549	10	TestStartDate4 Test Start Date 4—Writing This field is applicable to the Initial ELPAC (Writing domain). This is the date when the assessment started for the Writing domain.	Alphanumeric (YYYY-MM-DD) Blank	TDS, DEI	
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.			



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
87 (CI)	1550	1560	11	TestCompletedDate4 Testing Completed Date 4—Writing	Alphanumeric (YYYY-MM-DD)	TDS, DEI
				This field is applicable to the Initial ELPAC (Writing domain).	Blank	
				This field shows the testing completed date when the assessment was submitted in the TDS or DEI.		
				In case of an expired assessment, the test completion date is populated using the expiration date. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC testing window.		
				A blank value is acceptable only for students who did not test or were assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
88 (CJ)	1561	1660	100	FinalTestedDistrictName Final Tested LEA Name	Alphanumeric	TOMS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		
				This field displays the LEA name of the final tested LEA for the individual assessment for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting.		
				If the student did not test, then this field is populated with the student's last registered location in TOMS.		
89 (CK)	1661	1674	14	FinalTestedDistrictCode Final Tested County- District Code	Alphanumeric	TOMS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		
				This field displays the county-district code of the final tested LEA for the individual assessment for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting.		
				If the student did not test, then this field is populated with the student's last registered location in TOMS.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element		
90 (CL)	1675	1774	100	FinalTestedSchoolName Final Tested School Name This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field displays the school name of the final tested school for the individual assessment for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting.	Alphanumeric	TOMS		
				If the student did not test, then this field is populated with the student's last TOMS registered location.				
91 (CM)	1775	75 1788	1775 1788	1775 1788	14	FinalTestedSchoolCode Final Tested School Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric	TOMS
				This field displays the school code of the final tested LEA for the individual assessment for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting.				
				If the student did not test, then this field is populated with the student's last registered location in TOMS.				

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
92 (CN)	1789	1790 2	FinalTestedCharterSchoolIndicator Final Tested Charter School Indicator	Alphanumeric DF = Direct funded charter	TOMS	
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	school LF = Locally funded charter	
				This field displays the tested charter school indicator of the final tested school for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for the tested LEA student data files and aggregate reporting.	school Blank	
				If the student did not test, then this field is populated with the student's last TOMS registered location.		
93 (CO)	1791	1794	4	FinalTestedCharterCode Final Tested Charter Code	Alphanumeric	TOMS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		
				This field displays the final tested charter code of the final tested school for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for tested LEA student data files and aggregate reporting.		
				If the student did not test, then this field is populated with the student's last TOMS registered location.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
94 (CP)	1795	1795	1	FinalTestedSchoolNPSFlag Final Tested School NPS Flag This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field displays the NPS flag of the final tested school for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC. This data will be used for tested LEA student data files and aggregate reporting. If the student did not test, then this field is populated with the student's last TOMS registered location.	Alphanumeric Y = NPS N = Not an NPS Blank	TOMS
95 (CQ)	1796	1805	10	FinalTestCompletedDate Final Test Completed Date This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. The final testing completed date for the Initial Alternate ELPAC and (of the tested domains) for the Initial ELPAC will be used to identify the final tested LEA and school, and the date is printed on the SSR. If the student did not test, then this field will be blank.	Alphanumeric (YYYY-MM-DD)	TOMS



Test Identification (Fields 96–103)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
96 (CR)	1806	1821	16	OpportunityID1 Opportunity ID—Listening	Alphanumeric	TDS, DEI
				This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.	Blank	
				The Initial Alternate ELPAC is a computer-based assessment and is sourced only from the TDS.		
				This is a unique testing opportunity identifier that allows linkage to a testing session and students' responses.		
				A blank value is accepted only for students who did not test or were assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
97 (CS)	1822	1822	1	OpportunityTestingStatus1 Opportunity Testing Status—Listening This field is applicable to both the Initial ELPAC	Alphanumeric C = Completed E = Expired	TDS, DEI
				(Listening domain) and Initial Alternate ELPAC. This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.	Blank	
				A completed test opportunity is one that is submitted. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC and Initial Alternate ELPAC testing window.		
				A blank value is accepted only for students who did not test or were assigned a domain exemption.		
98 (CT)	1823	1838	16	OpportunityID2 Opportunity ID—Speaking This field is applicable to the Initial ELPAC (Speaking domain). This is a unique testing opportunity identifier that	Alphanumeric Blank	TDS, DEI
				allows linkage to a testing session and a student's responses. A blank value is accepted only for students who		
				did not test or were assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
99 (CU)	1839	1839	1	OpportunityTestingStatus2 Opportunity Testing Status—Speaking This field is applicable to the Initial ELPAC (Speaking domain).	Alphanumeric C = Completed E = Expired Blank	DEI
				This is the latest testing opportunity status code received from the DEI for the corresponding opportunity ID.		
				A completed test opportunity is one that is submitted. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC testing window.		
100 (CV)	1840	1855	16	A blank value is accepted only for students who did not test or were assigned a domain exemption. OpportunityID3 Opportunity ID—Reading	Alphanumeric	TDS, DEI
100 (01)	1040	1000	10	This field is applicable to the Initial ELPAC (Reading domain).	Blank	150, 521
				This is a unique testing opportunity identifier that allows linkage to a testing session and a student's responses.		
				A blank value is accepted only for students who did not test or were assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
101 (CW)	1856	1856	1	OpportunityTestingStatus3 Opportunity Testing Status—Reading This field is applicable to the Initial ELPAC	Alphanumeric C = Completed E = Expired	TDS, DEI
				(Reading domain).	Blank	
				This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID.		
				A blank value is accepted only for students who did not test or were assigned a domain exemption.		
102 (CX)	1857	1872	16	OpportunityID4 Opportunity ID—Writing	Alphanumeric	TDS, DEI
				This field is applicable to the Initial ELPAC (Writing domain).	Blank	
				This is a unique testing opportunity identifier that allows linkage to a testing session and students' responses.		
				A blank value is accepted only for students who did not test or were assigned a domain exemption.		



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
103 (CY)	1873	1873	1	OpportunityTestingStatus4 Opportunity Testing Status—Writing This field is applicable to the Initial ELPAC (Writing domain). This is the latest testing opportunity status code received from the TDS or DEI for the corresponding opportunity ID. A completed test opportunity is one that is submitted. An expired test opportunity was either expired by the system using the test expiration rules employed for the specific program or automatically expired at the end of the Initial ELPAC testing window. A blank value is acceptable only for students who did not test, partially completed the assessment, or were assigned a domain exemption.	Alphanumeric C = Completed E = Expired Blank	TDS, DEI



Testing Special Conditions (Fields 104–109)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
104 (CZ)	1874	1877	4	StudentExitCode Student Exit Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This is populated with an exit code received from CALPADS.	Alphanumeric Blank	CALPADS StuExitCatgK ey
105 (DA)	1878	1887	10	StudentExitDate Student Exit Date This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This is populated with the student exit withdrawal date that the LEA enters into CALPADS.	Alphanumeric (YYYY-MM-DD) Blank	CALPADS WithdrlDate
106 (DB)	1888	1897	10	StudentExitFileDate Student in Exit File Date This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This date is used to determine whether a student's test enrollment should be changed from valid to invalid status.	Alphanumeric (YYYY-MM-DD) Blank	TOMS (derived)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
107 (DC)	1898	1898	1	ELASCorrectionCode ELAS Correction Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field will be blank if the value is not received from CALPADS.	Alphanumeric 1 = Evidence of Non-English Primary Language 2 = Rotating Score Validation Process Error 3 = Home Language Survey Error 4 = Ineligible Student Tested	CALPADS
108 (DD)	1899	1901	3	ConditionCode Condition Code This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. A blank value represents the student tested and	5 = Evidence for EL or IFEP Blank Alphanumeric NT = Not Tested EXD = Exempt Domain Blank	TOMS
109 (DE)	1902	1902	1	no domain exemption was assigned in TOMS for the student. Attemptedness This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. A blank value is accepted only if the student did not test.	Alphanumeric P = Partial-completion Y = Completion Blank	Scoring (derived)



Test Modes (Fields 110–129)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
110 (DF)	1903	1903	1	IncludeIndicator Include Indicator This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. These indicators are used to determine which students and scores are included in the aggregate files.	Alphanumeric N = The student did not test. T = The student tested and did not meet the participation rule or received an attemptedness value of "P". Y = The student tested, received a valid score, and met the participation rule or received an attemptedness value of "Y". This can include the ALT or EXD condition codes.	TOMS (derived)
111 (DG)	1904	1904	1	UnlistedResource1 Unlisted Resources— Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct. Blank = No approved unlisted resource was requested, or other unapproved unlisted resource was requested.	TOMS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
112 (DH)	112 (DH) 1905 1905	1905	1905	1	UnlistedResource2 Unlisted Resources— Speaking This field is applicable to the Initial ELPAC (Speaking domain).	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.	TOMS
					Blank = No approved unlisted resource was requested, or other unapproved unlisted resource was requested.		
113 (DI)	1906	1906	1	UnlistedResource3 Unlisted Resources— Reading This field is applicable to the Initial ELPAC (Reading domain).	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.	TOMS	
					Blank = No approved unlisted resource was requested, or other unapproved unlisted resource was requested.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
114 (DJ)	1907	1907	1	UnlistedResource4 Unlisted Resources—Writing This field is applicable to the Initial ELPAC (Writing domain).	Alphanumeric Y = The approved unlisted resource changes the construct. N = The approved unlisted resource does not change the construct.	TOMS
					Blank = No approved unlisted resource was requested, or other unapproved unlisted resource was requested.	
115 (DK)	1908	1908	1	SSREligible SSR Eligible This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Y = The value for this field will be "Y" if the student met the minimum requirements to receive a score report. N = The value for this field will be "N" if no SSR was created.	TOMS
					Blank = The student did not test.	
116 (DL)	1909	1909	1	RemoteTester1 Remote Tester 1—Listening	Alphanumeric Y = Remote N = In-person M = Mixed	TDS
					Blank = The student did not test or took a PPT.	



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
117 (DM)	1910	1910	1	RemoteTester2 Remote Tester 2—Speaking	Alphanumeric Y = Remote N = In-person M = Mixed	TDS
					Blank = The student did not test or took a PPT.	
118 (DN)	1911	1911	1	RemoteTester3 Remote Tester 3—Reading	Alphanumeric Y = Remote N = In-person M = Mixed	TDS
					Blank = The student did not test or took a PPT.	
119 (DO)	1912	1912	1	RemoteTester4 Remote Tester 4—Writing	Alphanumeric Y = Remote N = In-person M = Mixed	TDS
					Blank = The student did not test or took a PPT.	

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
120 (DP)	1913	1913	1	ForceComplete Force Complete The student did not test in one or more domains by the end of the testing window, or the student has domain exemptions.	Alphanumeric Y = The student record was force-completed. The student did not test in one or more domains, and the domain(s) were force-completed at the end of the testing window, or the student has domain exemptions. N = The student record was not force-completed. The student tested in all the	TOMS
					domains or had no domain exemption. Blank = The student did not test.	
121 (DQ)	1914	1914	1	TestMode1 Test Mode—Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC. This field identifies whether the student tested online or used a PPT form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form. Blank is an acceptable value only for students who did not test or were assigned a domain exemption for this domain.	Alphanumeric O = Online P = Paper Blank	TOMS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
122 (DR)	1915	1915	1	TestMode2 Test Mode—Speaking This field is applicable to the Initial ELPAC (Speaking domain). This field identifies whether the student tested online or used a PPT form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form.	Alphanumeric O = Online P = Paper Blank	TOMS
				Blank is an acceptable value only for students who did not test or were assigned a domain exemption for this domain.		
123 (DS)	1916	1916	1	TestMode3 Test Mode—Reading This field is applicable to the Initial ELPAC (Reading domain). This field identifies whether the student tested online or used a PPT form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form.	Alphanumeric O = Online P = Paper Blank	TOMS
				Blank is an acceptable value only for students who did not test or were assigned a domain exemption for this domain.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
124 (DT)	1917	1917	1	TestMode4 Test Mode—Writing This field is applicable to the Initial ELPAC (Writing domain). This field identifies whether the student tested online or used a PPT form with responses entered into the DEI for this domain. If the test mode is paper, this means that the student tested using an emergency form. Blank is an acceptable value only for students who did not test or were assigned a domain	Alphanumeric O = Online P = Paper Blank	TOMS
125 (DU)	1918	1920	3	exemption for this domain. Blank	Blank	Blank
126 (DV)	1921	1922	2	RawScore1 Raw Score1—Listening This field is applicable to both the Initial ELPAC (Listening domain) and Initial Alternate ELPAC.	Alphanumeric ## = Raw score1 (MIN = 00, MAX = 99) NS = No Score; this is an acceptable value due to a domain exemption or because the domain was not tested. Blank = The student did not	Scoring



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
127 (DW)	1923	1924	2	RawScore2 Raw Score2—Speaking This field is applicable to the Initial ELPAC (Speaking domain).	Alphanumeric ## = Raw score2 (MIN = 00, MAX = 99) NS = No Score; this is an acceptable value due to a domain exemption or because the domain was not tested. Blank = The student did not test.	Scoring

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element		
128 (DX)	1925 1926	925 1926	25 1926	25 1926	2	RawScore3 Raw Score3—Reading This field is applicable to the Initial ELPAC (Reading domain).	Alphanumeric ## = Raw score3 (MIN = 00, MAX = 99) NS = No Score; this is an acceptable value due to a domain exemption or because the domain was not tested.	Scoring
					Blank = The student did not test.			
129 (DY)	1927	1928	2	RawScore4 Raw Score4—Writing This field is applicable to the Initial ELPAC (Writing domain).	Alphanumeric ## = Raw score4 (MIN = 00, MAX = 99) NS = No Score; this is an acceptable value due to a domain exemption or because the domain was not tested.	Scoring		
					Blank = The student did not test.			



Test Results (Fields 130–141)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
130 (DZ)	1929	1932	4	OverallScaleScore Overall Scale Score This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric 0000–MAX Overall Scale Score for the Initial ELPAC: ### = Overall Scale Score (MIN = 150 and MAX= 600) Overall Scale Score for the Initial Alternate ELPAC: ### = Overall Scale Score (MIN = 101 and MAX= 199) NS = No Score is assigned if the student received an attemptedness value of "P". Blank = The student did not	Scoring
131 (EA)	1933	1972	40	OverallPL Overall Performance Level This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	test. Alphanumeric Novice EL Intermediate EL Initial fluent English proficient (IFEP) NS = No Score is assigned if the student received an attemptedness value of "P". Blank = The student did not test.	Scoring

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
132 (EB)	1973	2004	32	OralLanguagePL Oral Language Performance Level This field is applicable to the Initial ELPAC. The performance level is based on the written language scale score.	Alphanumeric Beginning to develop Somewhat to moderately developed Well developed NS = No Score is assigned if the student logs on to fewer than the applicable domains, regardless of whether a domain is present.	Scoring
133 (EC)	2005	2036	32	WrittenLanguagePL Written Language Performance Level This field is applicable to the Initial ELPAC. The performance level is based on the written language scale score.	Blank = The student did not test. Alphanumeric Beginning to develop Somewhat to moderately developed Well developed NS = No Score is assigned if the student logs on to fewer than the applicable domains, regardless of whether a domain is present. Blank = The student did not test.	Scoring

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
134 (ED)	2037	2037	1	DomainEx1 Domain Exemption 1 This field is applicable to the Initial ELPAC (Listening domain). This is a flag indicating that the Listening domain is exempted.	Alphanumeric Y= The student is assigned a domain exemption for Listening. N= The student did not test, or a domain exemption for Listening is not assigned.	TOMS
135 (EE)	2038	2038	1	DomainEx2 Domain Exemption 2 This field is applicable to the Initial ELPAC (Speaking domain). This is a flag indicating that the Speaking domain is exempted.	Alphanumeric Y= The student is assigned a domain exemption for Speaking. N= The student did not test, or a domain exemption for Speaking is not assigned.	TOMS
136 (EF)	2039	2039	1	DomainEx3 Domain Exemption 3 This field is applicable to the Initial ELPAC (Reading domain). This is a flag indicating that the Reading domain is exempted.	Alphanumeric Y= The student is assigned a domain exemption for Reading. N= The student did not test, or a domain exemption for Reading is not assigned.	TOMS
137 (EG)	2040	2040	1	DomainEx4 Domain Exemption 4 This field is applicable to the Initial ELPAC (Writing domain). This is a flag indicating that the Writing domain is exempted.	Alphanumeric Y= The student is assigned a domain exemption for Writing. N= The student did not test, or a domain exemption for Writing is not assigned.	TOMS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
138 (EH)	2041	2042	2	ItemsAttempted1 Number of Items Attempted 1 This is the number of items attempted for the Listening domain for the Initial ELPAC or number of items attempted for the Initial Alternate ELPAC.	Alphanumeric ## = Number of items attempted (MIN = 00, MAX = 99) Blank = The student did not test for either the Initial ELPAC or Initial Alternate ELPAC or is assigned a domain exemption for the Initial ELPAC.	Scoring
139 (EI)	2043	2044	2	ItemsAttempted2 Number of Items Attempted 2 This is the number of items attempted for the Speaking domain.	Alphanumeric ## = Number of items attempted (MIN = 00, MAX = 99) Blank = The student did not test or is assigned a domain exemption for the Initial ELPAC.	Scoring

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
140 (EJ)	2045	2046	2 ItemsAttempted3 Number of Items Attempted 3 This is the number of items attempted for the Reading domain.	Alphanumeric ## = Number of items attempted (MIN = 00, MAX = 99)	Scoring	
					Blank = The student did not test or is assigned a domain exemption for the Initial ELPAC.	
141 (EK)	2047	2048	2	ItemsAttempted4 Number of Items Attempted 4 This is the number of items attempted for the Writing domain.	Alphanumeric ## = Number of items attempted (MIN = 00, MAX = 99)	Scoring
					Blank = The student did not test or is assigned a domain exemption for the Initial ELPAC.	

Accommodations and Designated Supports (Fields 142–284)

Availability Indicators (Fields 142–143)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
142 (EL)	2049	2051	3	AccommodationsIndicator Accommodations Available Indicator This field is applicable to both the Initial ELPAC	Alphanumeric Yes No	Derived
				and Initial Alternate ELPAC.	Blank	
				If embedded accommodations or non-embedded accommodations fields are populated, then a value is set to "Yes" for computer-based assessments or PPTs.		
				Blank is an acceptable value for students who did not test.		
143 (EM)	2052	2054	3	DesignatedSupportIndicator Designated Support Available Indicator	Alphanumeric Yes	Derived
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	No Blank	
				If embedded designated support or non- embedded designated support fields are populated, then a value is set to "Yes" for computer-based assessments or PPTs.		
				Blank is an acceptable value for students who did not test.		



Embedded Accommodations for Online Testing (Fields 144–163)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
144 (EN)	2055	2062	8	EAAmericanSignLanguage1 Embedded Accommodations—American Sign Language (Online) (Listening)	Alphanumeric TDS_ASL1 Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
145 (EO)	2063	2070	8	EAAmericanSignLanguage2 Embedded Accommodations—American Sign Language (Online) (Speaking) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_ASL1 Blank	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
146 (EP)	2071	2086	16	EAAudioScript1 Embedded Accommodations— Audio Transcript (Online) (Listening)	Alphanumeric TDS_AudioScript1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Blank	

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
147 (EQ)	2087	2102	16	EAAudioScript2 Embedded Accommodations— Audio Transcript (Online) (Speaking)	Alphanumeric TDS_AudioScript1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
148 (ER)	2103	2118	16	EAAudioScript3 Embedded Accommodations— Audio Transcript (Online) (Reading)	Alphanumeric TDS_AudioScript1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
149 (ES)	2119	2134	16	EAAudioScript4 Embedded Accommodations— Audio Transcript (Online) (Writing)	Alphanumeric TDS_AudioScript1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
150 (ET)	2135	2145	11	EABraille1 Embedded Accommodations— Braille (Online) (Listening)	Alphanumeric ENU-Braille	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
				This field also will be blank for a student in kindergarten through grade two or for a student in grades three through twelve whose responses and scores are entered into the DEI.		
151 (EU)	2146	2156	11	EABraille2 Embedded Accommodations— Braille (Online) (Speaking)	Alphanumeric ENU-Braille	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
				This field also will be blank for a student in kindergarten through grade two or for a student in grades three through twelve whose responses and scores are entered into the DEI.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
152 (EV)	2157	2167	11	EABraille3 Embedded Accommodations— Braille (Online) (Reading)	Alphanumeric ENU-Braille	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
				This field also will be blank for a student in kindergarten through grade two or for a student in grades three through twelve whose responses and scores are entered into the DEI.		
153 (EW)	2168	2178	11	EABraille4 Embedded Accommodations— Braille (Online) (Writing)	Alphanumeric ENU-Braille	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
				This field also will be blank for a student in kindergarten through grade two or for a student in grades three through twelve whose responses and scores are entered into the DEI.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
154 (EX)	2179	2192	192 14	EAClosedCaptioning1 Embedded Accommodations—Closed Captioning (Online) (Listening) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_ClosedCap1 Blank	CALPADS, TOMS, TDS	
			This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				
155 (EY)	155 (EY) 2193 2200	2206	2206 14	EAClosedCaptioning2 Embedded Accommodations—Closed Captioning (Online) (Speaking) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_ClosedCap1 Blank	CALPADS, TOMS, TDS	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
156 (EZ)	156 (EZ) 2207	07 2220	2220 14	14	EAClosedCaptioning3 Embedded Accommodations—Closed Captioning (Online) (Reading)	Alphanumeric TDS_ClosedCap1 Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
157 (FA)	2221	2234	234 14	EAClosedCaptioning4 Embedded Accommodations—Closed Captioning (Online) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_ClosedCap1 Blank	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
158 (FB)	2235	2259	25	EATexttoSpeech2 Embedded Accommodations—Text-to-Speech (Online) (Speaking) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_TTS_Item TDS_TTS_Stim TDS_TTS_Stim&TDS_TTS_ Item Blank	CALPADS, TOMS, TDS
159 (FC)	2260	2284	25	EATexttoSpeech4 Embedded Accommodations—Text-to-Speech (Online) (Writing) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_TTS_Item TDS_TTS_Stim TDS_TTS_Stim&TDS_TTS_ Item Blank	CALPADS, TOMS, TDS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
160 (FD)	2285	2299	15	EASpeechtoText1 Embedded Accommodations 1—Speech-to-Text (Online)	Alphanumeric TDS_Dictation_1	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Blank	- - .
161 (FE)	2300	2314	15	EASpeechtoText2 Embedded Accommodations 2—Speech-to-Text (Online) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_Dictation_1 Blank	CALPADS, TOMS, TDS, DEI
162 (FF)	2315	2329	15	EASpeechtoText3 Embedded Accommodations 3—Speech-to-Text (Online) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_Dictation_1 Blank	CALPADS, TOMS, TDS, DEI

Field # (Column Header)	Field Start		Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
163 (FG)	2330	2344	15	EASpeechtoText4 Embedded Accommodations 4—Speech-to-Text (Online) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_Dictation_1 Blank	CALPADS, TOMS, TDS, DEI

Non-Embedded Accommodations for Online and Paper–Pencil Testing (Fields 164–206)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
164 (FH)	2345	2357	13	NEAAdditionalInstructionalSupports1 Non- Embedded Accommodations 1—Additional Instructional Supports and Resources for Alternate Assessments (Online)	Alphanumeric NEA_AddAltRSC Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial Alternate ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element					
165 (FI)	2358	2363	2363	6	NEAAlternateResponseOptions1 Non- Embedded Accommodations—Alternate Response Options (Online or Paper) (Listening)	Alphanumeric NEA_AR Blank	CALPADS, TOMS, TDS, DEI				
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.							
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.							
166 (FJ)	166 (FJ) 2364	64 2369	54 2369	364 2369	2364 2369	364 2369	4 2369	6	NEAAlternateResponseOptions2 Non- Embedded Accommodations—Alternate Response Options (Online or Paper) (Speaking)	Alphanumeric NEA_AR Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.	Dialik						
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.							
167 (FK)	167 (FK) 2370	70 2375	2375 6	NEAAlternateResponseOptions3 Non- Embedded Accommodations—Alternate Response Options (Online or Paper) (Reading)	Alphanumeric NEA_AR Blank	CALPADS, TOMS, TDS, DEI					
				This field is applicable to the Initial ELPAC.	Biolin						
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.							

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
168 (FL)	2376	2381	6	NEAAlternateResponseOptions4 Non- Embedded Accommodations—Alternate Response Options (Online or Paper) (Writing)	Alphanumeric NEA_AR Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
169 (FM)	2382	2405	24	NEAManuallyCodedEnglish1 Non-Embedded Accommodations—ASL or Manually Coded English (Online or Paper) (Listening)	Alphanumeric NEA_ManuallyCodedEnglish NEA_ASLP	CALPADS, TOMS, TDS, DEI
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
170 (FN)	2406	2429	24	NEAManuallyCodedEnglish2 Non-Embedded Accommodations—ASL or Manually Coded English (Online or Paper) (Speaking)	Alphanumeric NEA_ManuallyCodedEnglish NEA_ASLP	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
171 (FO)	2430	2445	2445 16	NEAAudioScript1 Non-Embedded Accommodations—Audio Transcript (Paper) (Listening) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_AudioScriptP Blank	CALPADS, TOMS, DEI	
			This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				
172 (FP)	172 (FP) 2446 2461	2461	2461 16	NEAAudioScript2 Non-Embedded Accommodations—Audio Transcript (Paper) (Speaking) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_AudioScriptP Blank	CALPADS, TOMS, DEI	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
173 (FQ)	173 (FQ) 2462 24	2477	2462 2477 16	16	NEAAudioScript3 Non-Embedded Accommodations—Audio Transcript (Paper) (Reading)	Alphanumeric NEA_AudioScriptP Blank	CALPADS, TOMS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
174 (FR)	2478	2493	2493 16	NEAAudioScript4 Non-Embedded Accommodations—Audio Transcript (Paper) (Writing)	Alphanumeric NEA_AudioScriptP Blank	CALPADS, TOMS, DEI	
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
175 (FS)	175 (FS) 2494	2503	2503 10	Accommo	NEABreaks1 Non-Embedded Accommodations—Breaks (Online or Paper) (Listening)	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.			
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
176 (FT)	2504	2513	2513 10	NEABreaks2 Non-Embedded Accommodations—Breaks (Online or Paper) (Speaking)	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, TDS, DEI	
				This field is applicable to the Initial ELPAC.	Diam		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
177 (FU)	177 (FU) 2514	2523	10	NEABreaks3 Non-Embedded Accommodations—Breaks (Online or Paper) (Reading)	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, TDS, DEI	
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
178 (FV)	178 (FV) 2524 253	2533 1	4 2533 10	10	NEABreaks4 Non-Embedded Accommodations—Breaks (Online or Paper) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_Breaks Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
179 (FW)	179 (FW) 2534	2544	2544 11	NEABraille1 Non-Embedded Accommodations—Braille (Online or Paper) (Listening)	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, TDS, DEI	
				This field is applicable to the Initial ELPAC.			
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
180 (FX)	180 (FX) 2545 2555	2555	11	NEABraille2 Non-Embedded Accommodations—Braille (Online or Paper) (Speaking) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
181 (FY)	2556	2566	11	NEABraille3 Non-Embedded Accommodations—Braille (Online or Paper) (Reading) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
182 (FZ)	2567	2577	11	NEABraille4 Non-Embedded Accommodations—Braille (Online or Paper) (Writing)	Alphanumeric NEA_Braille Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
183 (GA)	2578	2593	16	NEAScribe1 Non-Embedded Accommodations—Scribe Items (Online or Paper) (Listening)	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
184 (GB)	2594	2609	16	NEAScribe2 Non-Embedded Accommodations—Scribe Items (Online or Paper) (Speaking)	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
185 (GC)	185 (GC) 2610	10 2625	16	NEAScribe3 Non-Embedded Accommodations—Scribe Items (Online or Paper) (Reading)	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.	Dianii	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
186 (GD)	2626	2641	16	NEAScribe4 Non-Embedded Accommodations—Scribe Items (Online or Paper) (Writing)	Alphanumeric NEA_SC_WritItems Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
187 (GE)	2642	2648	7	NEASpeechtoText1 Non-Embedded Accommodations—Speech-to-text (Online or Paper) (Listening) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_STT Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
188 (GF)	188 (GF) 2649	649 2655	2655 7	NEASpeechtoText2 Non-Embedded Accommodations—Speech-to-text (Online or Paper) (Speaking)	Alphanumeric NEA_STT Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
189 (GG)	2656	2662	7	NEASpeechtoText3 Non-Embedded Accommodations—Speech-to-text (Online or Paper) (Reading)	Alphanumeric NEA_STT Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
190 (GH)	2663	2669	7	NEASpeechtoText4 Non-Embedded Accommodations—Speech-to-text (Online or Paper) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_STT Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
191 (GI)	2670	2675	6	NEALargeVersionsofPaper1 Non-Embedded Accommodations—Large Versions of a Paper- Pencil Test (Paper) (Listening)	Alphanumeric NEA_LP Blank	CALPADS, TOMS, DEI
				This field is applicable to the Initial ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
192 (GJ)	192 (GJ) 2676	2681	681 6	NEALargeVersionsofPaper2 Non-Embedded Accommodations—Large Versions of a Paper- Pencil Test (Paper) (Speaking)	Alphanumeric NEA_LP Blank	CALPADS, TOMS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
193 (GK)	2682	2687	6	NEALargeVersionsofPaper3 Non-Embedded Accommodations—Large Versions of a Paper- Pencil Test (Paper) (Reading) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_LP Blank	CALPADS, TOMS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
194 (GL)	2688	2693	6	NEALargeVersionsofPaper4 Non-Embedded Accommodations—Large Versions of a Paper- Pencil Test (Paper) (Writing)	Alphanumeric NEA_LP Blank	CALPADS, TOMS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element						
195 (GM)	2694	2711	2711	711 18	NEAUnlistedResources1 Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Listening)	Alphanumeric NEA_IndividualAids Blank	CALPADS, TOMS, TDS, DEI					
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.								
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.								
196 (GN)	2712	12 2729	712 2729	712 2729	2712 2729	712 2729	2 2729	2729	729 18	NEAUnlistedResources2 Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Speaking)	Alphanumeric NEA_IndividualAids Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.	Didim							
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.								
197 (GO)	2730	2747	18	NEAUnlistedResources3 Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Reading)	Alphanumeric NEA_IndividualAids Blank	CALPADS, TOMS, TDS, DEI						
				This field is applicable to the Initial ELPAC.								
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.								

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
198 (GP)	2748	2765	2765 18	NEAUnlistedResources4 Non-Embedded Accommodation—Unlisted Resources (Online or Paper) (Writing)	Alphanumeric NEA_IndividualAids Blank	CALPADS, TOMS, TDS, DEI
			This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
199 (GQ)	199 (GQ) 2766 277	2771 6	NEAWordProcessor1 Non-Embedded Accommodations—Word Processor (Paper) (Listening)	Alphanumeric NEA_WP Blank	CALPADS, TOMS, DEI	
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
200 (GR)	200 (GR) 2772 2	2777	2777 6	NEAWordProcessor2 Non-Embedded Accommodations—Word Processor (Paper) (Speaking)	Alphanumeric NEA_WP Blank	CALPADS, TOMS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
201 (GS)	2778	78 2783	2778 2783	6	NEAWordProcessor3 Non-Embedded Accommodations—Word Processor (Paper) (Reading) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_WP Blank	CALPADS, TOMS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
202 (GT)	2784	2789	6	NEAWordProcessor4 Non-Embedded Accommodations—Word Processor (Paper) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric NEA_WP Blank	CALPADS, TOMS, DEI	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
203 (GU)	2790	2795	6	Non-Embedded Accommodations 1 - Sensory Items (Online and Paper) NEASensoryItems1	NEA_SI Blank	CALPADS, TOMS, TDS	
204 (GV)	2796	2801	6	Non-Embedded Accommodations 2 - Sensory Items (Online and Paper) NEASensoryItems2	NEA_SI Blank	CALPADS, TOMS, TDS	
205 (GW)	2802	2807	6	Non-Embedded Accommodations 3 - Sensory Items (Online and Paper) NEASensoryItems3	NEA_SI Blank	CALPADS, TOMS, TDS	
206 (GX)	2808	2813	6	Non-Embedded Accommodations 4 - Sensory Items (Online and Paper) NEASensoryItems4	NEA_SI Blank	CALPADS, TOMS, TDS	



Embedded Designated Supports for Online Testing (Fields 207–236)

•	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
207 (GY)	2814	2832	19	EDSColorContrast1 Embedded Designated Supports—Color Contrast (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCGream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 Blank	CALPADS, TOMS, TDS



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
208 (GZ)	2833	2851	19	EDSColorContrast2 Embedded Designated Supports—Color Contrast (Online) (Speaking) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 Blank	CALPADS, TOMS, TDS



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
209 (HA)	2852	2870	19	EDSColorContrast3 Embedded Designated Supports—Color Contrast (Online) (Reading) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen2 TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 Blank	CALPADS, TOMS, TDS



Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
210 (HB)	2871	2889	19	EDSColorContrast4 Embedded Designated Supports—Color Contrast (Online) (Writing) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_CCInvert TDS_CCMagenta TDS_CCMedGrayLtGray TDS_CCYellowB TDS_CCBlue TDS_CCBlue2 TDS_CCCream TDS_CCGray TDS_CCGray2 TDS_CCGreen TDS_CCGreen TDS_CCGreen2 TDS_CCMagenta2 TDS_CCWhiteN TDS_CCYellow TDS_CCYellow2 Blank	CALPADS, TOMS, TDS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
211 (HC)	2890	2905	16	EDSMousePointer1 Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL	CALPADS, TOMS, TDS
212 (HD)	2906	2921	16	EDSMousePointer2 Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Speaking) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	CALPADS, TOMS, TDS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
213 (HE)	2922	2937	16	EDSMousePointer3 Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Reading) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_XL TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL	CALPADS, TOMS, TDS
214 (HF)	2938	2953	16	EDSMousePointer4 Embedded Designated Supports—Mouse Pointer (Size and Color) (Online) (Writing) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_MP_Black_L TDS_MP_Black_XL TDS_MP_Green_L TDS_MP_Green_XL TDS_MP_Red_L TDS_MP_Red_L TDS_MP_White_L TDS_MP_White_XL TDS_MP_Yellow_L TDS_MP_Yellow_XL Blank	CALPADS, TOMS, TDS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
215 (HG)	2954	2965	12	EDSMasking1 Embedded Designated Supports—Masking (Online) (Listening)	Alphanumeric TDS_Masking1	CALPADS, TOMS, TDS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
216 (HH)	2966	2977	12	EDSMasking2 Embedded Designated Supports—Masking (Online) (Speaking)	Alphanumeric TDS_Masking1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
217 (HI)	2978	2989	12	EDSMasking3 Embedded Designated Supports—Masking (Online) (Reading)	Alphanumeric TDS_Masking1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
218 (HJ)	2990	3001	12	EDSMasking4 Embedded Designated Supports—Masking (Online) (Writing)	Alphanumeric TDS_Masking1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
219 (HK)	3002	3010	9	EDSPauseorReplayAudio1 Embedded Designated Supports—Pause or Replay Audio - Listening Domain (Online)	Alphanumeric TDS_UAV_1 Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Biarin	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
220 (HL)	3011	3019	9	EDSPauseorReplayAudio2 Embedded Designated Supports—Pause or Replay Audio - Speaking Domain (Online)	Alphanumeric TDS_UAV_1 Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Biarin	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
221 (HM)	3020	3026	7	EDSPermissiveMode1 Embedded Designated Supports—Permissive Mode (Online) (Listening)	Alphanumeric TDS_PM1	CALPADS, TOMS, TDS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
222 (HN)	3027	3033	7	EDSPermissiveMode2 Embedded Designated Supports—Permissive Mode (Online) (Speaking)	Alphanumeric TDS_PM1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
223 (HO)	3034	3040	7	EDSPermissiveMode3 Embedded Designated Supports—Permissive Mode (Online) (Reading)	Alphanumeric TDS_PM1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
224 (HP)	3041	3047	3047 7	EDSPermissiveMode4 Embedded Designated Supports—Permissive Mode (Online) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_PM1 Blank	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
225 (HQ)	3048	3056	9	EDSPrintSize1 Embedded Designated Supports—Print Size (Online) (Listening) This field is applicable to both the Initial ELPAC	Alphanumeric TDS_PS_L1 TDS_PS_L2	CALPADS, TOMS, TDS
				and Initial Alternate ELPAC. Note: "Print size" is "on-screen font size" for online testing.	TDS_PS_L3 TDS_PS_L4 Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
226 (HR) 30	3057	3065	9	EDSPrintSize2 Embedded Designated Supports—Print Size (Online) (Speaking) This field is applicable to the Initial ELPAC. Note: "Print size" is "on-screen font size" for online testing. This field is blank for a student who did not test	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	CALPADS, TOMS, TDS
				or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
227 (HS)	3066	3074	9	EDSPrintSize3 Embedded Designated Supports—Print Size (Online) (Reading) This field is applicable to the Initial ELPAC. Note: "Print size" is "on-screen font size" for online testing. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	CALPADS, TOMS, TDS
228 (HT)	3075	3083	9	EDSPrintSize4 Embedded Designated Supports—Print Size (Online) (Writing) This field is applicable to the Initial ELPAC. Note: "Print size" is "on-screen font size" for online testing. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_PS_L1 TDS_PS_L2 TDS_PS_L3 TDS_PS_L4 Blank	CALPADS, TOMS, TDS
229 (HU)	3084	3091	8	EDSStreamline1 Embedded Designated Supports—Streamline (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_SLM1 Blank	CALPADS, TOMS, TDS

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
230 (HV)	3092	3099	8	EDSStreamline2 Embedded Designated Supports—Streamline (Online) (Speaking)	Alphanumeric TDS_SLM1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
231 (HW)	3100	3107	8	EDSStreamline3 Embedded Designated Supports—Streamline (Online) (Reading)	Alphanumeric TDS_SLM1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
232 (HX)	3108	3115	8	EDSStreamline4 Embedded Designated Supports—Streamline (Online) (Writing)	Alphanumeric TDS_SLM1	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
233 (HY)	3116	3118	3	EDSTurnOffAnyUniversalTool1 Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Listening)	Alphanumeric TDS_REM Yes, Blank	CALPADS, TOMS, TDS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
234 (HZ)	3119	3121	3121 3	EDSTurnOffAnyUniversalTool2 Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Speaking)	Alphanumeric TDS_REM	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	Yes, Blank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
235 (IA)	3122	3124	3	EDSTurnOffAnyUniversalTool3 Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Reading)	Alphanumeric TDS_REM Yes, Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.	1 65, DIATIK	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start		Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
236 (IB)	3125	3127	3	EDSTurnOffAnyUniversalTool4 Embedded Designated Supports—Turn Off Any Universal Tool(s) (Online) (Writing) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_REM Yes, Blank	CALPADS, TOMS, TDS

Non-Embedded Designated Supports for Online and Paper–Pencil Testing (Fields 237–284)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
237 (IC)	3128	3139	12	NEDSAmplification1 Non-Embedded Designated Supports—Amplification (Online or Paper) (Listening) This field is applicable to the Initial ELPAC.	Alphanumeric NEDS_Amplify Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element		
238 (ID)	3140	3151	12	NEDSAmplification2 Non-Embedded Designated Supports—Amplification (Online or Paper) (Speaking)	Alphanumeric NEDS_Amplify Blank	CALPADS, TOMS, TDS, DEI		
				This field is applicable to the Initial ELPAC.				
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				
239 (IE)	239 (IE) 3152 316	3152	3163 12	152 3163	12	NEDSAmplification3 Non-Embedded Designated Supports—Amplification (Online or Paper) (Reading)	Alphanumeric NEDS_Amplify Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.				
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				
240 (IF)	3164	3175	12	NEDSAmplification4 Non-Embedded Designated Supports—Amplification (Online or Paper) (Writing)	Alphanumeric NEDS_Amplify Blank	CALPADS, TOMS, TDS, DEI		
				This field is applicable to the Initial ELPAC.				
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element						
241 (IG)	3176	6 3182	3182	3182	3182	3182	3182 7	NEDSColorOverlay1 Non-Embedded Designated Supports—Color Overlay (Online or Paper) (Listening)	Alphanumeric NEDS_CO Blank	CALPADS, TOMS, TDS, DEI		
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.								
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.								
242 (IH)	242 (IH) 3183 31	3183	3183	3189 7	3183 3189	83 3189	3189	3189	7	NEDSColorOverlay2 Non-Embedded Designated Supports—Color Overlay (Online or Paper) (Speaking)	Alphanumeric NEDS_CO Blank	CALPADS, TOMS, TDS, DEI
							This field is applicable to the Initial ELPAC.					
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.								
243 (II)	3190	3196	7	NEDSColorOverlay3 Non-Embedded Designated Supports—Color Overlay (Online or Paper) (Reading)	Alphanumeric NEDS_CO Blank	CALPADS, TOMS, TDS, DEI						
				This field is applicable to the Initial ELPAC.	Biarin							
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.								

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
244 (IJ)	3197	3203	7	NEDSColorOverlay4 Non-Embedded Designated Supports—Color Overlay (Online or Paper) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric NEDS_CO Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
245 (IK)	3204	3211	8	NEDSInterfaceAssistant1 Non-Embedded Designated Supports—Designated Interface Assistant (Online) (Listening)	Alphanumeric NEDS_DIA Blank	CALPADS, TOMS, TDS
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Bank	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
246 (IL)	3212	3219	8	NEDSInterfaceAssistant2 Non-Embedded Designated Supports—Designated Interface Assistant (Online) (Speaking)	Alphanumeric NEDS_DIA Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
247 (IM)	3220	3227	8	NEDSInterfaceAssistant3 Non-Embedded Designated Supports—Designated Interface Assistant (Online) (Reading)	Alphanumeric NEDS_DIA Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for		
242 (IN)	0000	0005		a student who was assigned a domain exemption.		
248 (IN)	3228	3235	8	NEDSInterfaceAssistant4 Non-Embedded Designated Supports—Designated Interface Assistant (Online) (Writing)	Alphanumeric NEDS_DIA Blank	CALPADS, TOMS, TDS
		This field is applicable to the Initial ELPAC.		Diam		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
249 (IO)	3236	3243	8	NEDSMagnification1 Non-Embedded Designated Supports—Magnification (Online or Paper) (Listening)	Alphanumeric NEDS_Mag Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element				
250 (IP)	3244	3251	8	NEDSMagnification2 Non-Embedded Designated Supports—Magnification (Online or Paper) (Speaking)	Alphanumeric NEDS_Mag Blank	CALPADS, TOMS, TDS, DEI				
				This field is applicable to the Initial ELPAC.						
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.						
251 (IQ)	251 (IQ) 3252	252 3259	3252 3259	3252 3259	3259	3259	8	NEDSMagnification3 Non-Embedded Designated Supports—Magnification (Online or Paper) (Reading)	Alphanumeric NEDS_Mag Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.						
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.						
252 (IR)	3260	3267	8	NEDSMagnification4 Non-Embedded Designated Supports—Magnification (Online or Paper) (Writing)	Alphanumeric NEDS_Mag Blank	CALPADS, TOMS, TDS, DEI				
				This field is applicable to the Initial ELPAC.						
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.						

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
253 (IS)	3268	3280	13	NEDSMasking1 Non-Embedded Designated Supports—Masking (Paper) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric NEDS_Masking NEDS_MaskingP Blank	CALPADS, TOMS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
254 (IT)	3281	3293	13	NEDSMasking2 Non-Embedded Designated Supports—Masking (Paper) (Speaking) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test	Alphanumeric NEDS_Masking NEDS_MaskingP Blank	CALPADS, TOMS, DEI
				or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
255 (IU)	3294	3306	13	NEDSMasking3 Non-Embedded Designated Supports—Masking (Paper) (Reading) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test	Alphanumeric NEDS_Masking NEDS_MaskingP Blank	CALPADS, TOMS, DEI
				or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
256 (IV)	256 (IV) 3307 3	3319	13	NEDSMasking4 Non-Embedded Designated Supports—Masking (Paper) (Writing) This field is applicable to the Initial ELPAC.	Alphanumeric NEDS_Masking NEDS_MaskingP	CALPADS, TOMS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Blank	
257 (IW)	3320	3330	11	NEDSMedicalSupports1 Non-Embedded Designated Supports—Medical Supports (Online or Paper) (Listening)	Alphanumeric NEDS_MedDev Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Baint	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
258 (IX)	3331	3341	11	NEDSMedicalSupports2 Non-Embedded Designated Supports—Medical Supports (Online or Paper) (Speaking)	Alphanumeric NEDS_MedDev Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.	Dianix	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element			
259 (IY)	3342	3352	11	NEDSMedicalSupports3 Non-Embedded Designated Supports—Medical Supports (Online or Paper) (Reading)	Alphanumeric NEDS_MedDev Blank	CALPADS, TOMS, TDS, DEI			
				This field is applicable to the Initial ELPAC.					
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.					
260 (IZ)	3353	IZ) 3353	3363 11	53 3363 1 ⁻	3353 3363	11	NEDSMedicalSupports4 Non-Embedded Designated Supports—Medical Supports (Online or Paper) (Writing)	Alphanumeric NEDS_MedDev Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.					
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.					
261 (JA)	3364	364 3376	13	NEDSNoiseBuffers1 Non-Embedded Designated Supports—Noise Buffers (Online or Paper) (Listening)	Alphanumeric NEDS_NoiseBuf Blank	CALPADS, TOMS, TDS, DEI			
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.					
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.					

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element		
262 (JB)	3377	3389	13	NEDSNoiseBuffers2 Non-Embedded Designated Supports—Noise Buffers (Online or Paper) (Speaking)	Alphanumeric NEDS_NoiseBuf Blank	CALPADS, TOMS, TDS, DEI		
				This field is applicable to the Initial ELPAC.				
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				
263 (JC)	263 (JC) 3390 34	3402	00 3402	3390 3402	13	NEDSNoiseBuffers3 Non-Embedded Designated Supports—Noise Buffers (Online or Paper) (Reading)	Alphanumeric NEDS_NoiseBuf Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.	J.a.m.			
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				
264 (JD)	3403	3415	13	NEDSNoiseBuffers4 Non-Embedded Designated Supports—Noise Buffers (Online or Paper) (Writing)	Alphanumeric NEDS_NoiseBuf Blank	CALPADS, TOMS, TDS, DEI		
				This field is applicable to the Initial ELPAC.				
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.				

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
265 (JE)	3416	3440	440 25	NEDSPrintonDemand1 Non-Embedded Designated Supports—Print on demand (Online) (Listening) This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_ Item	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Blank	
266 (JF)	3441	3465	25	NEDSPrintonDemand2 Non-Embedded Designated Supports—Print on demand (Online) (Speaking) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_ Item	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Blank	
267 (JG)	3466	3490	25	NEDSPrintonDemand3 Non-Embedded Designated Supports—Print on demand (Online) (Reading) This field is applicable to the Initial ELPAC.	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Item Blank	

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
268 (JH)	3491	3515	25	NEDSPrintonDemand4 Non-Embedded Designated Supports—Print on demand (Online) (Writing) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric TDS_PoD_Stim TDS_PoD_Item TDS_PoD_Stim&TDS_PoD_ Item Blank	CALPADS, TOMS, TDS
269 (JI)	3516	3524	9	NEDSPauseorReplayAudio1 Non-Embedded Designated Supports—Pause or Replay Audio (Paper) (Listening) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric NEDS_UAVP Blank	CALPADS, TOMS, DEI
270 (JJ)	3525	3533	9	NEDSPauseorReplayAudio2 Non-Embedded Designated Supports—Pause or Replay Audio (Paper) (Speaking) This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.	Alphanumeric NEDS_UAVP Blank	CALPADS, TOMS, DEI

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element							
271 (JK)	3534	3546	13 NEDSReadAloudItems1 Non-Embedded Designated Supports 1—Read-Aloud Items (Online)	Alphanumeric NEDS_RA_Items Blank	CALPADS, TOMS, TDS								
				This field is applicable to the Initial Alternate ELPAC.									
			This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.										
272 (JL)	3547	3559	547 3559	3559	3559	3559	3559	3559	3559	3559 13	NEDSReadAloudItems4 Non-Embedded Designated Supports—Read-Aloud Items (Online or Paper) (Writing)	Alphanumeric NEDS_RA_Items Blank	CALPADS, TOMS, TDS, DEI
						This field is applicable to the Initial ELPAC.							
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.									
273 (JM)	273 (JM) 3560	3566	60 3566	560 3566	3560 3566	3560 3566	3566	3566 7	NEDSSeparateSetting1 Non-Embedded Designated Supports—Separate Setting (Online) (Listening)	Alphanumeric NEDS_SS Blank	CALPADS, TOMS, TDS		
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.									
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.									

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
274 (JN)	3567	3573	7	NEDSSeparateSetting2 Non-Embedded Designated Supports—Separate Setting (Online) (Speaking) This field is applicable to the Initial ELPAC.	Alphanumeric NEDS_SS Blank	CALPADS, TOMS, TDS
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
275 (JO)	3574	3580	7	NEDSSeparateSetting3 Non-Embedded Designated Supports—Separate Setting (Online) (Reading) This field is applicable to the Initial ELBAC	•	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		
276 (JP)	3581	3587	7	NEDSSeparateSetting4 Non-Embedded Designated Supports—Separate Setting (Online) (Writing)	Alphanumeric NEDS_SS Blank	CALPADS, TOMS, TDS
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.		

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element				
277 (JQ)	3588	3600	13	NEDSSimplifiedTestDirections1 Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Listening)	Alphanumeric NEDS_SimpDirs Blank	CALPADS, TOMS, TDS, DEI				
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Diam					
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.						
278 (JR)	3601	3601	3601	1 3613	3613	3613	13	NEDSSimplifiedTestDirections2 Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Speaking)	Alphanumeric NEDS_SimpDirs Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC.						
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.						
279 (JS)	3614	3626	13	NEDSSimplifiedTestDirections3 Non-Embedded Designated Supports—Simplified Test Directions (Online or Paper) (Reading)	Alphanumeric NEDS_SimpDirs Blank	CALPADS, TOMS, TDS, DEI				
				This field is applicable to the Initial ELPAC.	Biarin					
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.						

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
280 (JT)	3627 3	3639	3639 13	·	1 / (0 /	Alphanumeric NEDS_SimpDirs Blank	CALPADS, TOMS, TDS, DEI
				This field is applicable to the Initial ELPAC. This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
281 (JU)	3640 3	3654	15 NEDSTranslatedTestDirections1 Non- Embedded Designated Supports—Translated Test Directions (including ASL) (Online or Pape (Listening)	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	CALPADS, TOMS, TDS, DEI		
				This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.			
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
282 (JV)	3655	3669	15	NEDSTranslatedTestDirections2 Non- Embedded Designated Supports—Translated Test Directions (including ASL) (Online or Paper) (Speaking)	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	CALPADS, TOMS, TDS, DEI	
				This field is applicable to the Initial ELPAC.	Diank		
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element	
283 (JW)	3670	3670		15	NEDSTranslatedTestDirections3 Non- Embedded Designated Supports—Translated Test Directions (including ASL) (Online or Paper) (Reading) This field is applicable to the Initial ELPAC.	Alphanumeric NEDS_TransDirs NEDS_TransDirsP Blank	CALPADS, TOMS, TDS, DEI
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			
284 (JX)	3685	3699	15	NEDSTranslatedTestDirections4 Non- Embedded Designated Supports—Translated Test Directions (including ASL) (Online or Paper) (Writing) This field is applicable to the Initial ELPAC.	•	CALPADS, TOMS, TDS, DEI	
				This field is blank for a student who did not test or for whom this test setting is not selected, or for a student who was assigned a domain exemption.			

Other Score Information (Fields 285–288)

Field # (Column Header)	Field Start	Field End	Length	Field Name Field Description	Data Type Acceptable Values	Data Source Data Element
285 (JY)	3700	3709	10	ReportCreatedDate Report Created Date	Alphanumeric (YYYY-MM-DD)	TOMS
286 (JZ)	3710	3719	10	ScoreAvailableDate Score Available Date This is the date on which score data is available to the LEAs.	Alphanumeric (YYYY-MM-DD)	TOMS
287 (KA)	3720	3722	3	SpecialEducationforTesting Special Education for Testing This is the Individuals with Disabilities Education Act (IDEA) Indicator demographic snapshot for tested students is taken at the time TOMS receives the first test event for the Initial ELPAC or Initial Alternate ELPAC. For students who are assigned a domain exemption for the Initial ELPAC, the demographic snapshot is taken at the test completion event. For a student who did not test, the student's registered IDEA Indicator value is reported. This field is applicable to both the Initial ELPAC and Initial Alternate ELPAC.	Alphanumeric Yes No	TOMS
288 (KB)	3723	3724	2	EndofRecord End of Record	Alphanumeric ZZ	Derived



Reference Tables

CALPADS Primary Language Codes (Field 29)

Code	Language Name
ABK	Abkhazian
ACE	Achinese
ACH	Acoli
ADA	Adangme
ADY	Adyghe; Adygei
AAR	Afar
AFR	Afrikaans
AFA	Afro-Asiatic languages
AIN	Ainu
AKA	Akan
ALB	Albanian
ALE	Aleut
ALG	Algonquian languages
TUT	Altaic languages
AMH	Amharic
ANP	Angika
APA	Apache languages
ARA	Arabic
ARG	Aragonese
ARP	Arapaho
ARW	Arawak
ARM	Armenian
RUP	Aromanian; Arumanian; Macedo- Romanian
ASM	Assamese
AST	Asturian; Bable; Leonese; Asturleonese
ATH	Athapascan languages
AUS	Australian languages
MAP	Austronesian languages
AVA	Avaric
AWA	Awadhi
AYM	Aymara
AZE	Azerbaijani
BAN	Balinese
HBS	Serbo-Croatian

Code	Language Name
BAL	Baluchi
BAM	Bambara
BAI	Bamileke languages
BAD	Banda languages
BNT	Bantu languages
BAS	Basa
BAK	Bashkir
BAQ	Basque
BTK	Batak languages
BEJ	Beja; Bedawiyet
BEL	Belarusian
BEM	Bemba
BEN	Bengali
BER	Berber languages
BHO	Bhojpuri
BIH	Bihari languages
BIK	Bikol
BIN	Bini; Edo
BIS	Bislama
BYN	Blin; Bilin
ZBL	Blissymbols; Blissymbolics; Bliss
NOB	Bokmål, Norwegian; Norwegian Bokmål
BOS	Bosnian
BRA	Braj
BRE	Breton
BUG	Buginese
BUL	Bulgarian
BUA	Buriat
BUR	Burmese
CAD	Caddo
YUE	Yue Chinese (Cantonese)
CAT	Catalan; Valencian
CAU	Caucasian languages
CEB	Cebuano (Bisayan, Visayan)
CEL	Celtic languages



Code	Language Name
CAI	Central American Indian
	languages
KHM	Khmer, Central Khmer
CLD	Chaldean Neo-Aramaic
	(Chaldean)
CMC	Chamic languages
CHA	Chamorro (Guamanian)
CHE	Chechen
CHR	Cherokee
CHY	Cheyenne
NYA	Chichewa; Chewa; Nyanja
CHI	Chinese (Other Chinese
	languages)
CHN	Chinook jargon
CHP	Chipewyan; Dene Suline
СНО	Choctaw
CHK	Chuukese
CHV	Chuvash
SYC	Classical Syriac
COR	Cornish
COS	Corsican
CRE	Cree
MUS	Creek
CRP	Creoles and pidgins
CPE	Creoles and pidgins, English
	based
CPF	Creoles and pidgins, French-
	based
CPP	Creoles and pidgins, Portuguese-
ODLI	based
CRH	Crimean Tatar; Crimean Turkish
HRV	Croatian
CUS	Cushitic languages
CZE	Czech
DAK	Dakota
DAN	Danish
DAR	Dargwa
DEL	Delaware
DIN	Dinka
DIV	Divehi; Dhivehi; Maldivian

Code	Language Name
DOI	Dogri
DGR	Dogrib
DRA	Dravidian languages
DUA	Duala
DUT	Dutch; Flemish
DYU	Dyula
DZO	Dzongkha
FRS	Eastern Frisian
EFI	Efik
EKA	Ekajuk
ENG	English
MYV	Erzya
EPO	Esperanto
EST	Estonian
EWE	Ewe
EWO	Ewondo
FAN	Fang
FAT	Fanti
FAO	Faroese
FIJ	Fijian
FIL	Filipino; Pilipino
FIN	Finnish
FIU	Finno-Ugrian languages
FON	Fon
FRE	French
FUR	Friulian
FUL	Fulah
GAA	Ga
GLA	Gaelic; Scottish Gaelic
CAR	Galibi Carib
GLG	Galician
LUG	Ganda
GAY	Gayo
GBA	Gbaya
GEO	Georgian
GER	German
GEM	Germanic languages
GIL	Gilbertese
GON	Gondi



Code	Language Name
GOR	Gorontalo
GRB	Grebo
GRE	Greek, Modern (1453-)
GRN	Guarani
GUJ	Gujarati
GWI	Gwich'in
HAI	Haida
HAT	Haitian; Haitian Creole
HAU	Hausa
HAW	Hawaiian
HEB	Hebrew
HER	Herero
HIL	Hiligaynon
HIM	Himachali languages; Western Pahari languages
HIN	Hindi
НМО	Hiri Motu
HIT	Hittite
HMN	Hmong; Mong
HUN	Hungarian
HUP	Hupa
IBA	Iban
ICE	Icelandic
IBO	Igbo
IJO	Ijo languages
ILO	lloko (llocano)
SMN	Inari Sami
INC	Indic languages
INE	Indo-European languages
IND	Indonesian
INH	Ingush
IKU	Inuktitut
IPK	Inupiaq
IRA	Iranian languages
GLE	Irish
IRO	Iroquoian languages
ITA	Italian
JPN	Japanese
JAV	Javanese
JRB	Judeo-Arabic

Code	Language Name
JPR	Judeo-Persian
KBD	Kabardian
KAB	Kabyle
KAC	Kachin; Jingpho
KAL	Kalaallisut; Greenlandic
XAL	Kalmyk; Oirat
KAM	Kamba
KAN	Kannada
KAU	Kanuri
KRC	Karachay-Balkar
KAA	Kara-Kalpak
KRL	Karelian
KAR	Karen languages
KAS	Kashmiri
CSB	Kashubian
KAZ	Kazakh
KHA	Khasi
KHI	Khoisan languages
KHO	Khotanese; Sakan
KJG	Khmu
KIK	Kikuyu; Gikuyu
KMB	Kimbundu
KIN	Kinyarwanda
KIR	Kirghiz; Kyrgyz
KOM	Komi
KON	Kongo
KOK	Konkani
KOR	Korean
KOS	Kosraean
KPE	Kpelle
KRO	Kru languages
KUA	Kuanyama; Kwanyama
KUM	Kumyk
KUR	Kurdish
KRU	Kurukh
KUT	Kutenai
LAD	Ladino
LAH	Lahnda
LHU	Lahu





LAMLambaMWRMarwariDAYLand Dayak languagesMASMasaiLAOLaoMYNMayan languagesLAVLatvianMENMendeLEZLezghianMICMi'kmaq; MicmacLIMLimburgan; Limburger; LimburgishMINMinangkabau	
LAOLaoMYNMayan languagesLAVLatvianMENMendeLEZLezghianMICMi'kmaq; Micmac	
LAV Latvian MEN Mende LEZ Lezghian MIC Mi'kmaq; Micmac	
LEZ Lezghian MIC Mi'kmaq; Micmac	
LIM Limburgan: Limburger: Limburgish MIN Minangkabau	
LIN Lingala MWL Mirandese	
LIT Lithuanian MOH Mohawk	
NDS Low German; Low Saxon; MDF Moksha	
German, Low; Saxon, Low LOL Mongo	
DSB Lower Sorbian MON Mongolian	
LOZ Lozi MKH Khmer, Central Khmer	
LUB Luba-Katanga	
LUA Luba-Lulua MOS Mossi	
LUI Luiseno MUL Multiple languages	
SMJ Lule Sami MUN Munda languages	
LUN Lunda NAH Nahuatl languages	
LUO Luo (Kenya and Tanzania) NAU Nauru	
LUS Lushai NAV Navajo; Navaho	
LTZ Luxembourgish; Letzeburgesch NDE Ndebele, North; North Ndebele	!
MAC Macedonian	3
MAD Madurese NDO Ndonga	
MAG Magahi NAP Neapolitan	
MAI Maithili NEW Nepal Bhasa; Newari	
MAK Makasar NEP Nepali	
MLG Malagasy NIA Nias	
MAY Malay NIC Niger-Kordofanian languages	
MAL Malayalam SSA Nilo-Saharan languages	
MLT Maltese NIU Niuean	
MDR Mandar NQO N'Ko	
CMN Mandarin Chinese (Putonghua, Guoyu) NOG Nogai	
MAN Mandingo NAI North American Indian language	es
MNI Manipuri FRR Northern Frisian	
MNO Manobo languages SME Northern Sami	
GLV Manx NOR Norwegian	
MAO Maori NNO Norwegian Nynorsk; Nynorsk,	
ARN Mapudungun; Mapuche Norwegian	
MAR Marathi NUB Nubian languages	
CHM Mari NYM Nyamwezi	
MAH Marshallese NYN Nyankole	



Code	Language Name
NYO	Nyoro
NZI	Nzima
OCI	Occitan (post 1500)
ARC	Official Aramaic (700-300 BCE);
	Imperial Aramaic (700-300 BCE)
OJI	Ojibwa
ORI	Oriya
ORM	Oromo
OSS	Ossetian; Ossetic
QAB	Chaozhou (Teochew/Chiuchow)
QAC	(Taishanese)
QAD	Mixteco
PAU	Palauan
PAM	Pampanga; Kapampangan
PAG	Pangasinan
PAN	Panjabi; Punjabi
PAP	Papiamento
PAA	Papuan languages
NSO	Pedi; Sepedi; Northern Sotho
PER	Persian (Farsi)
PHI	Philippine languages
PON	Pohnpeian
POL	Polish
POR	Portuguese
PRA	Prakrit languages
PUS	Pushto; Pashto
QUE	Quechua
RAJ	Rajasthani
RAP	Rapanui
RAR	Rarotongan; Cook Islands Maori
ROA	Romance languages
RUM	Romanian (Rumanian)
ROH	Romansh
ROM	Romany
RUN	Rundi
RUS	Russian
SAL	Salishan languages
SMI	Sami languages
SMO	Samoan

Code	Language Name
SAD	Sandawe
SAG	Sango
SAN	Sanskrit
SAT	Santali
SRD	Sardinian
SAS	Sasak
SCO	Scots
SEL	Selkup
SEM	Semitic languages
SRP	Serbian
SRR	Serer
SHN	Shan
SNA	Shona
III	Sichuan Yi; Nuosu
SCN	Sicilian
SID	Sidamo
SGN	Other Sign Languages
BLA	Siksika
SND	Sindhi
SIN	Sinhala; Sinhalese
SIO	Siouan languages
SMS	Skolt Sami
DEN	Slave (Athapascan)
SLA	Slavic languages
SLO	Slovak
SLV	Slovenian
SOG	Sogdian
SOM	Somali
SON	Songhai languages
SNK	Soninke
WEN	Sorbian languages
SOT	Sotho, Southern
SAI	South American Indian languages
ALT	Southern Altai
SMA	Southern Sami
SPA	Spanish; Castilian
SRN	Sranan Tongo
ZGH	Standard Moroccan Tamazight
SUK	Sukuma




Code	Language Name
SUN	Sundanese
SUS	Susu
SWA	Swahili
SSW	Swati
SWE	Swedish
GSW	Swiss German; Alemannic;
	Alsatian
SYR	Syriac
TGL	Tagalog
TAH	Tahitian
TAI	Tai languages
QAA	Taiwanese
TGK	Tajik
TMH	Tamashek
TAM	Tamil
TAT	Tatar
TEL	Telugu
TER	Tereno
TET	Tetum
THA	Thai
TIB	Tibetan
TIG	Tigre
TIR	Tigrinya
TEM	Time
TIV	Tiv
TLI	Tlingit
TPI	Tok Pisin
TKL	Tokelau
TOG	Tonga (Nyasa)
TON	Tonga (Tonga Islands)
TSI	Tsimshian
TSO	Tsonga
TSN	Tswana
TUM	Tumbuka
TUP	Tupi languages
TUR	Turkish
OTA	Turkish, Ottoman (1500-1928)
TUK	Turkmen
TVL	Tuvalu
TYV	Tuvinian

Code	Language Name
TWI	Twi
UDM	Udmurt
UIG	Uighur; Uyghur
UKR	Ukrainian
UMB	Umbundu
MIS	Uncoded languages (Other non- English languages)
UND	Undetermined
HSB	Upper Sorbian
URD	Urdu
UZB	Uzbek
VAI	Vai
VEN	Venda
VIE	Vietnamese
VOT	Votic
WAK	Wakashan languages
WLN	Walloon
WAR	Waray
WAS	Washo
WEL	Welsh
FRY	Western Frisian
WAL	Wolaitta; Wolaytta
WOL	Wolof
XHO	Xhosa
SAH	Yakut
YAO	Yao (Mien)
YAP	Yapese
YID	Yiddish
YOR	Yoruba
YPK	Yupik languages
ZND	Zande languages
ZAP	Zapotec
ZZA	Zaza; Dimili; Dimli; Kirdki;
	Kirmanjki; Zazaki
ZEN	Zenaga Chuana
ZHA	Zhuang; Chuang
ZUL	Zulu
ZUN	Zuni
ASE	American Sign Language
ZXX	No linguistic content



Common Education Data Standards Language Codes (Field 30)

Code	Language Name	Code	Language Name
ABK	Abkhazian	BAI	Bamileke languages
ACE	Achinese	BAD	Banda languages
ACH	Acoli	BNT	Bantu languages
ADA	Adangme	BAS	Basa
ADY	Adyghe; Adygei	BAK	Bashkir
AAR	Afar	BAQ	Basque
AFR	Afrikaans	BTK	Batak languages
AFA	Afro-Asiatic languages	BEJ	Beja; Bedawiyet
AIN	Ainu	BEL	Belarusian
AKA	Akan	BEM	Bemba
ALB	Albanian	BEN	Bengali
ALE	Aleut	BER	Berber languages
ALG	Algonquian languages	ВНО	Bhojpuri
TUT	Altaic languages	BIH	Bihari languages
AMH	Amharic	BIK	Bikol
ANP	Angika	BIN	Bini; Edo
APA	Apache languages	BIS	Bislama
ARA	Arabic	BYN	Blin; Bilin
ARG	Aragonese	ZBL	Blissymbols; Blissymbolics; Bliss
ARP	Arapaho	NOB	Bokmål, Norwegian; Norwegian
ARW	Arawak		Bokmål
ARM	Armenian	BOS	Bosnian
RUP	Aromanian; Arumanian; Macedo-	BRA	Braj
	Romanian	BRE	Breton
ASM	Assamese	BUG	Buginese
AST	Asturian; Bable; Leonese;	BUL	Bulgarian
	Asturleonese	BUA	Buriat
ATH	Athapascan languages	BUR	Burmese
AUS	Australian languages	CAD	Caddo
MAP	Austronesian languages	CHI	Chinese
AVA	Avaric	CAT	Catalan; Valencian
AWA	Awadhi	CAU	Caucasian languages
AYM	Aymara	CEB	Cebuano
AZE	Azerbaijani	CEL	Celtic languages
BAN	Balinese	CAI	Central American Indian
BAL	Baluchi		languages
BAM	Bambara	KHM	Central Khmer





Code	Language Name
CMC	Chamic languages
CHA	Chamorro
CHE	Chechen
CHR	Cherokee
CHY	Cheyenne
NYA	Chichewa; Chewa; Nyanja
CHN	Chinook jargon
CHP	Chipewyan; Dene Suline
CHO	Choctaw
CHK	Chuukese
CHV	Chuvash
SYR	Syriac
COR	Cornish
COS	Corsican
CRE	Cree
MUS	Creek
CRP	Creoles and pidgins
CPE	Creoles and pidgins, English
	based
CPF	Creoles and pidgins, French-
	based
CPP	Creoles and pidgins, Portuguese- based
CRH	Crimean Tatar; Crimean Turkish
HRV	Croatian
CUS	Cushitic languages
CZE	Czech
DAK	Dakota
DAN	Danish
DAR	Dargwa
DEL	Delaware
DIN	Dinka
DIV	Divehi; Dhivehi; Maldivian
DOI	Dogri
DGR	Dogrib
DRA	Dravidian languages
DUA	Duala
DUT	Dutch; Flemish
DYU	Dyula
DZO	Dzongkha
•	

Code	Language Name	
FRS	Eastern Frisian	
EFI	Efik	
EKA	Ekajuk	
ENG	English	
MYV	Erzya	
INE	Indo-European languages	
EST	Estonian	
EWE	Ewe	
EWO	Ewondo	
FAN	Fang	
FAT	Fanti	
FAO	Faroese	
FIJ	Fijian	
FIL	Filipino; Pilipino	
FIN	Finnish	
FIU	Finno-Ugrian languages	
FON	Fon	
FRE	French	
FUR	Friulian	
FUL	Fulah	
GAA	Ga	
GLA	Gaelic; Scottish Gaelic	
CAR	Galibi Carib	
GLG	Galician	
LUG	Ganda	
GAY	Gayo	
GBA	Gbaya	
GEO	Georgian	
GER	German	
GEM	Germanic languages	
GIL	Gilbertese	
GON	Gondi	
GOR	Gorontalo	
GRB	Grebo	
GRE	Greek, Modern (1453-)	
GRN	Guarani	
GUJ	Gujarati	
GWI	Gwich'in	
HAI	Haida	



Code	Language Name			
HAT	Haitian; Haitian Creole			
HAU	Hausa			
HAW	Hawaiian			
HEB	Hebrew			
HER	Herero			
HIL	Hiligaynon			
HIM	Himachali languages; Western			
	Pahari languages			
HIN	Hindi			
HMO	Hiri Motu			
HIT	Hittite			
HMN	Hmong; Mong			
HUN	Hungarian			
HUP	Hupa			
IBA	Iban			
ICE	Icelandic			
IBO	Igbo			
IJO	ljo languages			
ILO	lloko			
SMN	Inari Sami			
INC	Indic languages			
IND	Indonesian			
INH	Ingush			
IKU	Inuktitut			
IPK	Inupiaq			
IRA	Iranian languages			
GLE	Irish			
IRO	Iroquoian languages			
ITA	Italian			
JPN	Japanese			
JAV	Javanese			
JRB	Judeo-Arabic			
JPR	Judeo-Persian			
KBD	Kabardian			
KAB	Kabyle			
KAC	Kachin; Jingpho			
KAL	Kalaallisut; Greenlandic			
XAL	Kalmyk; Oirat			
KAM	Kamba			
KAN	Kannada			

Code	Language Name
KAU	Kanuri
KRC	Karachay-Balkar
KAA	Kara-Kalpak
KRL	Karelian
KAR	Karen languages
KAS	Kashmiri
CSB	Kashubian
KAZ	Kazakh
KHA	Khasi
MKH	Mon-Khmer languages
KHI	Khoisan languages
KHO	Khotanese; Sakan
KIK	Kikuyu; Gikuyu
KMB	Kimbundu
KIN	Kinyarwanda
KIR	Kirghiz; Kyrgyz
KOM	Komi
KON	Kongo
KOK	Konkani
KOR	Korean
KOS	Kosraean
KPE	Kpelle
KRO	Kru languages
KUA	Kuanyama; Kwanyama
KUM	Kumyk
KUR	Kurdish
KRU	Kurukh
KUT	Kutenai
LAD	Ladino
LAH	Lahnda
SIT	Sino-Tibetan languages
LAM	Lamba
DAY	Land Dayak languages
LAO	Lao
LAV	Latvian
LEZ	Lezghian
LIM	Limburgan; Limburger; Limburgish
LIN	Lingala
LIT	Lithuanian



Code	Language Name	Code	Language Name
NDS	Low German; Low Saxon;	LOL	Mongo
	German, Low; Saxon, Low	MON	Mongolian
DSB	Lower Sorbian	MOS	Mossi
LOZ	Lozi	MUL	Multiple languages
LUB	Luba-Katanga	MUN	Munda languages
LUA	Luba-Lulua	NAH	Nahuatl languages
LUI	Luiseno	NAU	Nauru
SMJ	Lule Sami	NAV	Navajo; Navaho
LUN	Lunda	NDE	Ndebele, North; North Ndebele
LUO	Luo (Kenya and Tanzania)	NBL	Ndebele, South; South Ndebele
LUS	Lushai	NDO	Ndonga
LTZ	Luxembourgish; Letzeburgesch	NAP	Neapolitan
MAC	Macedonian	NEW	Nepal Bhasa; Newari
MAD	Madurese	NEP	Nepali
MAG	Magahi	NIA	Nias
MAI	Maithili	NIC	Niger-Kordofanian languages
MAK	Makasar	SSA	Nilo-Saharan languages
MLG	Malagasy	NIU	Niuean
MAY	Malay	NQO	N'Ko
MAL	Malayalam	NOG	Nogai
MLT	Maltese	NAI	North American Indian languages
MDR	Mandar	FRR	Northern Frisian
MAN	Mandingo	SME	Northern Sami
MNI	Manipuri	NOR	Norwegian
MNO	Manobo languages	NNO	Norwegian Nynorsk; Nynorsk,
GLV	Manx		Norwegian
MAO	Maori	NUB	Nubian languages
ARN	Mapudungun; Mapuche	NYM	Nyamwezi
MAR	Marathi	NYN	Nyankole
CHM	Mari	NYO	Nyoro
MAH	Marshallese	NZI	Nzima
MWR	Marwari	OCI	Occitan (post 1500)
MAS	Masai	OJI	Ojibwa
MYN	Mayan languages	ORI	Oriya
MEN	Mende	ORM	Oromo
MIC	Mi'kmaq; Micmac	OSS	Ossetian; Ossetic
MIN	Minangkabau	BAT	Baltic languages
MWL	Mirandese	ОТО	Otomian languages
MOH	Mohawk	PAU	Palauan
MDF	Moksha	PAM	Pampanga; Kapampangan





Code	Language Name			
PAG	Pangasinan			
PAN	Panjabi; Punjabi			
PAP	Papiamento			
PAA	Papuan languages			
NSO	Pedi; Sepedi; Northern Sotho			
PER	Persian			
PHI	Philippine languages			
PON	Pohnpeian			
POL	Polish			
POR	Portuguese			
PRA	Prakrit languages			
PUS	Pushto; Pashto			
QUE	Quechua			
RAJ	Rajasthani			
RAP	Rapanui			
RAR	Rarotongan; Cook Islands Maori			
ROA	Romance languages			
RUM	Romanian; Moldavian; Moldovan			
ROH	Romansh			
ROM	Romany			
RUN	Rundi			
RUS	Russian			
SAL	Salishan languages			
SMI	Sami languages			
SMO	Samoan			
SAD	Sandawe			
SAG	Sango			
SAT	Santali			
SRD	Sardinian			
SAS	Sasak			
SCO	Scots			
SEL	Selkup			
SEM	Semitic languages			
SRP	Serbian			
SRR	Serer			
SHN	Shan			
SNA	Shona			
III	Sichuan Yi; Nuosu			
SCN	Sicilian			

Code	Language Name
SID	Sidamo
SGN	Other Sign Languages, American Sign Language
BLA	Siksika
SND	Sindhi
SIN	Sinhala; Sinhalese
SIO	Siouan languages
SMS	Skolt Sami
DEN	Slave (Athapascan)
SLA	Slavic languages
SLO	Slovak
SLV	Slovenian
SOG	Sogdian
SOM	Somali
SON	Songhai languages
SNK	Soninke
WEN	Sorbian languages
SOT	Sotho, Southern
SAI	South American Indian languages
ALT	Southern Altai
SMA	Southern Sami
SPA	Spanish; Castilian
SRN	Sranan Tongo
ZGH	Standard Moroccan Tamazight
SUK	Sukuma
SUN	Sundanese
SUS	Susu
SWA	Swahili
SSW	Swati
SWE	Swedish
GSW	Swiss German; Alemannic;
	Alsatian
TGL	Tagalog
TAH	Tahitian
TAI	Tai languages
TGK	Tajik
TMH	Tamashek
TAM	Tamil
TAT	Tatar
TEL	Telugu





TER Tereno	
TEN TOTOTO	
TET Tetum	
THA Thai	
TIB Tibetan	
TIG Tigre	
TIR Tigrinya	
TEM Timne	
TIV Tiv	
TLI Tlingit	
TPI Tok Pisin	
TKL Tokelau	
TOG Tonga (Nyasa)	
TON Tonga (Tonga Islands)	
TSI Tsimshian	
TSO Tsonga	
TSN Tswana	
TUM Tumbuka	
TUP Tupi languages	
TUR Turkish	
OTA Turkish, Ottoman (1500-1928	8)
TUK Turkmen	
TVL Tuvalu	
TYV Tuvinian	
TWI Twi	
UDM Udmurt	
UIG Uighur; Uyghur	
UKR Ukrainian	
UMB Umbundu	
MIS Uncoded languages	
UND Undetermined	
HSB Upper Sorbian	
URD Urdu	
UZB Uzbek	
VAI Vai	
VEN Venda	
VIE Vietnamese	
VOT Votic	
WAK Wakashan languages	
WLN Walloon	

Code	Language Name
WAR	Waray
WAS	Washo
WEL	Welsh
FRY	Western Frisian
WAL	Wolaitta; Wolaytta
WOL	Wolof
XHO	Xhosa
SAH	Yakut
YAO	Yao
YAP	Yapese
YID	Yiddish
YOR	Yoruba
YPK	Yupik languages
ZND	Zande languages
ZAP	Zapotec
ZZA	Zaza; Dimili; Dimli; Kirdki;
	Kirmanjki; Zazaki
ZEN	Zenaga
ZHA	Zhuang; Chuang
ZUL	Zulu
ZUN	Zuni
ZXX	No linguistic content



Primary Disability Codes (Field 22)

Code	Туре
AUT	Autism
DB	Deaf-blindness
DEAF	Deafness
EMN	Emotional disability
HI	Hearing impairment
ID	Intellectual disability
MD	Multiple disabilities
OHI	Other health impairment
OI	Orthopedic impairment
SLD	Specific learning disability
SLI	Speech or language impairment
TBI	Traumatic brain injury
VI	Visual impairment

LEA Reporting Rules

Tested LEA

The following sections describe the tested LEA reporting rules for student data files and aggregate reporting to the Test Results for California's Assessments website.

- For the computer-based or paper-pencil emergency form DEI test (all grade levels and grade spans), students will be reported under the last tested LEA received for the computer-based domains.
- 2. For the computer-based or paper–pencil emergency form DEI test (all grade levels and grade spans), students who are assigned domain exemptions and tested in a nonexempted domain(s) will be reported under the last nonassigned domain tested LEA.
- 3. Students who have not tested are reported under the enrolled LEA at the end of the testing window.
- 4. A student record is present in only one tested LEA student data file per the rules mentioned previously if the student tested in multiple LEAs.
- 5. The aforementioned tested LEA will be used for aggregations for purposes of reporting to the Test Results for California's Assessments website.

Examples

Initial ELPAC

Test Mode	Grade Levels	Listening	Speaking	Reading	Writing	Comments
Computer- based assessment and PPT	Kindergarten through grade twelve (K–12)	Day 1	Day 1	Day 2	Day 3	The tested LEA and school for the Writing domain will be reported as the final tested LEA and school.
Computer- based assessment and PPT	K–12	Not tested	Exempt	Not tested	Exempt	The student will be reported under the enrolled LEA.
Computer- based assessment and PPT	K-12	Day 1	Day 2	Exempt	Not tested	The tested LEA and school for the Speaking domain will be reported as the final tested LEA and school.
Computer- based assessment and PPT	K-12	Not tested	Not tested	Not tested	Not tested	The student will be reported under the last enrolled LEA.
Computer- based assessment and PPT	K-12	Not tested	Exempt	Not tested	Not tested	The student will be reported under the last enrolled LEA.

Initial Alternate ELPAC

Reporting LEA	Test Mode	Grade Levels	Testing Start Date	Testing Completed or Expired	Final Test Completed Date	SSR Test Date
The tested LEA and school are determined from the date the assessment was completed or expired, and reported as the final tested LEA and school.	Computer- based	K-12	Day 1	Day 2	Day 2	Day 2
Not-tested students are reported under the last enrolled LEA.	Computer- based	K–12	N/A	N/A	N/A	No SSR

Condition Codes

Condition codes are used by LEAs and the TOMS team to identify a special condition in a student's test record for reporting, such as setting Include Indicators. Condition codes are derived by TOMS. All condition codes are visible in the TOMS user interface. Condition codes also appear in the LEA's student data files.

Condition Code Rules

Initial ELPAC

- 1. The Exempt Domain (EXD) condition code is derived on the basis of one or two domain (one in each composite) exemption(s) assigned to the student's domain in TOMS.
 - a. Exemption results in a No Score with an "NS" value assigned by the scoring system. The EXD condition code is reported in the student data files.

Both Initial ELPAC and Initial Alternate ELPAC

- 2. The NT condition code is assigned when a student who is eligible to test with the Initial ELPAC or Initial Alternate ELPAC did not test and the student's ELAS did not change from TBD to non-TBD.
- Only one condition code can be applied per student.

Condition Code Values (Field 108)

Assessment	Code	Description	Derived From	Resulting Score	Comment
Initial ELPAC	EXD	Exempt Domain	This code is used when one of the two domains within a composite is assigned an exemption. Two domains cannot be exempted in a single composite.	Exemption results in a No Score with "NS" value for the domain.	A calculated score is assigned to the composite using the nonexempt domain for that composite; the resulting composite score is used to derive the overall score.



Assessment	Code	Description	Derived From	Resulting Score	Comment
Initial ELPAC	NT	Not Tested	This code is used when valid eligibility is present, the student did not test, and the student's ELAS did not change from TBD to non-TBD by the end of the testing window.	The student is present in the student data file with no score; no SSR will be generated.	The NT condition code is applied to Initial ELPAC— eligible students as a closing event, at the end of the Initial ELPAC testing window and after all eligible student scores have been imported into TOMS.
Initial Alternate ELPAC	NT	Not Tested	This code is used when valid eligibility is present, the student did not test, and the student's ELAS did not change from TBD to non-TBD by the end of the testing window.	The student is present in the student data file with no score; no SSR will be generated.	The NT condition code is applied to Initial Alternate ELPAC—eligible students as a closing event, at the end of the statewide Initial Alternate ELPAC testing window and after all eligible student scores have been imported into TOMS.

Attemptedness and Participation Rules (Field 109)

	Attemptedness/	
	Completion	5
Assessment	Status	Description and Rules
Initial ELPAC	Υ	For the Initial ELPAC, completion is assigned to a student who met the participation rule by having logged on to both domains within a composite or, if the student has domain exemption(s), logged on to all nonexempt domains. An SSR will be created for students who received an attemptedness value of "Y". The student record will be included in the student data file as tested, with a numeric overall scale score.
Initial	Υ	For the Initial Alternate ELPAC, completion is assigned to a
Alternate ELPAC		student who met the participation rules. The test examiner logged on for the student, and a response was provided for at least one receptive and one expressive item. Each of the item responses can be either the selection of the <i>Mark as No Response</i> option in the TDS contextual menu or an item response. An SSR will be created for students who received an attemptedness value of "Y". The student record will be included in the student data file as tested, with a numeric overall scale score.
Initial ELPAC	P	For the Initial ELPAC, partial-completion is assigned to a student who did not meet the participation rule. The student logged on to one domain but did not log on to both domains in a composite. The student will be reported as tested without a valid overall score (denoted as "NS" for No Score). No SSR will be created for students who received an attemptedness value of "P". The student record will be included in the student data file as tested, with an "NS" overall scale score and a "T" Include Indicator. Partially completed student records will be force-completed at the end of the Initial ELPAC testing window. Force-completed domains will be treated as not tested.
Initial Alternate ELPAC	P	For the Initial Alternate ELPAC, partial-completion is assigned to a student who did not meet the participation rule. The test examiner logged on for the student, but a response was not provided to at least one receptive and one expressive item with the selection of the Mark as No Response option in the TDS contextual menu or an item response. No SSR will be created for students who received an attemptedness value of "P". The student record will be included in the student data file as tested, with an "NS" for overall scale score and a "T" for Include Indicator.



Include Indicators

Include Indicator Rules for Reporting

Include Indicator allowable values are "N", "T", and "Y". To determine the Include Indicator for the Initial ELPAC and Initial Alternate ELPAC, follow the logic steps provided:

- 1. If the condition code is NT, then output a value of "N" and STOP; if this condition is not met, proceed to step 2.
- 2. If the attemptedness is "P", then output a value of "T" and STOP; if this condition is not met, proceed to step 3.
- 3. If the overall attemptedness value is "Y", then output a value of "Y" and STOP.

Include Indicators are used to determine which students and scores are included in the aggregated formulas. Include Indicators are set for each assessment.

Include Indicator Codes (Field 110)

Code	Meaning
N	The student did not test.
Т	The student tested and did not meet the participation rule or received an attemptedness value of "P" from the scoring system.
Υ	The student tested and received a valid score or received an attemptedness value of "Y" from the scoring system.

Scale Score Ranges

Initial ELPAC

Grade Levels	Score	Novice Minimum	Novice Maximum	Intermediate Minimum	Intermediate Maximum	Initial Fluent Minimum	Initial Fluent Maximum
K-12	Overall	150	369	370	449	450	600

Initial Alternate ELPAC

Grade Levels	Novice Minimum	Novice Maximum	Intermediate Minimum	Intermediate Maximum	Initial Fluent Minimum	Initial Fluent Maximum
K-12	101	143	144	159	160	199

Student Move Reporting for the Initial ELPAC and Initial Alternate ELPAC

Use Case Scenarios

This table provides information on scenarios when a student tests and has moved between LEAs or has had a grade change. The scenarios are grouped together on the basis of high-level use cases. While the rules indicate that the SSR gets delivered to the latest enrollment location on the basis of the CALPADS enrollment feed, the LEA downloadable file will contain all students tested and not tested in the LEA regardless of the latest enrollment.

Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS
Student enrolled throughout the year in LEA A, no grade change	LEA A	LEA A	LEA A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A
Student enrolled in LEA A, moves to LEA B	LEA A	LEA A	LEA B	8	8	LEAs A and B	LEA A	LEA A	LEA A	LEA B
Student enrolled in LEA A, moves to LEA B	LEA A	LEA B	LEA B	8	8	LEA B	LEA B	LEA B	LEA B	LEA B
Student enrolled in LEA A, moves to LEA B	LEA A	Not tested	LEA B	8	8	LEA B	LEA B	LEA B	LEA B	No SSR
Student enrolled in LEA A, tests in only one domain, moves to LEA B	LEA A	LEA A	LEA B	8	8	LEA B	LEA A	LEA A	LEA A	No SSR



Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS
Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window has closed, no grade change	LEA A	LEA A	N/A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A
Student enrolled in LEA A and exits (moved and did not reenroll) before statewide testing window is closed, no grade change	LEA A	Not tested	N/A	8	8	LEA A	LEA A	LEA A	LEA A	No SSR
Student enrolled in LEA A, grade change occurs before the student tested	LEA A	LEA A	LEA A	9	9	LEA A	LEA A	LEA A	LEA A	LEA A grade nine SSR reported
Student enrolled in LEA A, grade change occurs after the student tested	LEA A	LEA A	LEA A	9	8	LEA A	LEA A	LEA A	LEA A	LEA A grade eight SSR reported
Student moved before the administration year rollover and did not reenroll	LEA A	LEA A	LEA A	8	8	LEA A	LEA A	LEA A	LEA A	LEA A current year



Use Case Scenarios	Enrolled LEA Location	Tested LEA Location	CALPADS LEA Location	CALPADS Grade	TOMS Grade	LEA Student Data Files by Enrolled Location	LEA Student Data Files by Tested Location	State Aggregate File	State Student File	SSR in TOMS
Student moved before the administration year rollover	LEA A	LEA B	LEA B	8	8	LEA B	LEA B	LEA B	LEA B	LEA A current year
Student moved after the administration year rollover	LEA A	LEA B	LEA A	8	8	LEA B	LEA B	LEA B	LEA B	LEA A, current and previous administration year; LEA B, previous administration year SSR only



Test Eligibility and Registration Rules

After TOMS receives student enrollment information from CALPADS, it creates test eligibility based on the predefined set of rules that take student grade level, enrolled location, and demographic attributes into consideration. Student test eligibility determines whether a student's record appears in the LEA student data (downloadable) files.

There is a test eligibility attribute called "validity." Eligibility is considered valid on the basis of the student's opportunity to test within the statewide testing window. All students with a Valid Indicator are included in the state and the LEA student data (downloadable) files, while Invalid Indicator student records are excluded, as they may have been exited from CALPADS prior to the start of the statewide testing window *or* enrolled in CALPADS after the end of the statewide testing window. Regarding the exited students, starting in 2022–23, the student effective exit date provided from CALPADS will be used and compared against the first and final testing window for which the student has eligibility, as well as whether a student has started testing, to determine whether a student can be exited.

Student CALPADS ELAS, primary language, and age < 22 years demographic fields determine student eligibility. Students with an ELAS of TBD, primary language designation—not English or Sign Language, and age < 22 years—before the start of the testing are eligible to test. Note that students determined to be eligible for the Initial Alternate ELPAC will automatically be registered for the California Alternate Assessments as well, and vice versa.

- 1. Eligibility changes after the start of testing the first domain for the Initial ELPAC will not invalidate the registration. The student can continue testing only for the domain(s) started. All other domains are blocked in the TDS where the student is yet to start testing.
 - a. For all Initial ELPAC student records with **CALPADS ELAS is not TBD** but logged on to both domains in a composite or all nonexempt domains of the assessment (met full attemptedness), registration will remain valid, and the student will be reported as tested in the reporting files.
 - b. For all Initial ELPAC student records with **CALPADS ELAS** is not **TBD** but did not log on or logged on to fewer than both domains in a composite or all nonexempt domains of the assessment (partial or not met), registration will be invalidated, and the student will not be reported in the LEA and CDE student data files.

2025–26 Initial ELPAC and Initial Alternate ELPAC Student Data File Layout



- 2. Eligibility changes after the start of the Initial Alternate ELPAC will not invalidate the registration until the end of year from TOMS. At the end of the Initial Alternate ELPAC testing window, there will be the following registrations for student records:
 - a. For Initial Alternate ELPAC student records with **CALPADS ELAS** is **not TBD**; logged on; and met full attemptedness, the registration will remain valid, and the student will be reported as tested in the reporting files.
 - b. For Initial Alternate ELPAC student records with **CALPADS ELAS is not TBD**; logged on; and did not meet full attemptedness, the registration will not remain valid, and the student will not be reported as tested in the reporting files.
- 3. For all student records with CALPADS ELAS of TBD and logged on to the Initial Alternate ELPAC, or in the case of the Initial ELPAC, logged on to both domains in a composite or all nonexempt domains of the assessment, registration will remain valid, and the student will be reported as tested in the reporting files.
- 4. For all student records with CALPADS ELAS of TBD but did not log on to the assessment, or in the case of the Initial ELPAC, did not log on to both domains in a composite or all nonexempt domains of the assessment, registration will remain valid, and the student will be reported as NT in the reporting files.
- 5. For students who exited after the testing window started or submitted an exit effective date to CALPADS that is on or after the first ELPAC testing window for which they had eligibility opened, and have not yet begun the Initial Alternate ELPAC, or in the case of the Initial ELPAC, the first domain assessment, registration will be kept valid and the student will be reported as NT. For students who exited after start of the first testing event, registration will follow the rules in #1 and #2.
- 6. NT students will be included in the reporting files only if they have a CALPADS ELAS of TBD on the last day of the Initial ELPAC or Initial Alternate ELPAC testing window. A weekly email is sent from TOMS to all LEAs that includes a list of students who did not complete testing within 30 days of enrollment.



Note the definitions of the values for the following table:

- Valid = Existing eligibility is kept valid.
- Prior—Invalid = Previously existing registration is invalidated.

Table 1—Depiction of student enrollment changes and eligibility impacts

Description	Before Test Window Registration Validity	During Test Window Registration Validity	End of Test Window Registration Validity	After Test Window Registration Validity
Eligibility was met, new student enrollment from CALPADS (ELAS = TBD).	Valid	Valid	Valid	N/A
The student lost eligibility, CALPADS ELAS changed from TBD to non-TBD (English only [EO] or reclassified as fluent English proficient [RFEP]) for the Initial ELPAC and Initial Alternate ELPAC, or primary language designation is English or Sign Language or age > 22 years student enrollment before start of testing, or, for the Initial Alternate ELPAC, the IDEA Indicator or primary disability changed.	N/A	Invalidate if prior registration is valid.	Invalidate if prior registration is valid.	N/A
The student lost eligibility, CALPADS ELAS changed from TBD to non-TBD (EO or RFEP) for the Initial ELPAC and Initial Alternate ELPAC, or primary language designation is English or Sign Language or age > 22 years student enrollment after start of first test event, or, for the Initial Alternate ELPAC, the IDEA Indicator or primary disability changed.	N/A	Registration remains valid.	Registration remains valid.	Invalidate or remove if prior registration is valid and participation rule not fully met.



Description	Before Test Window Registration Validity	During Test Window Registration Validity	End of Test Window Registration Validity	After Test Window Registration Validity
The student was eligible, tested, and met participation rule. The student lost eligibility or CALPADS ELAS changed from TBD to non-TBD (EO or RFEP) for the Initial ELPAC and Initial Alternate ELPAC. The student is reported as tested.	N/A	Registration remains valid.	Registration remains valid.	Registration remains valid.
The student was eligible, tested, and did not meet participation rule. The student lost eligibility or CALPADS ELAS changed from TBD to non-TBD (EO or RFEP) for the Initial ELPAC and Initial Alternate ELPAC. The student is not reported.	N/A	Invalidate if prior registration is valid.	Invalidate if prior registration is valid.	Invalidate if prior registration is valid.
Student in Exit File Date and Student Exit Date are both before the first ELPAC testing window for which the student has eligibility.	N/A	Invalidate if prior registration is valid.	Invalidate if prior registration is valid.	Invalidate if prior registration is valid.
Student in Exit File Date is after the start of the testing window.	N/A	Registration remains valid.	Registration remains valid.	Registration remains valid.

Note the definitions of the values for the following table:

- Yes = Eligibility can be created.
- No = Eligibility cannot be created.

Table 2—Student transfer scenarios that occur before, during, and after the statewide testing window

Testing Window	Prior LEA— Create New Eligibility	Prior LEA—Valid Eligibility	Prior LEA—Allow Grade Change
New LEA, Before	Yes	Prior—Invalid	Yes
New LEA, During	Yes	New—Valid	Allow grade change for all domains selected for domain exemption when
			Yes—No Score ReceivedNo—Score Received
			Allow grade change for computer-based test results when
			Yes—No testing event received for the Initial ELPAC or Initial Alternate ELPAC for the student
			No—Testing event received for the Initial ELPAC or Initial Alternate ELPAC for the student
New LEA, After	No	Prior—Invalid if the student did not test	No—If the student tested



Non-TBD CALPADS ELAS Tested Student(s) Reporting Rules

- The student's ELAS changed from TBD to non-TBD before the start of the testing. The student's registration is changed to invalid, test block is placed in the TDS, and the student cannot test.
- The student's ELAS changed from TBD to non-TBD after the start of the first tested domain for the Initial ELPAC. No test block is placed in the TDS. The student is allowed to continue testing only for the domain(s) started. All other domains are blocked in the TDS where the student is yet to start testing.
- The student's ELAS changed from TBD to non-TBD after the start of the Initial Alternate ELPAC. No test block is placed in the TDS. The student is allowed to continue testing.
- If at the end of the testing window CALPADS ELAS = TBD, and tested, students will be reported if the <u>participation rules</u> are met.
- If at the end of the testing window CALPADS ELAS = non-TBD, student scores will be reported (SSRs, student data files, end-of-year reporting files) only if at least one domain in each composite are logged on for the Initial ELPAC. This may include domain exemption.
- If at the end of the testing window CALPADS ELAS = non-TBD, student scores will be reported (SSRs, student data files, end-of-year reporting files) only if the student responded to at least one expressive item and one responsive item by either using the Mark as No Response in the contextual menu option or item responses to meet test participation for the Initial Alternate ELPAC. The locked ELAS will be reported as TBD in the student data file.
- If at the end of the testing window CALPADS ELAS = non-TBD, students will not be reported if there is not at least one domain in each composite are logged on for the Initial ELPAC. This excludes domains that have domain exemptions assigned.
- If at the end of the testing window CALPADS ELAS = non-TBD, students will not be reported if the students did not meet the Initial Alternate ELPAC participation rule.
- For a student who will not be reported, Initial ELPAC or Initial Alternate ELPAC registration for the student will be removed to exclude the student from all reporting deliverables.



Initial ELPAC and Initial Alternate ELPAC SSR Rules

This table provides information of when a student will receive an Initial ELPAC or Initial Alternate ELPAC SSR.

Assessment	Description	Current-Year SSR	Caution Text on the Current-Year SSR
Initial ELPAC and Initial Alternate ELPAC	Student did not meet participation rule (<u>Attemptedness</u> value of "P")	No SSR will be created.	N/A
Initial ELPAC	Student met participation rule (<u>Attemptedness</u> value of "Y")	 SSR will be created. Historical scores are not reported for the Initial ELPAC. 	Domain Exemption
Initial ELPAC and Initial Alternate ELPAC	Student met participation rule (<u>Attemptedness</u> value of "Y")	 SSR will be created. Historical scores are not reported for the Initial ELPAC or Initial Alternate ELPAC. 	Unlisted resource that changes the construct
Initial ELPAC and Initial Alternate ELPAC	Student did not test	No SSR will be created.	N/A



Calculated ELAS from TOMS to CALPADS for the Initial ELPAC and Initial Alternate ELPAC

Attemptedness Field Value	Calculate ELAS	Send Calculated ELAS from TOMS to CALPADS		Description
P (Partially tested students)	No	No	 3. 	Students with an attemptedness value of "P" receive an overall performance level value of "NS". Calculated ELAS cannot be derived using "NS" overall performance level. As a result, Calculated ELAS from Initial ELPAC or Initial Alternate ELPAC testing will not be sent from TOMS to CALPADS for students who received an attemptedness value of "P". These students' ELAS will remain in "TBD" status in CALPADS until the following test administration year. The LEAs will need to reenroll and readminister the Initial Alternate ELPAC or all domains of the Initial ELPAC the following test administration year in the
Y (Participation met)	Yes	Yes	2.	Calculated ELAS will be derived by TOMS for students who received an attemptedness value of "Y" using the overall performance level value. Students with an overall performance level of 1 (Novice EL) or 2 (Intermediate EL) are assigned an ELAS value of EL. Students with an overall performance level of 3 (IFEP) are assigned an ELAS value of IFEP. Calculated ELAS derived by TOMS will be sent to CALPADS, daily until the end of the Initial ELPAC and Initial Alternate ELPAC testing window or all Initial ELPAC and Initial Alternate ELPAC results for the test administration are posted.